

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
30 November 2000 (30.11.2000)

PCT

(10) International Publication Number
WO 00/71574 A2

- (51) International Patent Classification⁷: **C07K 14/00**
- (21) International Application Number: **PCT/IB00/00831**
- (22) International Filing Date: **19 May 2000 (19.05.2000)**
- (25) Filing Language: **English**
- (26) Publication Language: **English**
- (30) Priority Data:
9911683.2 **19 May 1999 (19.05.1999)** **GB**
- (71) Applicant (for all designated States except US): **CHIRON S.P.A.** [IT/IT]; Via Fiorentina 1, I-53100 Siena (IT).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): **MASIGNANI, Vega** [IT/IT]; Chiron S.p.A., Via Fiorentina 1, I-53100 Siena (IT). **SCARLATO, Vincenzo** [IT/IT]; Chiron S.p.A., Via Fiorentina 1, I-53100 Siena (IT). **SCARSELLI, Maria** [IT/IT]; Chiron S.p.A., Via Fiorentina 1, I-53100 Siena (IT). **GALEOTTI, Cesira** [IT/IT]; Chiron S.p.A., Via Fiorentina 1, I-53100 Siena (IT). **MORA, Maria, Rosa** [IT/IT]; Chiron S.p.A., Via Fiorentina 1, I-53100 Siena (IT).
- (74) Agents: **HALLYBONE, Huw, George et al.**; Carpmaels & Ransford, 43 Bloomsbury Square, London WC1A 2RA (GB).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
- Published:**
— Without international search report and to be republished upon receipt of that report.
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: **ANTIGENIC NEISSERIAL PEPTIDES**

(57) Abstract: WO99/24578 discloses a large number of proteins from *Neisseria meningitidis* and *Neisseria gonorrhoeae*. The present invention relates to fragments of those proteins which comprise at least one antigenic determinant. Homologous sequences and proteins comprising these fragments are also disclosed.

WO 00/71574 A2

ANTIGENIC NEISSERIAL PEPTIDES

All documents cited herein are incorporated by reference in their entirety. In particular, the contents of international patent application WO99/24578 are fully incorporated herein.

FIELD OF THE INVENTION

- 5 This invention relates to antigenic peptide sequences from the bacteria *Neisseria meningitidis* and *Neisseria gonorrhoeae*.

BACKGROUND

Neisseria meningitidis and *Neisseria gonorrhoeae* are non-motile, gram negative diplococci that are pathogenic in humans.

- 10 Based on the organism's capsular polysaccharide, 12 serogroups of *N.meningitidis* have been identified. Group A is the pathogen most often implicated in epidemic disease in sub-Saharan Africa. Serogroups B and C are responsible for the vast majority of cases in the United States and in most developed countries. Serogroups W135 and Y are responsible for the rest of the cases in the United States and developed countries.
- 15 The meningococcal vaccine currently in use is a tetravalent polysaccharide vaccine composed of serogroups A, C, Y & W135, but MenB remains a problem. The polysaccharide approach cannot be used because the MenB capsular polysaccharide is a polymer of $\alpha(2-8)$ -linked *N*-acetyl neuraminic acid that is also present in mammalian tissue. One approach to a menB vaccine uses mixtures of outer membrane proteins (OMPs) To overcome the antigenic variability, multivalent
- 20 vaccines containing up to nine different porins have been constructed [eg. Poolman JT (1992) Development of a meningococcal vaccine. *Infect. Agents Dis.* 4:13-28]. Additional proteins to be used in outer membrane vaccines have been the opa and opc proteins, but none of these approaches have been able to overcome the antigenic variability [eg. Ala'Aldeen & Borriello (1996) The meningococcal transferrin-binding proteins 1 and 2 are both surface exposed and generate
- 25 bactericidal antibodies capable of killing homologous and heterologous strains. *Vaccine* 14(1):49-53].

THE INVENTION

The invention provides fragments of the proteins disclosed in international patent application WO99/24578, wherein the fragments comprise at least one antigenic determinant.

Thus, if the length of any particular protein sequence disclosed in WO99/24578 is x amino acids (see Table II), the present invention provides fragments of at most $x-1$ amino acids of that protein. The fragment may be shorter than this (eg. $x-2$, $x-3$, $x-4$, ...), and is preferably 100 amino acids or less (eg. 90 amino acids or less, 80 amino acids *etc.*). The fragment may be as short as 3 amino acids, but
5 is preferably longer (eg. up to 6, 7, 8, 9, 10, 12, 15, 20, 25, 30, 35, 40, 50, 75, or 100 amino acids).

Preferred fragments comprise the Neisserial peptide sequences disclosed in Table I, or sub-sequences thereof. The fragments may be longer than those given in Table I eg. where a fragment in Table I runs from amino acid residue p to residue q of a protein, the invention also relates to fragments from residue $(p-1)$, $(p-2)$, or $(p-3)$ to residue $(q+1)$, $(q+2)$, or $(q+3)$.

10 The invention also provides polypeptides that are homologous (*ie.* have sequence identity) to these fragments. Depending on the particular fragment, the degree of sequence identity is preferably greater than 50% (eg. 60%, 70%, 80%, 90%, 95%, 99% or more). These homologous polypeptides include mutants and allelic variants of the fragments. Identity between the two sequences is preferably determined by the Smith-Waterman homology search algorithm as implemented in the
15 MPSRCH program (Oxford Molecular), using an affine gap search with parameters *gap open penalty*=12 and *gap extension penalty*=1.

The invention also provides proteins comprising one or more of the above-defined fragments.

The invention is subject to the proviso that it does not include within its scope proteins comprising any of the 446 protein sequences disclosed in WO99/24578 (*ie.* the even SEQ IDs: 2, 4, 6, 8, 10, ...,
20 888, 890, 892 of WO99/24578).

The proteins of the invention can, of course, be prepared by various means (eg. recombinant expression, purification from cell culture, chemical synthesis *etc.*) and in various forms (eg. native, C-terminal and/or N-terminal fusions *etc.*). They are preferably prepared in substantially pure form (*ie.* substantially free from other Neisserial or host cell proteins). Short proteins are preferably
25 produced using chemical peptide synthesis.

According to a further aspect, the invention provides antibodies which recognise the fragments of the invention, with the proviso that the invention does not include within its scope antibodies which recognise one of 446 complete protein sequences in WO99/24578. The antibodies may be polyclonal or, preferably, monoclonal, and may be produced by any suitable means.

The invention also provides proteins comprising peptide sequences recognised by these antibodies. These peptide sequences will, of course, include fragments of the Neisserial proteins in WO99/24578, but will also include peptides that mimic the antigenic structure of the Neisserial peptides when bound to immunoglobulin.

- 5 According to a further aspect, the invention provides nucleic acid encoding the fragments and proteins of the invention, with the proviso that the invention does not include within its scope nucleic acid encoding one of the 446 protein sequences in WO99/24578.

In addition, the invention provides nucleic acid comprising sequences homologous (*ie.* having sequence identity) to these sequences. Furthermore, the invention provides nucleic acid which can
10 hybridise to these sequences, preferably under “high stringency” conditions (*eg.* 65°C in a 0.1xSSC, 0.5% SDS solution).

It should also be appreciated that the invention provides nucleic acid comprising sequences complementary to those described above (*eg.* for antisense or probing purposes).

Nucleic acid according to the invention can, of course, be prepared in many ways (*eg.* by chemical
15 synthesis, from genomic or cDNA libraries, from the organism itself *etc.*) and can take various forms (*eg.* single stranded, double stranded, vectors, probes *etc.*). In addition, the term “nucleic acid” includes DNA and RNA, and also their analogues, such as those containing modified backbones, and also peptide nucleic acids (PNA) *etc.*

According to a further aspect, the invention provides vectors comprising nucleotide sequences of
20 the invention (*eg.* expression vectors) and host cells transformed with such vectors.

According to a further aspect, the invention provides compositions comprising protein, antibody, and/or nucleic acid according to the invention. These compositions may be suitable as vaccines, for instance, or as diagnostic reagents, or as immunogenic compositions.

The invention also provides nucleic acid, protein, or antibody according to the invention for use as
25 medicaments (*eg.* as vaccines or as immunogenic compositions) or as diagnostic reagents. It also provides the use of nucleic acid, protein, or antibody according to the invention in the manufacture of: (i) a medicament for treating or preventing infection due to Neisserial bacteria; (ii) a diagnostic reagent for detecting the presence of Neisserial bacteria or of antibodies raised against Neisserial bacteria; and/or (iii) a reagent which can raise antibodies against Neisserial bacteria. Said Neisserial

bacteria may be any species or strain (such as *N.gonorrhoeae*) but are preferably *N.meningitidis*, especially strain A or strain B.

The invention also provides a method of treating a patient, comprising administering to the patient a therapeutically effective amount of nucleic acid, protein, and/or antibody according to the invention.

According to further aspects, the invention provides various processes.

A process for producing proteins of the invention is provided, comprising the step of culturing a host cell according to the invention under conditions which induce protein expression.

A process for producing protein or nucleic acid of the invention is provided, wherein the protein or nucleic acid is synthesised in part or in whole using chemical means.

A process for detecting polynucleotides of the invention is provided, comprising the steps of: (a) contacting a nucleic probe according to the invention with a biological sample under hybridizing conditions to form duplexes; and (b) detecting said duplexes.

A process for detecting proteins of the invention is provided, comprising the steps of: (a) contacting an antibody according to the invention with a biological sample under conditions suitable for the formation of an antibody-antigen complexes; and (b) detecting said complexes.

A summary of standard techniques and procedures which may be employed in order to perform the invention (eg. to utilise the disclosed sequences for vaccination or diagnostic purposes) follows. This summary is not a limitation on the invention but, rather, gives examples that may be used, but are not required.

General

The practice of the present invention will employ, unless otherwise indicated, conventional techniques of molecular biology, microbiology, recombinant DNA, and immunology, which are within the skill of the art. Such techniques are explained fully in the literature eg. Sambrook *Molecular Cloning; A Laboratory Manual, Second Edition* (1989); *DNA Cloning, Volumes I and ii* (D.N Glover ed. 1985); *Oligonucleotide Synthesis* (M.J. Gait ed, 1984); *Nucleic Acid Hybridization* (B.D. Hames & S.J. Higgins eds. 1984); *Transcription and Translation* (B.D. Hames & S.J. Higgins eds. 1984); *Animal Cell Culture* (R.I. Freshney ed. 1986); *Immobilized Cells and Enzymes* (IRL Press, 1986); B. Perbal, *A Practical Guide to Molecular Cloning* (1984); the *Methods in Enzymology* series (Academic Press, Inc.), especially volumes 154 & 155; *Gene Transfer Vectors for Mammalian Cells* (J.H. Miller and M.P. Calos eds. 1987, Cold Spring Harbor Laboratory); Mayer and Walker,

eds. (1987), *Immunochemical Methods in Cell and Molecular Biology* (Academic Press, London); Scopes, (1987) *Protein Purification: Principles and Practice*, Second Edition (Springer-Verlag, N.Y.), and *Handbook of Experimental Immunology, Volumes I-IV* (D.M. Weir and C. C. Blackwell eds 1986).

Standard abbreviations for nucleotides and amino acids are used in this specification.

- 5 All publications, patents, and patent applications cited herein are incorporated in full by reference.

Definitions

A composition containing X is "substantially free of" Y when at least 85% by weight of the total X+Y in the composition is X. Preferably, X comprises at least about 90% by weight of the total of X+Y in the composition, more preferably at least about 95% or even 99% by weight.

- 10 The term "comprising" means "including" as well as "consisting" eg. a composition "comprising" X may consist exclusively of X or may include something additional to X, such as X+Y.

The term "antigenic determinant" includes B-cell epitopes and T-cell epitopes.

- 15 The term "heterologous" refers to two biological components that are not found together in nature. The components may be host cells, genes, or regulatory regions, such as promoters. Although the heterologous components are not found together in nature, they can function together, as when a promoter heterologous to a gene is operably linked to the gene. Another example is where a Neisserial sequence is heterologous to a mouse host cell. A further examples would be two epitopes from the same or different proteins which have been assembled in a single protein in an arrangement not found in nature.

- 20 An "origin of replication" is a polynucleotide sequence that initiates and regulates replication of polynucleotides, such as an expression vector. The origin of replication behaves as an autonomous unit of polynucleotide replication within a cell, capable of replication under its own control. An origin of replication may be needed for a vector to replicate in a particular host cell. With certain origins of replication, an expression vector can be reproduced at a high copy number in the presence of the appropriate proteins within the cell. Examples of origins are the autonomously replicating sequences, which are effective in yeast; and the viral
25 T-antigen, effective in COS-7 cells.

Expression systems

The Neisserial nucleotide sequences can be expressed in a variety of different expression systems; for example those used with mammalian cells, baculoviruses, plants, bacteria, and yeast.

i. Mammalian Systems

- 30 Mammalian expression systems are known in the art. A mammalian promoter is any DNA sequence capable of binding mammalian RNA polymerase and initiating the downstream (3') transcription of a coding sequence

(eg. structural gene) into mRNA. A promoter will have a transcription initiating region, which is usually placed proximal to the 5' end of the coding sequence, and a TATA box, usually located 25-30 base pairs (bp) upstream of the transcription initiation site. The TATA box is thought to direct RNA polymerase II to begin RNA synthesis at the correct site. A mammalian promoter will also contain an upstream promoter element, usually located within 100 to 200 bp upstream of the TATA box. An upstream promoter element determines the rate at which transcription is initiated and can act in either orientation [Sambrook et al. (1989) "Expression of Cloned Genes in Mammalian Cells." In *Molecular Cloning: A Laboratory Manual*, 2nd ed.].

Mammalian viral genes are often highly expressed and have a broad host range; therefore sequences encoding mammalian viral genes provide particularly useful promoter sequences. Examples include the SV40 early promoter, mouse mammary tumor virus LTR promoter, adenovirus major late promoter (Ad MLP), and herpes simplex virus promoter. In addition, sequences derived from non-viral genes, such as the murine metallothionein gene, also provide useful promoter sequences. Expression may be either constitutive or regulated (inducible), depending on the promoter can be induced with glucocorticoid in hormone-responsive cells.

The presence of an enhancer element (enhancer), combined with the promoter elements described above, will usually increase expression levels. An enhancer is a regulatory DNA sequence that can stimulate transcription up to 1000-fold when linked to homologous or heterologous promoters, with synthesis beginning at the normal RNA start site. Enhancers are also active when they are placed upstream or downstream from the transcription initiation site, in either normal or flipped orientation, or at a distance of more than 1000 nucleotides from the promoter [Maniatis et al. (1987) *Science* 236:1237; Alberts et al. (1989) *Molecular Biology of the Cell*, 2nd ed.]. Enhancer elements derived from viruses may be particularly useful, because they usually have a broader host range. Examples include the SV40 early gene enhancer [Dijkema et al (1985) *EMBO J.* 4:761] and the enhancer/promoters derived from the long terminal repeat (LTR) of the Rous Sarcoma Virus [Gorman et al. (1982b) *Proc. Natl. Acad. Sci.* 79:6777] and from human cytomegalovirus [Boshart et al. (1985) *Cell* 41:521]. Additionally, some enhancers are regulatable and become active only in the presence of an inducer, such as a hormone or metal ion [Sassone-Corsi and Borelli (1986) *Trends Genet.* 2:215; Maniatis et al. (1987) *Science* 236:1237].

A DNA molecule may be expressed intracellularly in mammalian cells. A promoter sequence may be directly linked with the DNA molecule, in which case the first amino acid at the N-terminus of the recombinant protein will always be a methionine, which is encoded by the ATG start codon. If desired, the N-terminus may be cleaved from the protein by *in vitro* incubation with cyanogen bromide.

Alternatively, foreign proteins can also be secreted from the cell into the growth media by creating chimeric DNA molecules that encode a fusion protein comprised of a leader sequence fragment that provides for secretion of the foreign protein in mammalian cells. Preferably, there are processing sites encoded between the leader fragment and the foreign gene that can be cleaved either *in vivo* or *in vitro*. The leader sequence fragment usually encodes a signal peptide comprised of hydrophobic amino acids which direct the secretion of the protein from the cell. The adenovirus tripartite leader is an example of a leader sequence that provides for secretion of a foreign protein in mammalian cells.

Usually, transcription termination and polyadenylation sequences recognized by mammalian cells are regulatory regions located 3' to the translation stop codon and thus, together with the promoter elements, flank the coding sequence. The 3' terminus of the mature mRNA is formed by site-specific post-transcriptional cleavage and polyadenylation [Birnstiel et al. (1985) *Cell* 41:349; Proudfoot and Whitelaw (1988) "Termination and 3' end processing of eukaryotic RNA. In *Transcription and splicing* (ed. B.D. Hames and D.M. Glover); Proudfoot (1989) *Trends Biochem. Sci.* 14:105]. These sequences direct the transcription of an mRNA which can be translated into the polypeptide encoded by the DNA. Examples of transcription terminator/polyadenylation signals include those derived from SV40 [Sambrook et al (1989) "Expression of cloned genes in cultured mammalian cells." In *Molecular Cloning: A Laboratory Manual*].

Usually, the above described components, comprising a promoter, polyadenylation signal, and transcription termination sequence are put together into expression constructs. Enhancers, introns with functional splice donor and acceptor sites, and leader sequences may also be included in an expression construct, if desired. Expression constructs are often maintained in a replicon, such as an extrachromosomal element (eg. plasmids) capable of stable maintenance in a host, such as mammalian cells or bacteria. Mammalian replication systems include those derived from animal viruses, which require trans-acting factors to replicate. For example, plasmids containing the replication systems of papovaviruses, such as SV40 [Gluzman (1981) *Cell* 23:175] or polyomavirus, replicate to extremely high copy number in the presence of the appropriate viral T antigen. Additional examples of mammalian replicons include those derived from bovine papillomavirus and Epstein-Barr virus. Additionally, the replicon may have two replicaton systems, thus allowing it to be maintained, for example, in mammalian cells for expression and in a prokaryotic host for cloning and amplification. Examples of such mammalian-bacteria shuttle vectors include pMT2 [Kaufman et al. (1989) *Mol. Cell. Biol.* 9:946] and pHEBO [Shimizu et al. (1986) *Mol. Cell. Biol.* 6:1074].

The transformation procedure used depends upon the host to be transformed. Methods for introduction of heterologous polynucleotides into mammalian cells are known in the art and include dextran-mediated transfection, calcium phosphate precipitation, polybrene mediated transfection, protoplast fusion,

electroporation, encapsulation of the polynucleotide(s) in liposomes, and direct microinjection of the DNA into nuclei.

Mammalian cell lines available as hosts for expression are known in the art and include many immortalized cell lines available from the American Type Culture Collection (ATCC), including but not limited to, Chinese hamster ovary (CHO) cells, HeLa cells, baby hamster kidney (BHK) cells, monkey kidney cells (COS), human hepatocellular carcinoma cells (*eg.* Hep G2), and a number of other cell lines.

ii. Baculovirus Systems

The polynucleotide encoding the protein can also be inserted into a suitable insect expression vector, and is operably linked to the control elements within that vector. Vector construction employs techniques which are known in the art. Generally, the components of the expression system include a transfer vector, usually a bacterial plasmid, which contains both a fragment of the baculovirus genome, and a convenient restriction site for insertion of the heterologous gene or genes to be expressed; a wild type baculovirus with a sequence homologous to the baculovirus-specific fragment in the transfer vector (this allows for the homologous recombination of the heterologous gene in to the baculovirus genome); and appropriate insect host cells and growth media.

After inserting the DNA sequence encoding the protein into the transfer vector, the vector and the wild type viral genome are transfected into an insect host cell where the vector and viral genome are allowed to recombine. The packaged recombinant virus is expressed and recombinant plaques are identified and purified. Materials and methods for baculovirus/insect cell expression systems are commercially available in kit form from, *inter alia*, Invitrogen, San Diego CA ("MaxBac" kit). These techniques are generally known to those skilled in the art and fully described in Summers and Smith, *Texas Agricultural Experiment Station Bulletin No. 1555* (1987) (hereinafter "Summers and Smith").

Prior to inserting the DNA sequence encoding the protein into the baculovirus genome, the above described components, comprising a promoter, leader (if desired), coding sequence of interest, and transcription termination sequence, are usually assembled into an intermediate transplacement construct (transfer vector). This construct may contain a single gene and operably linked regulatory elements; multiple genes, each with its owned set of operably linked regulatory elements; or multiple genes, regulated by the same set of regulatory elements. Intermediate transplacement constructs are often maintained in a replicon, such as an extrachromosomal element (*eg.* plasmids) capable of stable maintenance in a host, such as a bacterium. The replicon will have a replication system, thus allowing it to be maintained in a suitable host for cloning and amplification.

Currently, the most commonly used transfer vector for introducing foreign genes into AcNPV is pAc373. Many other vectors, known to those of skill in the art, have also been designed. These include, for example, pVL985 (which alters the polyhedrin start codon from ATG to ATT, and which introduces a BamHI cloning site 32 basepairs downstream from the ATT; see Luckow and Summers, *Virology* (1989) 17:31.

- 5 The plasmid usually also contains the polyhedrin polyadenylation signal (Miller et al. (1988) *Ann. Rev. Microbiol.*, 42:177) and a prokaryotic ampicillin-resistance (*amp*) gene and origin of replication for selection and propagation in *E. coli*.

Baculovirus transfer vectors usually contain a baculovirus promoter. A baculovirus promoter is any DNA sequence capable of binding a baculovirus RNA polymerase and initiating the downstream (5' to 3') transcription of a coding sequence (eg. structural gene) into mRNA. A promoter will have a transcription initiation region which is usually placed proximal to the 5' end of the coding sequence. This transcription initiation region usually includes an RNA polymerase binding site and a transcription initiation site. A baculovirus transfer vector may also have a second domain called an enhancer, which, if present, is usually distal to the structural gene. Expression may be either regulated or constitutive.

- 15 Structural genes, abundantly transcribed at late times in a viral infection cycle, provide particularly useful promoter sequences. Examples include sequences derived from the gene encoding the viral polyhedron protein, Friesen et al., (1986) "The Regulation of Baculovirus Gene Expression," in: *The Molecular Biology of Baculoviruses* (ed. Walter Doerfler); EPO Publ. Nos. 127 839 and 155 476; and the gene encoding the p10 protein, Vlak et al., (1988), *J. Gen. Virol.* 69:765.

20 DNA encoding suitable signal sequences can be derived from genes for secreted insect or baculovirus proteins, such as the baculovirus polyhedrin gene (Carbonell et al. (1988) *Gene*, 73:409). Alternatively, since the signals for mammalian cell posttranslational modifications (such as signal peptide cleavage, proteolytic cleavage, and phosphorylation) appear to be recognized by insect cells, and the signals required for secretion and nuclear accumulation also appear to be conserved between the invertebrate cells and vertebrate cells, leaders of non-insect origin, such as those derived from genes encoding human α -interferon, Maeda et al., (1985), *Nature* 315:592; human gastrin-releasing peptide, Lebacqz-Verheyden et al., (1988), *Molec. Cell. Biol.* 8:3129; human IL-2, Smith et al., (1985) *Proc. Nat'l Acad. Sci. USA*, 82:8404; mouse IL-3, (Miyajima et al., (1987) *Gene* 58:273; and human glucocerebrosidase, Martin et al. (1988) *DNA*, 7:99, can also be used to provide for secretion in insects.

- 30 A recombinant polypeptide or polyprotein may be expressed intracellularly or, if it is expressed with the proper regulatory sequences, it can be secreted. Good intracellular expression of nonfused foreign proteins usually requires heterologous genes that ideally have a short leader sequence containing suitable translation initiation

signals preceding an ATG start signal. If desired, methionine at the N-terminus may be cleaved from the mature protein by *in vitro* incubation with cyanogen bromide.

Alternatively, recombinant polyproteins or proteins which are not naturally secreted can be secreted from the insect cell by creating chimeric DNA molecules that encode a fusion protein comprised of a leader sequence
5 fragment that provides for secretion of the foreign protein in insects. The leader sequence fragment usually encodes a signal peptide comprised of hydrophobic amino acids which direct the translocation of the protein into the endoplasmic reticulum.

After insertion of the DNA sequence and/or the gene encoding the expression product precursor of the protein, an insect cell host is co-transformed with the heterologous DNA of the transfer vector and the genomic DNA
10 of wild type baculovirus -- usually by co-transfection. The promoter and transcription termination sequence of the construct will usually comprise a 2-5kb section of the baculovirus genome. Methods for introducing heterologous DNA into the desired site in the baculovirus virus are known in the art. (See Summers and Smith *supra*; Ju et al. (1987); Smith et al., *Mol. Cell. Biol.* (1983) 3:2156; and Luckow and Summers (1989)). For example, the insertion can be into a gene such as the polyhedrin gene, by homologous double crossover
15 recombination; insertion can also be into a restriction enzyme site engineered into the desired baculovirus gene. Miller et al., (1989), *Bioessays* 4:91. The DNA sequence, when cloned in place of the polyhedrin gene in the expression vector, is flanked both 5' and 3' by polyhedrin-specific sequences and is positioned downstream of the polyhedrin promoter.

The newly formed baculovirus expression vector is subsequently packaged into an infectious recombinant
20 baculovirus. Homologous recombination occurs at low frequency (between about 1% and about 5%); thus, the majority of the virus produced after cotransfection is still wild-type virus. Therefore, a method is necessary to identify recombinant viruses. An advantage of the expression system is a visual screen allowing recombinant viruses to be distinguished. The polyhedrin protein, which is produced by the native virus, is produced at very high levels in the nuclei of infected cells at late times after viral infection. Accumulated polyhedrin protein
25 forms occlusion bodies that also contain embedded particles. These occlusion bodies, up to 15 µm in size, are highly refractile, giving them a bright shiny appearance that is readily visualized under the light microscope. Cells infected with recombinant viruses lack occlusion bodies. To distinguish recombinant virus from wild-type virus, the transfection supernatant is plaqued onto a monolayer of insect cells by techniques known to those skilled in the art. Namely, the plaques are screened under the light microscope for the presence (indicative of
30 wild-type virus) or absence (indicative of recombinant virus) of occlusion bodies. "Current Protocols in Microbiology" Vol. 2 (Ausubel et al. eds) at 16.8 (Supp. 10, 1990); Summers and Smith, *supra*; Miller et al. (1989).

Recombinant baculovirus expression vectors have been developed for infection into several insect cells. For example, recombinant baculoviruses have been developed for, *inter alia*: *Aedes aegypti*, *Autographa californica*, *Bombyx mori*, *Drosophila melanogaster*, *Spodoptera frugiperda*, and *Trichoplusia ni* (WO 89/046699; Carbonell et al., (1985) *J. Virol.* 56:153; Wright (1986) *Nature* 321:718; Smith et al., (1983) *Mol. Cell. Biol.* 3:2156; and see generally, Fraser, et al. (1989) *In Vitro Cell. Dev. Biol.* 25:225).

Cells and cell culture media are commercially available for both direct and fusion expression of heterologous polypeptides in a baculovirus/expression system; cell culture technology is generally known to those skilled in the art. See, eg. Summers and Smith *supra*.

The modified insect cells may then be grown in an appropriate nutrient medium, which allows for stable maintenance of the plasmid(s) present in the modified insect host. Where the expression product gene is under inducible control, the host may be grown to high density, and expression induced. Alternatively, where expression is constitutive, the product will be continuously expressed into the medium and the nutrient medium must be continuously circulated, while removing the product of interest and augmenting depleted nutrients. The product may be purified by such techniques as chromatography, eg. HPLC, affinity chromatography, ion exchange chromatography, etc.; electrophoresis; density gradient centrifugation; solvent extraction, or the like. As appropriate, the product may be further purified, as required, so as to remove substantially any insect proteins which are also secreted in the medium or result from lysis of insect cells, so as to provide a product which is at least substantially free of host debris, eg. proteins, lipids and polysaccharides.

In order to obtain protein expression, recombinant host cells derived from the transformants are incubated under conditions which allow expression of the recombinant protein encoding sequence. These conditions will vary, dependent upon the host cell selected. However, the conditions are readily ascertainable to those of ordinary skill in the art, based upon what is known in the art.

iii. Plant Systems

There are many plant cell culture and whole plant genetic expression systems known in the art. Exemplary plant cellular genetic expression systems include those described in patents, such as: US 5,693,506; US 5,659,122; and US 5,608,143. Additional examples of genetic expression in plant cell culture has been described by Zenk, *Phytochemistry* 30:3861-3863 (1991). Descriptions of plant protein signal peptides may be found in addition to the references described above in Vaulcombe et al., *Mol. Gen. Genet.* 209:33-40 (1987); Chandler et al., *Plant Molecular Biology* 3:407-418 (1984); Rogers, *J. Biol. Chem.* 260:3731-3738 (1985); Rothstein et al., *Gene* 55:353-356 (1987); Whittier et al., *Nucleic Acids Research* 15:2515-2535 (1987); Wirsal et al., *Molecular Microbiology* 3:3-14 (1989); Yu et al., *Gene* 122:247-253 (1992). A description of the regulation of plant gene expression by the phytohormone, gibberellic acid and secreted enzymes induced by gibberellic acid can be found

in R.L. Jones and J. MacMillin, Gibberellins: in: *Advanced Plant Physiology*,. Malcolm B. Wilkins, ed., 1984 Pitman Publishing Limited, London, pp. 21-52. References that describe other metabolically-regulated genes: Sheen, *Plant Cell*, 2:1027-1038(1990); Maas et al., *EMBO J.* 9:3447-3452 (1990); Benkel and Hickey, *Proc. Natl. Acad. Sci.* 84:1337-1339 (1987)

5 Typically, using techniques known in the art, a desired polynucleotide sequence is inserted into an expression cassette comprising genetic regulatory elements designed for operation in plants. The expression cassette is inserted into a desired expression vector with companion sequences upstream and downstream from the expression cassette suitable for expression in a plant host. The companion sequences will be of plasmid or viral origin and provide necessary characteristics to the vector to permit the vectors to move DNA from an original
10 cloning host, such as bacteria, to the desired plant host. The basic bacterial/plant vector construct will preferably provide a broad host range prokaryote replication origin; a prokaryote selectable marker; and, for Agrobacterium transformations, T DNA sequences for Agrobacterium-mediated transfer to plant chromosomes. Where the heterologous gene is not readily amenable to detection, the construct will preferably also have a selectable marker gene suitable for determining if a plant cell has been transformed. A general review of suitable
15 markers, for example for the members of the grass family, is found in Wilmink and Dons, 1993, *Plant Mol. Biol. Repr*, 11(2):165-185.

Sequences suitable for permitting integration of the heterologous sequence into the plant genome are also recommended. These might include transposon sequences and the like for homologous recombination as well as Ti sequences which permit random insertion of a heterologous expression cassette into a plant genome.
20 Suitable prokaryote selectable markers include resistance toward antibiotics such as ampicillin or tetracycline. Other DNA sequences encoding additional functions may also be present in the vector, as is known in the art. The nucleic acid molecules of the subject invention may be included into an expression cassette for expression of the protein(s) of interest. Usually, there will be only one expression cassette, although two or more are feasible. The recombinant expression cassette will contain in addition to the heterologous protein encoding
25 sequence the following elements, a promoter region, plant 5' untranslated sequences, initiation codon depending upon whether or not the structural gene comes equipped with one, and a transcription and translation termination sequence. Unique restriction enzyme sites at the 5' and 3' ends of the cassette allow for easy insertion into a pre-existing vector.

A heterologous coding sequence may be for any protein relating to the present invention. The sequence
30 encoding the protein of interest will encode a signal peptide which allows processing and translocation of the protein, as appropriate, and will usually lack any sequence which might result in the binding of the desired protein of the invention to a membrane. Since, for the most part, the transcriptional initiation region will be for

a gene which is expressed and translocated during germination, by employing the signal peptide which provides for translocation, one may also provide for translocation of the protein of interest. In this way, the protein(s) of interest will be translocated from the cells in which they are expressed and may be efficiently harvested. Typically secretion in seeds are across the aleurone or scutellar epithelium layer into the endosperm of the seed.

5 While it is not required that the protein be secreted from the cells in which the protein is produced, this facilitates the isolation and purification of the recombinant protein.

Since the ultimate expression of the desired gene product will be in a eucaryotic cell it is desirable to determine whether any portion of the cloned gene contains sequences which will be processed out as introns by the host's splicosome machinery. If so, site-directed mutagenesis of the "intron" region may be conducted to prevent
10 losing a portion of the genetic message as a false intron code, Reed and Maniatis, *Cell* 41:95-105, 1985.

The vector can be microinjected directly into plant cells by use of micropipettes to mechanically transfer the recombinant DNA. Crossway, *Mol. Gen. Genet*, 202:179-185, 1985. The genetic material may also be transferred into the plant cell by using polyethylene glycol, Krens, et al., *Nature*, 296, 72-74, 1982. Another method of introduction of nucleic acid segments is high velocity ballistic penetration by small particles with the
15 nucleic acid either within the matrix of small beads or particles, or on the surface, Klein, et al., *Nature*, 327, 70-73, 1987 and Knudsen and Muller, 1991, *Planta*, 185:330-336 teaching particle bombardment of barley endosperm to create transgenic barley. Yet another method of introduction would be fusion of protoplasts with other entities, either minicells, cells, lysosomes or other fusible lipid-surfaced bodies, Fraley, et al., *Proc. Natl. Acad. Sci. USA*, 79, 1859-1863, 1982.

20 The vector may also be introduced into the plant cells by electroporation. (Fromm et al., *Proc. Natl Acad. Sci. USA* 82:5824, 1985). In this technique, plant protoplasts are electroporated in the presence of plasmids containing the gene construct. Electrical impulses of high field strength reversibly permeabilize biomembranes allowing the introduction of the plasmids. Electroporated plant protoplasts reform the cell wall, divide, and form plant callus.

25 All plants from which protoplasts can be isolated and cultured to give whole regenerated plants can be transformed by the present invention so that whole plants are recovered which contain the transferred gene. It is known that practically all plants can be regenerated from cultured cells or tissues, including but not limited to all major species of sugarcane, sugar beet, cotton, fruit and other trees, legumes and vegetables. Some suitable plants include, for example, species from the genera *Fragaria*, *Lotus*, *Medicago*, *Onobrychis*, *Trifolium*,
30 *Trigonella*, *Vigna*, *Citrus*, *Linum*, *Geranium*, *Manihot*, *Daucus*, *Arabidopsis*, *Brassica*, *Raphanus*, *Sinapis*, *Atropa*, *Capsicum*, *Datura*, *Hyoscyamus*, *Lycopersion*, *Nicotiana*, *Solanum*, *Petunia*, *Digitalis*, *Majorana*, *Cichorium*, *Helianthus*, *Lactuca*, *Bromus*, *Asparagus*, *Antirrhinum*, *Hererocallis*, *Nemesia*, *Pelargonium*,

Panicum, Pennisetum, Ranunculus, Senecio, Salpiglossis, Cucumis, Browaalia, Glycine, Lolium, Zea, Triticum, Sorghum, and Datura.

Means for regeneration vary from species to species of plants, but generally a suspension of transformed protoplasts containing copies of the heterologous gene is first provided. Callus tissue is formed and shoots may be induced from callus and subsequently rooted. Alternatively, embryo formation can be induced from the protoplast suspension. These embryos germinate as natural embryos to form plants. The culture media will generally contain various amino acids and hormones, such as auxin and cytokinins. It is also advantageous to add glutamic acid and proline to the medium, especially for such species as corn and alfalfa. Shoots and roots normally develop simultaneously. Efficient regeneration will depend on the medium, on the genotype, and on the history of the culture. If these three variables are controlled, then regeneration is fully reproducible and repeatable.

In some plant cell culture systems, the desired protein of the invention may be excreted or alternatively, the protein may be extracted from the whole plant. Where the desired protein of the invention is secreted into the medium, it may be collected. Alternatively, the embryos and embryoless-half seeds or other plant tissue may be mechanically disrupted to release any secreted protein between cells and tissues. The mixture may be suspended in a buffer solution to retrieve soluble proteins. Conventional protein isolation and purification methods will be then used to purify the recombinant protein. Parameters of time, temperature pH, oxygen, and volumes will be adjusted through routine methods to optimize expression and recovery of heterologous protein.

iv. Bacterial Systems

Bacterial expression techniques are known in the art. A bacterial promoter is any DNA sequence capable of binding bacterial RNA polymerase and initiating the downstream (3') transcription of a coding sequence (eg. structural gene) into mRNA. A promoter will have a transcription initiation region which is usually placed proximal to the 5' end of the coding sequence. This transcription initiation region usually includes an RNA polymerase binding site and a transcription initiation site. A bacterial promoter may also have a second domain called an operator, that may overlap an adjacent RNA polymerase binding site at which RNA synthesis begins. The operator permits negative regulated (inducible) transcription, as a gene repressor protein may bind the operator and thereby inhibit transcription of a specific gene. Constitutive expression may occur in the absence of negative regulatory elements, such as the operator. In addition, positive regulation may be achieved by a gene activator protein binding sequence, which, if present is usually proximal (5') to the RNA polymerase binding sequence. An example of a gene activator protein is the catabolite activator protein (CAP), which helps initiate transcription of the lac operon in *Escherichia coli* (*E. coli*) [Raibaud *et al.* (1984) *Annu. Rev. Genet.* 18:173]. Regulated expression may therefore be either positive or negative, thereby either enhancing or reducing transcription.

Sequences encoding metabolic pathway enzymes provide particularly useful promoter sequences. Examples include promoter sequences derived from sugar metabolizing enzymes, such as galactose, lactose (*lac*) [Chang *et al.* (1977) *Nature* 198:1056], and maltose. Additional examples include promoter sequences derived from biosynthetic enzymes such as tryptophan (*trp*) [Goeddel *et al.* (1980) *Nuc. Acids Res.* 8:4057; Yelverton *et al.* (1981) *Nucl. Acids Res.* 9:731; US patent 4,738,921; EP-A-0036776 and EP-A-0121775]. The g-laotamase (*bla*) promoter system [Weissmann (1981) "The cloning of interferon and other mistakes." In *Interferon 3* (ed. I. Gresser)], bacteriophage lambda PL [Shimatake *et al.* (1981) *Nature* 292:128] and T5 [US patent 4,689,406] promoter systems also provide useful promoter sequences.

In addition, synthetic promoters which do not occur in nature also function as bacterial promoters. For example, transcription activation sequences of one bacterial or bacteriophage promoter may be joined with the operon sequences of another bacterial or bacteriophage promoter, creating a synthetic hybrid promoter [US patent 4,551,433]. For example, the *tac* promoter is a hybrid *trp-lac* promoter comprised of both *trp* promoter and *lac* operon sequences that is regulated by the *lac* repressor [Amann *et al.* (1983) *Gene* 25:167; de Boer *et al.* (1983) *Proc. Natl. Acad. Sci.* 80:21]. Furthermore, a bacterial promoter can include naturally occurring promoters of non-bacterial origin that have the ability to bind bacterial RNA polymerase and initiate transcription. A naturally occurring promoter of non-bacterial origin can also be coupled with a compatible RNA polymerase to produce high levels of expression of some genes in prokaryotes. The bacteriophage T7 RNA polymerase/promoter system is an example of a coupled promoter system [Studier *et al.* (1986) *J. Mol. Biol.* 189:113; Tabor *et al.* (1985) *Proc Natl. Acad. Sci.* 82:1074]. In addition, a hybrid promoter can also be comprised of a bacteriophage promoter and an *E. coli* operator region (EPO-A-0 267 851).

In addition to a functioning promoter sequence, an efficient ribosome binding site is also useful for the expression of foreign genes in prokaryotes. In *E. coli*, the ribosome binding site is called the Shine-Dalgarno (SD) sequence and includes an initiation codon (ATG) and a sequence 3-9 nucleotides in length located 3-11 nucleotides upstream of the initiation codon [Shine *et al.* (1975) *Nature* 254:34]. The SD sequence is thought to promote binding of mRNA to the ribosome by the pairing of bases between the SD sequence and the 3' end of *E. coli* 16S rRNA [Steitz *et al.* (1979) "Genetic signals and nucleotide sequences in messenger RNA." In *Biological Regulation and Development: Gene Expression* (ed. R.F. Goldberger)]. To express eukaryotic genes and prokaryotic genes with weak ribosome-binding site [Sambrook *et al.* (1989) "Expression of cloned genes in Escherichia coli." In *Molecular Cloning: A Laboratory Manual*].

A DNA molecule may be expressed intracellularly. A promoter sequence may be directly linked with the DNA molecule, in which case the first amino acid at the N-terminus will always be a methionine, which is encoded by the ATG start codon. If desired, methionine at the N-terminus may be cleaved from the protein by *in vitro*

incubation with cyanogen bromide or by either *in vivo* or *in vitro* incubation with a bacterial methionine N-terminal peptidase (EPO-A-0 219 237).

Fusion proteins provide an alternative to direct expression. Usually, a DNA sequence encoding the N-terminal portion of an endogenous bacterial protein, or other stable protein, is fused to the 5' end of heterologous coding sequences. Upon expression, this construct will provide a fusion of the two amino acid sequences. For example, the bacteriophage lambda cell gene can be linked at the 5' terminus of a foreign gene and expressed in bacteria. The resulting fusion protein preferably retains a site for a processing enzyme (factor Xa) to cleave the bacteriophage protein from the foreign gene [Nagai *et al.* (1984) *Nature* 309:810]. Fusion proteins can also be made with sequences from the *lacZ* [Jia *et al.* (1987) *Gene* 60:197], *trpE* [Allen *et al.* (1987) *J. Biotechnol.* 5:93; Makoff *et al.* (1989) *J. Gen. Microbiol.* 135:11], and *Chey* [EP-A-0 324 647] genes. The DNA sequence at the junction of the two amino acid sequences may or may not encode a cleavable site. Another example is a ubiquitin fusion protein. Such a fusion protein is made with the ubiquitin region that preferably retains a site for a processing enzyme (*eg.* ubiquitin specific processing-protease) to cleave the ubiquitin from the foreign protein. Through this method, native foreign protein can be isolated [Miller *et al.* (1989) *Bio/Technology* 7:698].

Alternatively, foreign proteins can also be secreted from the cell by creating chimeric DNA molecules that encode a fusion protein comprised of a signal peptide sequence fragment that provides for secretion of the foreign protein in bacteria [US patent 4,336,336]. The signal sequence fragment usually encodes a signal peptide comprised of hydrophobic amino acids which direct the secretion of the protein from the cell. The protein is either secreted into the growth media (gram-positive bacteria) or into the periplasmic space, located between the inner and outer membrane of the cell (gram-negative bacteria). Preferably there are processing sites, which can be cleaved either *in vivo* or *in vitro* encoded between the signal peptide fragment and the foreign gene.

DNA encoding suitable signal sequences can be derived from genes for secreted bacterial proteins, such as the *E. coli* outer membrane protein gene (*ompA*) [Masui *et al.* (1983), in: *Experimental Manipulation of Gene Expression*; Ghayeb *et al.* (1984) *EMBO J.* 3:2437] and the *E. coli* alkaline phosphatase signal sequence (*phoA*) [Oka *et al.* (1985) *Proc. Natl. Acad. Sci.* 82:7212]. As an additional example, the signal sequence of the alpha-amylase gene from various *Bacillus* strains can be used to secrete heterologous proteins from *B. subtilis* [Palva *et al.* (1982) *Proc. Natl. Acad. Sci. USA* 79:5582; EP-A-0 244 042].

Usually, transcription termination sequences recognized by bacteria are regulatory regions located 3' to the translation stop codon, and thus together with the promoter flank the coding sequence. These sequences direct the transcription of an mRNA which can be translated into the polypeptide encoded by the DNA. Transcription termination sequences frequently include DNA sequences of about 50 nucleotides capable of forming stem loop

-17-

structures that aid in terminating transcription. Examples include transcription termination sequences derived from genes with strong promoters, such as the *trp* gene in *E. coli* as well as other biosynthetic genes.

Usually, the above described components, comprising a promoter, signal sequence (if desired), coding sequence of interest, and transcription termination sequence, are put together into expression constructs. Expression constructs are often maintained in a replicon, such as an extrachromosomal element (eg. plasmids) capable of stable maintenance in a host, such as bacteria. The replicon will have a replication system, thus allowing it to be maintained in a prokaryotic host either for expression or for cloning and amplification. In addition, a replicon may be either a high or low copy number plasmid. A high copy number plasmid will generally have a copy number ranging from about 5 to about 200, and usually about 10 to about 150. A host containing a high copy number plasmid will preferably contain at least about 10, and more preferably at least about 20 plasmids. Either a high or low copy number vector may be selected, depending upon the effect of the vector and the foreign protein on the host.

Alternatively, the expression constructs can be integrated into the bacterial genome with an integrating vector. Integrating vectors usually contain at least one sequence homologous to the bacterial chromosome that allows the vector to integrate. Integrations appear to result from recombinations between homologous DNA in the vector and the bacterial chromosome. For example, integrating vectors constructed with DNA from various *Bacillus* strains integrate into the *Bacillus* chromosome (EP-A- 0 127 328). Integrating vectors may also be comprised of bacteriophage or transposon sequences.

Usually, extrachromosomal and integrating expression constructs may contain selectable markers to allow for the selection of bacterial strains that have been transformed. Selectable markers can be expressed in the bacterial host and may include genes which render bacteria resistant to drugs such as ampicillin, chloramphenicol, erythromycin, kanamycin (neomycin), and tetracycline [Davies *et al.* (1978) *Annu. Rev. Microbiol.* 32:469]. Selectable markers may also include biosynthetic genes, such as those in the histidine, tryptophan, and leucine biosynthetic pathways.

Alternatively, some of the above described components can be put together in transformation vectors. Transformation vectors are usually comprised of a selectable market that is either maintained in a replicon or developed into an integrating vector, as described above.

Expression and transformation vectors, either extra-chromosomal replicons or integrating vectors, have been developed for transformation into many bacteria. For example, expression vectors have been developed for, *inter alia*, the following bacteria: *Bacillus subtilis* [Palva *et al.* (1982) *Proc. Natl. Acad. Sci. USA* 79:5582; EP-A-0 036 259 and EP-A-0 063 953; WO 84/04541], *Escherichia coli* [Shimatake *et al.* (1981) *Nature* 292:128; Amann *et al.* (1985) *Gene* 40:183; Studier *et al.* (1986) *J. Mol. Biol.* 189:113; EP-A-0 036 776, EP-A-0 136 829

and EP-A-0 136 907], *Streptococcus cremoris* [Powell *et al.* (1988) *Appl. Environ. Microbiol.* 54:655]; *Streptococcus lividans* [Powell *et al.* (1988) *Appl. Environ. Microbiol.* 54:655], *Streptomyces lividans* [US patent 4,745,056].

Methods of introducing exogenous DNA into bacterial hosts are well-known in the art, and usually include either the transformation of bacteria treated with CaCl_2 or other agents, such as divalent cations and DMSO. DNA can also be introduced into bacterial cells by electroporation. Transformation procedures usually vary with the bacterial species to be transformed. See *eg.* [Masson *et al.* (1989) *FEMS Microbiol. Lett.* 60:273; Palva *et al.* (1982) *Proc. Natl. Acad. Sci. USA* 79:5582; EP-A-0 036 259 and EP-A-0 063 953; WO 84/04541, *Bacillus*], [Miller *et al.* (1988) *Proc. Natl. Acad. Sci.* 85:856; Wang *et al.* (1990) *J. Bacteriol.* 172:949, *Campylobacter*], [Cohen *et al.* (1973) *Proc. Natl. Acad. Sci.* 69:2110; Dower *et al.* (1988) *Nucleic Acids Res.* 16:6127; Kushner (1978) "An improved method for transformation of *Escherichia coli* with ColE1-derived plasmids. In *Genetic Engineering: Proceedings of the International Symposium on Genetic Engineering* (eds. H.W. Boyer and S. Nicosia); Mandel *et al.* (1970) *J. Mol. Biol.* 53:159; Taketo (1988) *Biochim. Biophys. Acta* 949:318; *Escherichia*], [Chassy *et al.* (1987) *FEMS Microbiol. Lett.* 44:173 *Lactobacillus*]; [Fiedler *et al.* (1988) *Anal. Biochem.* 170:38, *Pseudomonas*]; [Augustin *et al.* (1990) *FEMS Microbiol. Lett.* 66:203, *Staphylococcus*], [Barany *et al.* (1980) *J. Bacteriol.* 144:698; Harlander (1987) "Transformation of *Streptococcus lactis* by electroporation, in: *Streptococcal Genetics* (ed. J. Ferretti and R. Curtiss III); Perry *et al.* (1981) *Infect. Immun.* 32:1295; Powell *et al.* (1988) *Appl. Environ. Microbiol.* 54:655; Somkuti *et al.* (1987) *Proc. 4th Eur. Cong. Biotechnology* 1:412, *Streptococcus*].

v. Yeast Expression

Yeast expression systems are also known to one of ordinary skill in the art. A yeast promoter is any DNA sequence capable of binding yeast RNA polymerase and initiating the downstream (3') transcription of a coding sequence (*eg.* structural gene) into mRNA. A promoter will have a transcription initiation region which is usually placed proximal to the 5' end of the coding sequence. This transcription initiation region usually includes an RNA polymerase binding site (the "TATA Box") and a transcription initiation site. A yeast promoter may also have a second domain called an upstream activator sequence (UAS), which, if present, is usually distal to the structural gene. The UAS permits regulated (inducible) expression. Constitutive expression occurs in the absence of a UAS. Regulated expression may be either positive or negative, thereby either enhancing or reducing transcription.

Yeast is a fermenting organism with an active metabolic pathway, therefore sequences encoding enzymes in the metabolic pathway provide particularly useful promoter sequences. Examples include alcohol dehydrogenase (ADH) (EP-A-0 284 044), enolase, glucokinase, glucose-6-phosphate isomerase, glyceraldehyde-3-phosphate-dehydrogenase (GAP or GAPDH), hexokinase, phosphofructokinase, 3-phosphoglycerate mutase, and pyruvate

kinase (PyK) (EPO-A-0 329 203). The yeast *PHO5* gene, encoding acid phosphatase, also provides useful promoter sequences [Myanohara *et al.* (1983) *Proc. Natl. Acad. Sci. USA* 80:1].

In addition, synthetic promoters which do not occur in nature also function as yeast promoters. For example, UAS sequences of one yeast promoter may be joined with the transcription activation region of another yeast promoter, creating a synthetic hybrid promoter. Examples of such hybrid promoters include the ADH regulatory sequence linked to the GAP transcription activation region (US Patent Nos. 4,876,197 and 4,880,734). Other examples of hybrid promoters include promoters which consist of the regulatory sequences of either the *ADH2*, *GAL4*, *GAL10*, OR *PHO5* genes, combined with the transcriptional activation region of a glycolytic enzyme gene such as GAP or PyK (EP-A-0 164 556). Furthermore, a yeast promoter can include naturally occurring promoters of non-yeast origin that have the ability to bind yeast RNA polymerase and initiate transcription. Examples of such promoters include, *inter alia*, [Cohen *et al.* (1980) *Proc. Natl. Acad. Sci. USA* 77:1078; Henikoff *et al.* (1981) *Nature* 283:835; Hollenberg *et al.* (1981) *Curr. Topics Microbiol. Immunol.* 96:119; Hollenberg *et al.* (1979) "The Expression of Bacterial Antibiotic Resistance Genes in the Yeast *Saccharomyces cerevisiae*," in: *Plasmids of Medical, Environmental and Commercial Importance* (eds. K.N. Timmis and A. Puhler); Mercerau-Puigalon *et al.* (1980) *Gene* 11:163; Panthier *et al.* (1980) *Curr. Genet.* 2:109;].

A DNA molecule may be expressed intracellularly in yeast. A promoter sequence may be directly linked with the DNA molecule, in which case the first amino acid at the N-terminus of the recombinant protein will always be a methionine, which is encoded by the ATG start codon. If desired, methionine at the N-terminus may be cleaved from the protein by *in vitro* incubation with cyanogen bromide.

Fusion proteins provide an alternative for yeast expression systems, as well as in mammalian, baculovirus, and bacterial expression systems. Usually, a DNA sequence encoding the N-terminal portion of an endogenous yeast protein, or other stable protein, is fused to the 5' end of heterologous coding sequences. Upon expression, this construct will provide a fusion of the two amino acid sequences. For example, the yeast or human superoxide dismutase (SOD) gene, can be linked at the 5' terminus of a foreign gene and expressed in yeast. The DNA sequence at the junction of the two amino acid sequences may or may not encode a cleavable site. See *eg.* EP-A-0 196 056. Another example is a ubiquitin fusion protein. Such a fusion protein is made with the ubiquitin region that preferably retains a site for a processing enzyme (*eg.* ubiquitin-specific processing protease) to cleave the ubiquitin from the foreign protein. Through this method, therefore, native foreign protein can be isolated (*eg.* WO88/024066).

Alternatively, foreign proteins can also be secreted from the cell into the growth media by creating chimeric DNA molecules that encode a fusion protein comprised of a leader sequence fragment that provide for secretion in yeast of the foreign protein. Preferably, there are processing sites encoded between the leader fragment and

the foreign gene that can be cleaved either *in vivo* or *in vitro*. The leader sequence fragment usually encodes a signal peptide comprised of hydrophobic amino acids which direct the secretion of the protein from the cell.

DNA encoding suitable signal sequences can be derived from genes for secreted yeast proteins, such as the yeast invertase gene (EP-A-0 012 873; JPO. 62,096,086) and the A-factor gene (US patent 4,588,684). Alternatively, leaders of non-yeast origin, such as an interferon leader, exist that also provide for secretion in yeast (EP-A-0 060 057).

A preferred class of secretion leaders are those that employ a fragment of the yeast alpha-factor gene, which contains both a "pre" signal sequence, and a "pro" region. The types of alpha-factor fragments that can be employed include the full-length pre-pro alpha factor leader (about 83 amino acid residues) as well as truncated alpha-factor leaders (usually about 25 to about 50 amino acid residues) (US Patents 4,546,083 and 4,870,008; EP-A-0 324 274). Additional leaders employing an alpha-factor leader fragment that provides for secretion include hybrid alpha-factor leaders made with a presequence of a first yeast, but a pro-region from a second yeast alphafactor. (*eg.* see WO 89/02463.)

Usually, transcription termination sequences recognized by yeast are regulatory regions located 3' to the translation stop codon, and thus together with the promoter flank the coding sequence. These sequences direct the transcription of an mRNA which can be translated into the polypeptide encoded by the DNA. Examples of transcription terminator sequence and other yeast-recognized termination sequences, such as those coding for glycolytic enzymes.

Usually, the above described components, comprising a promoter, leader (if desired), coding sequence of interest, and transcription termination sequence, are put together into expression constructs. Expression constructs are often maintained in a replicon, such as an extrachromosomal element (*eg.* plasmids) capable of stable maintenance in a host, such as yeast or bacteria. The replicon may have two replication systems, thus allowing it to be maintained, for example, in yeast for expression and in a prokaryotic host for cloning and amplification. Examples of such yeast-bacteria shuttle vectors include YEp24 [Botstein *et al.* (1979) *Gene* 8:17-24], pCI/1 [Brake *et al.* (1984) *Proc. Natl. Acad. Sci USA* 81:4642-4646], and YRp17 [Stinchcomb *et al.* (1982) *J. Mol. Biol.* 158:157]. In addition, a replicon may be either a high or low copy number plasmid. A high copy number plasmid will generally have a copy number ranging from about 5 to about 200, and usually about 10 to about 150. A host containing a high copy number plasmid will preferably have at least about 10, and more preferably at least about 20. Enter a high or low copy number vector may be selected, depending upon the effect of the vector and the foreign protein on the host. See *eg.* Brake *et al.*, *supra*.

Alternatively, the expression constructs can be integrated into the yeast genome with an integrating vector. Integrating vectors usually contain at least one sequence homologous to a yeast chromosome that allows the

vector to integrate, and preferably contain two homologous sequences flanking the expression construct. Integrations appear to result from recombinations between homologous DNA in the vector and the yeast chromosome [Orr-Weaver *et al.* (1983) *Methods in Enzymol.* 101:228-245]. An integrating vector may be directed to a specific locus in yeast by selecting the appropriate homologous sequence for inclusion in the

5 vector. See Orr-Weaver *et al.*, *supra*. One or more expression construct may integrate, possibly affecting levels of recombinant protein produced [Rine *et al.* (1983) *Proc. Natl. Acad. Sci. USA* 80:6750]. The chromosomal sequences included in the vector can occur either as a single segment in the vector, which results in the integration of the entire vector, or two segments homologous to adjacent segments in the chromosome and flanking the expression construct in the vector, which can result in the stable integration of only the expression construct.

10 Usually, extrachromosomal and integrating expression constructs may contain selectable markers to allow for the selection of yeast strains that have been transformed. Selectable markers may include biosynthetic genes that can be expressed in the yeast host, such as *ADE2*, *HIS4*, *LEU2*, *TRP1*, and *ALG7*, and the G418 resistance gene, which confer resistance in yeast cells to tunicamycin and G418, respectively. In addition, a suitable selectable marker may also provide yeast with the ability to grow in the presence of toxic compounds, such as metal. For

15 example, the presence of *CUP1* allows yeast to grow in the presence of copper ions [Butt *et al.* (1987) *Microbiol. Rev.* 51:351].

Alternatively, some of the above described components can be put together into transformation vectors. Transformation vectors are usually comprised of a selectable marker that is either maintained in a replicon or developed into an integrating vector, as described above.

20 Expression and transformation vectors, either extrachromosomal replicons or integrating vectors, have been developed for transformation into many yeasts. For example, expression vectors have been developed for, *inter alia*, the following yeasts: *Candida albicans* [Kurtz, *et al.* (1986) *Mol. Cell. Biol.* 6:142], *Candida maltosa* [Kunze, *et al.* (1985) *J. Basic Microbiol.* 25:141], *Hansenula polymorpha* [Gleeson, *et al.* (1986) *J. Gen. Microbiol.* 132:3459; Roggenkamp *et al.* (1986) *Mol. Gen. Genet.* 202:302], *Kluyveromyces fragilis* [Das, *et al.* (1984) *J. Bacteriol.* 158:1165], *Kluyveromyces lactis* [De Louvencourt *et al.* (1983) *J. Bacteriol.* 154:737; Van den Berg *et al.* (1990) *Bio/Technology* 8:135], *Pichia guillermondii* [Kunze *et al.* (1985) *J. Basic Microbiol.* 25:141], *Pichia pastoris* [Cregg, *et al.* (1985) *Mol. Cell. Biol.* 5:3376; US Patent Nos. 4,837,148 and 4,929,555], *Saccharomyces cerevisiae* [Hinnen *et al.* (1978) *Proc. Natl. Acad. Sci. USA* 75:1929; Ito *et al.* (1983) *J. Bacteriol.* 153:163], *Schizosaccharomyces pombe* [Beach and Nurse (1981) *Nature* 300:706], and

30 *Yarrowia lipolytica* [Davidow, *et al.* (1985) *Curr. Genet.* 10:380471 Gaillardin, *et al.* (1985) *Curr. Genet.* 10:49].

Methods of introducing exogenous DNA into yeast hosts are well-known in the art, and usually include either the transformation of spheroplasts or of intact yeast cells treated with alkali cations. Transformation procedures usually vary with the yeast species to be transformed. See eg. [Kurtz *et al.* (1986) *Mol. Cell. Biol.* 6:142; Kunze *et al.* (1985) *J. Basic Microbiol.* 25:141; Candida]; [Gleeson *et al.* (1986) *J. Gen. Microbiol.* 132:3459; Roggenkamp *et al.* (1986) *Mol. Gen. Genet.* 202:302; Hansenula]; [Das *et al.* (1984) *J. Bacteriol.* 158:1165; De Louvencourt *et al.* (1983) *J. Bacteriol.* 154:1165; Van den Berg *et al.* (1990) *Bio/Technology* 8:135; Kluyveromyces]; [Cregg *et al.* (1985) *Mol. Cell. Biol.* 5:3376; Kunze *et al.* (1985) *J. Basic Microbiol.* 25:141; US Patent Nos. 4,837,148 and 4,929,555; Pichia]; [Hinnen *et al.* (1978) *Proc. Natl. Acad. Sci. USA* 75:1929; Ito *et al.* (1983) *J. Bacteriol.* 153:163 *Saccharomyces*]; [Beach and Nurse (1981) *Nature* 300:706; Schizosaccharomyces]; [Davidow *et al.* (1985) *Curr. Genet.* 10:39; Gaillardin *et al.* (1985) *Curr. Genet.* 10:49; Yarrowia].

Antibodies

As used herein, the term “antibody” refers to a polypeptide or group of polypeptides composed of at least one antibody combining site. An “antibody combining site” is the three-dimensional binding space with an internal surface shape and charge distribution complementary to the features of an epitope of an antigen, which allows a binding of the antibody with the antigen. “Antibody” includes, for example, vertebrate antibodies, hybrid antibodies, chimeric antibodies, humanised antibodies, altered antibodies, univalent antibodies, Fab proteins, and single domain antibodies.

Antibodies against the proteins of the invention are useful for affinity chromatography, immunoassays, and distinguishing/identifying Neisserial proteins.

Antibodies to the proteins of the invention, both polyclonal and monoclonal, may be prepared by conventional methods. In general, the protein is first used to immunize a suitable animal, preferably a mouse, rat, rabbit or goat. Rabbits and goats are preferred for the preparation of polyclonal sera due to the volume of serum obtainable, and the availability of labeled anti-rabbit and anti-goat antibodies. Immunization is generally performed by mixing or emulsifying the protein in saline, preferably in an adjuvant such as Freund’s complete adjuvant, and injecting the mixture or emulsion parenterally (generally subcutaneously or intramuscularly). A dose of 50-200 µg/injection is typically sufficient. Immunization is generally boosted 2-6 weeks later with one or more injections of the protein in saline, preferably using Freund’s incomplete adjuvant. One may alternatively generate antibodies by in vitro immunization using methods known in the art, which for the purposes of this invention is considered equivalent to *in vivo* immunization. Polyclonal antisera is obtained by bleeding the immunized animal into a glass or plastic container, incubating the blood at 25°C for one hour, followed by

incubating at 4°C for 2-18 hours. The serum is recovered by centrifugation (eg. 1,000g for 10 minutes). About 20-50 ml per bleed may be obtained from rabbits.

Monoclonal antibodies are prepared using the standard method of Kohler & Milstein [*Nature* (1975) 256:495-96], or a modification thereof. Typically, a mouse or rat is immunized as described above. However, rather than bleeding the animal to extract serum, the spleen (and optionally several large lymph nodes) is removed and dissociated into single cells. If desired, the spleen cells may be screened (after removal of nonspecifically adherent cells) by applying a cell suspension to a plate or well coated with the protein antigen. B-cells expressing membrane-bound immunoglobulin specific for the antigen bind to the plate, and are not rinsed away with the rest of the suspension. Resulting B-cells, or all dissociated spleen cells, are then induced to fuse with myeloma cells to form hybridomas, and are cultured in a selective medium (eg. hypoxanthine, aminopterin, thymidine medium, "HAT"). The resulting hybridomas are plated by limiting dilution, and are assayed for the production of antibodies which bind specifically to the immunizing antigen (and which do not bind to unrelated antigens). The selected MAb-secreting hybridomas are then cultured either *in vitro* (eg. in tissue culture bottles or hollow fiber reactors), or *in vivo* (as ascites in mice).

If desired, the antibodies (whether polyclonal or monoclonal) may be labeled using conventional techniques. Suitable labels include fluorophores, chromophores, radioactive atoms (particularly ^{32}P and ^{125}I), electron-dense reagents, enzymes, and ligands having specific binding partners. Enzymes are typically detected by their activity. For example, horseradish peroxidase is usually detected by its ability to convert 3,3',5,5'-tetramethylbenzidine (TMB) to a blue pigment, quantifiable with a spectrophotometer. "Specific binding partner" refers to a protein capable of binding a ligand molecule with high specificity, as for example in the case of an antigen and a monoclonal antibody specific therefor. Other specific binding partners include biotin and avidin or streptavidin, IgG and protein A, and the numerous receptor-ligand couples known in the art. It should be understood that the above description is not meant to categorize the various labels into distinct classes, as the same label may serve in several different modes. For example, ^{125}I may serve as a radioactive label or as an electron-dense reagent. HRP may serve as enzyme or as antigen for a MAb. Further, one may combine various labels for desired effect. For example, MAbs and avidin also require labels in the practice of this invention: thus, one might label a MAb with biotin, and detect its presence with avidin labeled with ^{125}I , or with an anti-biotin MAb labeled with HRP. Other permutations and possibilities will be readily apparent to those of ordinary skill in the art, and are considered as equivalents within the scope of the invention.

Pharmaceutical Compositions

Pharmaceutical compositions can comprise either polypeptides, antibodies, or nucleic acid of the invention. The pharmaceutical compositions will comprise a therapeutically effective amount of either polypeptides, antibodies, or polynucleotides of the claimed invention.

- 5 The term "therapeutically effective amount" as used herein refers to an amount of a therapeutic agent to treat, ameliorate, or prevent a desired disease or condition, or to exhibit a detectable therapeutic or preventative effect. The effect can be detected by, for example, chemical markers or antigen levels. Therapeutic effects also include reduction in physical symptoms, such as decreased body temperature. The precise effective amount for a subject will depend upon the subject's size and health, the nature and extent of the condition, and the therapeutics or combination of therapeutics selected for administration. Thus, it is not useful to specify an exact effective amount in advance. However, the effective amount for a given situation can be determined by routine experimentation and is within the judgement of the clinician.

For purposes of the present invention, an effective dose will be from about 0.01 mg/ kg to 50 mg/kg or 0.05 mg/kg to about 10 mg/kg of the DNA constructs in the individual to which it is administered.

- 15 A pharmaceutical composition can also contain a pharmaceutically acceptable carrier. The term "pharmaceutically acceptable carrier" refers to a carrier for administration of a therapeutic agent, such as antibodies or a polypeptide, genes, and other therapeutic agents. The term refers to any pharmaceutical carrier that does not itself induce the production of antibodies harmful to the individual receiving the composition, and which may be administered without undue toxicity. Suitable carriers may be large, slowly metabolized macromolecules such as proteins, polysaccharides, polylactic acids, polyglycolic acids, polymeric amino acids, amino acid copolymers, and inactive virus particles. Such carriers are well known to those of ordinary skill in the art.

- 25 Pharmaceutically acceptable salts can be used therein, for example, mineral acid salts such as hydrochlorides, hydrobromides, phosphates, sulfates, and the like; and the salts of organic acids such as acetates, propionates, malonates, benzoates, and the like. A thorough discussion of pharmaceutically acceptable excipients is available in Remington's Pharmaceutical Sciences (Mack Pub. Co., N.J. 1991).

- 30 Pharmaceutically acceptable carriers in therapeutic compositions may contain liquids such as water, saline, glycerol and ethanol. Additionally, auxiliary substances, such as wetting or emulsifying agents, pH buffering substances, and the like, may be present in such vehicles. Typically, the therapeutic compositions are prepared as injectables, either as liquid solutions or suspensions; solid forms suitable for solution in, or suspension in, liquid vehicles prior to injection may also be prepared. Liposomes are included within the definition of a pharmaceutically acceptable carrier.

Delivery Methods

Once formulated, the compositions of the invention can be administered directly to the subject. The subjects to be treated can be animals; in particular, human subjects can be treated.

Direct delivery of the compositions will generally be accomplished by injection, either subcutaneously, intraperitoneally, intravenously or intramuscularly or delivered to the interstitial space of a tissue. The compositions can also be administered into a lesion. Other modes of administration include oral and pulmonary administration, suppositories, and transdermal or transcutaneous applications (*eg.* see WO98/20734), needles, and gene guns or hypodermic sprays. Dosage treatment may be a single dose schedule or a multiple dose schedule.

Vaccines

Vaccines according to the invention may either be prophylactic (*ie.* to prevent infection) or therapeutic (*ie.* to treat disease after infection).

Such vaccines comprise immunising antigen(s), immunogen(s), polypeptide(s), protein(s) or nucleic acid, usually in combination with “pharmaceutically acceptable carriers,” which include any carrier that does not itself induce the production of antibodies harmful to the individual receiving the composition. Suitable carriers are typically large, slowly metabolized macromolecules such as proteins, polysaccharides, polylactic acids, polyglycolic acids, polymeric amino acids, amino acid copolymers, lipid aggregates (such as oil droplets or liposomes), and inactive virus particles. Such carriers are well known to those of ordinary skill in the art. Additionally, these carriers may function as immunostimulating agents (“adjuvants”). Furthermore, the antigen or immunogen may be conjugated to a bacterial toxoid, such as a toxoid from diphtheria, tetanus, cholera, *H. pylori*, *etc.* pathogens.

Preferred adjuvants to enhance effectiveness of the composition include, but are not limited to: (1) aluminum salts (alum), such as aluminum hydroxide, aluminum phosphate, aluminum sulfate, *etc.*; (2) oil-in-water emulsion formulations (with or without other specific immunostimulating agents such as muramyl peptides (see below) or bacterial cell wall components), such as for example (a) MF59TM (WO 90/14837; Chapter 10 in *Vaccine design: the subunit and adjuvant approach*, eds. Powell & Newman, Plenum Press 1995), containing 5% Squalene, 0.5% Tween 80, and 0.5% Span 85 (optionally containing various amounts of MTP-PE (see below), although not required) formulated into submicron particles using a microfluidizer such as Model 110Y microfluidizer (Microfluidics, Newton, MA), (b) SAF, containing 10% Squalene, 0.4% Tween 80, 5% pluronic-blocked polymer L121, and thr-MDP (see below) either microfluidized into a submicron emulsion or vortexed to generate a larger particle size emulsion, and (c) RibiTM adjuvant system (RAS), (Ribi Immunochem, Hamilton, MT) containing 2% Squalene, 0.2% Tween 80, and one or more bacterial cell wall components from the group consisting of monophosphorylipid A (MPL), trehalose dimycolate (TDM), and cell wall skeleton

(CWS), preferably MPL + CWS (Detox™); (3) saponin adjuvants, such as Stimulon™ (Cambridge Bioscience, Worcester, MA) may be used or particles generated therefrom such as ISCOMs (immunostimulating complexes); (4) Complete Freund's Adjuvant (CFA) and Incomplete Freund's Adjuvant (IFA); (5) cytokines, such as interleukins (*eg.* IL-1, IL-2, IL-4, IL-5, IL-6, IL-7, IL-12, *etc.*), interferons (*eg.* gamma interferon),
5 macrophage colony stimulating factor (M-CSF), tumor necrosis factor (TNF), *etc.*; and (6) other substances that act as immunostimulating agents to enhance the effectiveness of the composition. Alum and MF59™ are preferred.

As mentioned above, muramyl peptides include, but are not limited to, N-acetyl-muramyl-L-threonyl-D-isoglutamine (thr-MDP), N-acetyl-normuramyl-L-alanyl-D-isoglutamine (nor-MDP), N-acetylmuramyl-L-alanyl-D-isoglutaminyl-L-alanine-2-(1'-2'-dipalmitoyl-*sn*-glycero-3-hydroxyphosphoryloxy)-ethylamine (MTP-PE), *etc.*
10

The immunogenic compositions (*eg.* the immunising antigen/immunogen/polypeptide/protein/ nucleic acid, pharmaceutically acceptable carrier, and adjuvant) typically will contain diluents, such as water, saline, glycerol, ethanol, *etc.* Additionally, auxiliary substances, such as wetting or emulsifying agents, pH buffering substances, and the like, may be present in such vehicles.

15 Typically, the immunogenic compositions are prepared as injectables, either as liquid solutions or suspensions; solid forms suitable for solution in, or suspension in, liquid vehicles prior to injection may also be prepared. The preparation also may be emulsified or encapsulated in liposomes for enhanced adjuvant effect, as discussed above under pharmaceutically acceptable carriers.

Immunogenic compositions used as vaccines comprise an immunologically effective amount of the antigenic
20 or immunogenic polypeptides, as well as any other of the above-mentioned components, as needed. By "immunologically effective amount", it is meant that the administration of that amount to an individual, either in a single dose or as part of a series, is effective for treatment or prevention. This amount varies depending upon the health and physical condition of the individual to be treated, the taxonomic group of individual to be treated (*eg.* nonhuman primate, primate, *etc.*), the capacity of the individual's immune system to synthesize
25 antibodies, the degree of protection desired, the formulation of the vaccine, the treating doctor's assessment of the medical situation, and other relevant factors. It is expected that the amount will fall in a relatively broad range that can be determined through routine trials.

The immunogenic compositions are conventionally administered parenterally, *eg.* by injection, either subcutaneously, intramuscularly, or transdermally/transcutaneously (*eg.* WO98/20734). Additional formulations suitable
30 for other modes of administration include oral and pulmonary formulations, suppositories, and transdermal applications. Dosage treatment may be a single dose schedule or a multiple dose schedule. The vaccine may be administered in conjunction with other immunoregulatory agents.

As an alternative to protein-based vaccines, DNA vaccination may be employed [eg. Robinson & Torres (1997) *Seminars in Immunology* 9:271-283; Donnelly *et al.* (1997) *Annu Rev Immunol* 15:617-648; see later herein].

Gene Delivery Vehicles

Gene therapy vehicles for delivery of constructs including a coding sequence of a therapeutic of the invention, to be delivered to the mammal for expression in the mammal, can be administered either locally or systemically. These constructs can utilize viral or non-viral vector approaches in *in vivo* or *ex vivo* modality. Expression of such coding sequence can be induced using endogenous mammalian or heterologous promoters. Expression of the coding sequence *in vivo* can be either constitutive or regulated.

The invention includes gene delivery vehicles capable of expressing the contemplated nucleic acid sequences.

The gene delivery vehicle is preferably a viral vector and, more preferably, a retroviral, adenoviral, adeno-associated viral (AAV), herpes viral, or alphavirus vector. The viral vector can also be an astrovirus, coronavirus, orthomyxovirus, papovavirus, paramyxovirus, parvovirus, picornavirus, poxvirus, or togavirus viral vector. See generally, Jolly (1994) *Cancer Gene Therapy* 1:51-64; Kimura (1994) *Human Gene Therapy* 5:845-852; Connelly (1995) *Human Gene Therapy* 6:185-193; and Kaplitt (1994) *Nature Genetics* 6:148-153.

Retroviral vectors are well known in the art and we contemplate that any retroviral gene therapy vector is employable in the invention, including B, C and D type retroviruses, xenotropic retroviruses (for example, NZB-X1, NZB-X2 and NZB9-1 (see O'Neill (1985) *J. Virol.* 53:160) polytropic retroviruses eg. MCF and MCF-MLV (see Kelly (1983) *J. Virol.* 45:291), spumaviruses and lentiviruses. See RNA Tumor Viruses, Second Edition, Cold Spring Harbor Laboratory, 1985.

Portions of the retroviral gene therapy vector may be derived from different retroviruses. For example, retrovector LTRs may be derived from a Murine Sarcoma Virus, a tRNA binding site from a Rous Sarcoma Virus, a packaging signal from a Murine Leukemia Virus, and an origin of second strand synthesis from an Avian Leukosis Virus.

These recombinant retroviral vectors may be used to generate transduction competent retroviral vector particles by introducing them into appropriate packaging cell lines (see US patent 5,591,624). Retrovirus vectors can be constructed for site-specific integration into host cell DNA by incorporation of a chimeric integrase enzyme into the retroviral particle (see WO96/37626). It is preferable that the recombinant viral vector is a replication defective recombinant virus.

Packaging cell lines suitable for use with the above-described retrovirus vectors are well known in the art, are readily prepared (see WO95/30763 and WO92/05266), and can be used to create producer cell lines (also termed vector cell lines or "VCLs") for the production of recombinant vector particles. Preferably, the

packaging cell lines are made from human parent cells (eg. HT1080 cells) or mink parent cell lines, which eliminates inactivation in human serum.

Preferred retroviruses for the construction of retroviral gene therapy vectors include Avian Leukosis Virus, Bovine Leukemia Virus, Murine Leukemia Virus, Mink-Cell Focus-Inducing Virus, Murine Sarcoma Virus, Reticuloendotheliosis Virus and Rous Sarcoma Virus. Particularly preferred Murine Leukemia Viruses include 4070A and 1504A (Hartley and Rowe (1976) *J Virol* 19:19-25), Abelson (ATCC No. VR-999), Friend (ATCC No. VR-245), Graffi, Gross (ATCC No. VR-590), Kirsten, Harvey Sarcoma Virus and Rauscher (ATCC No. VR-998) and Moloney Murine Leukemia Virus (ATCC No. VR-190). Such retroviruses may be obtained from depositories or collections such as the American Type Culture Collection ("ATCC") in Rockville, Maryland or isolated from known sources using commonly available techniques.

Exemplary known retroviral gene therapy vectors employable in this invention include those described in patent applications GB2200651, EP0415731, EP0345242, EP0334301, WO89/02468; WO89/05349, WO89/09271, WO90/02806, WO90/07936, WO94/03622, WO93/25698, WO93/25234, WO93/11230, WO93/10218, WO91/02805, WO91/02825, WO95/07994, US 5,219,740, US 4,405,712, US 4,861,719, US 4,980,289, US 4,777,127, US 5,591,624. See also Vile (1993) *Cancer Res* 53:3860-3864; Vile (1993) *Cancer Res* 53:962-967; Ram (1993) *Cancer Res* 53 (1993) 83-88; Takamiya (1992) *J Neurosci Res* 33:493-503; Baba (1993) *J Neurosurg* 79:729-735; Mann (1983) *Cell* 33:153; Cane (1984) *Proc Natl Acad Sci* 81:6349; and Miller (1990) *Human Gene Therapy* 1.

Human adenoviral gene therapy vectors are also known in the art and employable in this invention. See, for example, Berkner (1988) *Biotechniques* 6:616 and Rosenfeld (1991) *Science* 252:431, and WO93/07283, WO93/06223, and WO93/07282. Exemplary known adenoviral gene therapy vectors employable in this invention include those described in the above referenced documents and in WO94/12649, WO93/03769, WO93/19191, WO94/28938, WO95/11984, WO95/00655, WO95/27071, WO95/29993, WO95/34671, WO96/05320, WO94/08026, WO94/11506, WO93/06223, WO94/24299, WO95/14102, WO95/24297, WO95/02697, WO94/28152, WO94/24299, WO95/09241, WO95/25807, WO95/05835, WO94/18922 and WO95/09654. Alternatively, administration of DNA linked to killed adenovirus as described in Curiel (1992) *Hum. Gene Ther.* 3:147-154 may be employed. The gene delivery vehicles of the invention also include adenovirus associated virus (AAV) vectors. Leading and preferred examples of such vectors for use in this invention are the AAV-2 based vectors disclosed in Srivastava, WO93/09239. Most preferred AAV vectors comprise the two AAV inverted terminal repeats in which the native D-sequences are modified by substitution of nucleotides, such that at least 5 native nucleotides and up to 18 native nucleotides, preferably at least 10 native nucleotides up to 18 native nucleotides, most preferably 10 native nucleotides are retained and the

remaining nucleotides of the D-sequence are deleted or replaced with non-native nucleotides. The native D-sequences of the AAV inverted terminal repeats are sequences of 20 consecutive nucleotides in each AAV inverted terminal repeat (*ie.* there is one sequence at each end) which are not involved in HP formation. The non-native replacement nucleotide may be any nucleotide other than the nucleotide found in the native D-sequence in the same position. Other employable exemplary AAV vectors are pWP-19, pWN-1, both of which are disclosed in Nahreini (1993) *Gene* 124:257-262. Another example of such an AAV vector is psub201 (see Samulski (1987) *J. Virol.* 61:3096). Another exemplary AAV vector is the Double-D ITR vector. Construction of the Double-D ITR vector is disclosed in US Patent 5,478,745. Still other vectors are those disclosed in Carter US Patent 4,797,368 and Muzyczka US Patent 5,139,941, Chartejee US Patent 5,474,935, and Kotin WO94/288157. Yet a further example of an AAV vector employable in this invention is SSV9AFABTKneo, which contains the AFP enhancer and albumin promoter and directs expression predominantly in the liver. Its structure and construction are disclosed in Su (1996) *Human Gene Therapy* 7:463-470. Additional AAV gene therapy vectors are described in US 5,354,678, US 5,173,414, US 5,139,941, and US 5,252,479.

The gene therapy vectors of the invention also include herpes vectors. Leading and preferred examples are herpes simplex virus vectors containing a sequence encoding a thymidine kinase polypeptide such as those disclosed in US 5,288,641 and EP0176170 (Roizman). Additional exemplary herpes simplex virus vectors include HFEM/ICP6-LacZ disclosed in WO95/04139 (Wistar Institute), pHSVlac described in Geller (1988) *Science* 241:1667-1669 and in WO90/09441 and WO92/07945, HSV Us3::pgC-lacZ described in Fink (1992) *Human Gene Therapy* 3:11-19 and HSV 7134, 2 RH 105 and GAL4 described in EP 0453242 (Breakefield), and those deposited with the ATCC as accession numbers ATCC VR-977 and ATCC VR-260.

Also contemplated are alpha virus gene therapy vectors that can be employed in this invention. Preferred alpha virus vectors are Sindbis viruses vectors. Togaviruses, Semliki Forest virus (ATCC VR-67; ATCC VR-1247), Middleberg virus (ATCC VR-370), Ross River virus (ATCC VR-373; ATCC VR-1246), Venezuelan equine encephalitis virus (ATCC VR923; ATCC VR-1250; ATCC VR-1249; ATCC VR-532), and those described in US patents 5,091,309, 5,217,879, and WO92/10578. More particularly, those alpha virus vectors described in US Serial No. 08/405,627, filed March 15, 1995, WO94/21792, WO92/10578, WO95/07994, US 5,091,309 and US 5,217,879 are employable. Such alpha viruses may be obtained from depositories or collections such as the ATCC in Rockville, Maryland or isolated from known sources using commonly available techniques. Preferably, alphavirus vectors with reduced cytotoxicity are used (see USSN 08/679640).

DNA vector systems such as eukaryotic layered expression systems are also useful for expressing the nucleic acids of the invention. See WO95/07994 for a detailed description of eukaryotic layered expression systems.

Preferably, the eukaryotic layered expression systems of the invention are derived from alphavirus vectors and most preferably from Sindbis viral vectors.

Other viral vectors suitable for use in the present invention include those derived from poliovirus, for example ATCC VR-58 and those described in Evans, *Nature* 339 (1989) 385 and Sabin (1973) *J. Biol. Standardization* 1:115; rhinovirus, for example ATCC VR-1110 and those described in Arnold (1990) *J Cell Biochem* L401; pox viruses such as canary pox virus or vaccinia virus, for example ATCC VR-111 and ATCC VR-2010 and those described in Fisher-Hoch (1989) *Proc Natl Acad Sci* 86:317; Flexner (1989) *Ann NY Acad Sci* 569:86, Flexner (1990) *Vaccine* 8:17; in US 4,603,112 and US 4,769,330 and WO89/01973; SV40 virus, for example ATCC VR-305 and those described in Mulligan (1979) *Nature* 277:108 and Madzak (1992) *J Gen Virol* 73:1533; influenza virus, for example ATCC VR-797 and recombinant influenza viruses made employing reverse genetics techniques as described in US 5,166,057 and in Enami (1990) *Proc Natl Acad Sci* 87:3802-3805; Enami & Palese (1991) *J Virol* 65:2711-2713 and Luytjes (1989) *Cell* 59:110, (see also McMichael (1983) *NEJ Med* 309:13, and Yap (1978) *Nature* 273:238 and *Nature* (1979) 277:108); human immunodeficiency virus as described in EP-0386882 and in Buchschacher (1992) *J. Virol.* 66:2731; measles virus, for example ATCC VR-67 and VR-1247 and those described in EP-0440219; Aura virus, for example ATCC VR-368; Bebaru virus, for example ATCC VR-600 and ATCC VR-1240; Cabassou virus, for example ATCC VR-922; Chikungunya virus, for example ATCC VR-64 and ATCC VR-1241; Fort Morgan Virus, for example ATCC VR-924; Getah virus, for example ATCC VR-369 and ATCC VR-1243; Kyzylogach virus, for example ATCC VR-927; Mayaro virus, for example ATCC VR-66; Mucambo virus, for example ATCC VR-580 and ATCC VR-1244; Ndumu virus, for example ATCC VR-371; Pixuna virus, for example ATCC VR-372 and ATCC VR-1245; Tonate virus, for example ATCC VR-925; Trinita virus, for example ATCC VR-469; Una virus, for example ATCC VR-374; Whataroa virus, for example ATCC VR-926; Y-62-33 virus, for example ATCC VR-375; O'Nyong virus, Eastern encephalitis virus, for example ATCC VR-65 and ATCC VR-1242; Western encephalitis virus, for example ATCC VR-70, ATCC VR-1251, ATCC VR-622 and ATCC VR-1252; and coronavirus, for example ATCC VR-740 and those described in Hamre (1966) *Proc Soc Exp Biol Med* 121:190.

Delivery of the compositions of this invention into cells is not limited to the above mentioned viral vectors. Other delivery methods and media may be employed such as, for example, nucleic acid expression vectors, polycationic condensed DNA linked or unlinked to killed adenovirus alone, for example see US Serial No. 08/366,787, filed December 30, 1994 and Curiel (1992) *Hum Gene Ther* 3:147-154 ligand linked DNA, for example see Wu (1989) *J Biol Chem* 264:16985-16987, eucaryotic cell delivery vehicles cells, for example see US Serial No.08/240,030, filed May 9, 1994, and US Serial No. 08/404,796, deposition of photopolymerized hydrogel materials, hand-held gene transfer particle gun, as described in US Patent 5,149,655, ionizing radiation as described in US5,206,152 and in WO92/11033, nucleic charge neutralization or fusion with cell membranes.

Additional approaches are described in Philip (1994) *Mol Cell Biol* 14:2411-2418 and in Woffendin (1994) *Proc Natl Acad Sci* 91:1581-1585.

Particle mediated gene transfer may be employed, for example see US Serial No. 60/023,867. Briefly, the sequence can be inserted into conventional vectors that contain conventional control sequences for high level expression, and then incubated with synthetic gene transfer molecules such as polymeric DNA-binding cations like polylysine, protamine, and albumin, linked to cell targeting ligands such as asialoorosomucoid, as described in Wu & Wu (1987) *J. Biol. Chem.* 262:4429-4432, insulin as described in Hucked (1990) *Biochem Pharmacol* 40:253-263, galactose as described in Plank (1992) *Bioconjugate Chem* 3:533-539, lactose or transferrin.

Naked DNA may also be employed. Exemplary naked DNA introduction methods are described in WO 90/11092 and US 5,580,859. Uptake efficiency may be improved using biodegradable latex beads. DNA coated latex beads are efficiently transported into cells after endocytosis initiation by the beads. The method may be improved further by treatment of the beads to increase hydrophobicity and thereby facilitate disruption of the endosome and release of the DNA into the cytoplasm.

Liposomes that can act as gene delivery vehicles are described in US 5,422,120, WO95/13796, WO94/23697, WO91/14445 and EP-524,968. As described in USSN. 60/023,867, on non-viral delivery, the nucleic acid sequences encoding a polypeptide can be inserted into conventional vectors that contain conventional control sequences for high level expression, and then be incubated with synthetic gene transfer molecules such as polymeric DNA-binding cations like polylysine, protamine, and albumin, linked to cell targeting ligands such as asialoorosomucoid, insulin, galactose, lactose, or transferrin. Other delivery systems include the use of liposomes to encapsulate DNA comprising the gene under the control of a variety of tissue-specific or ubiquitously-active promoters. Further non-viral delivery suitable for use includes mechanical delivery systems such as the approach described in Woffendin *et al* (1994) *Proc. Natl. Acad. Sci. USA* 91(24):11581-11585. Moreover, the coding sequence and the product of expression of such can be delivered through deposition of photopolymerized hydrogel materials. Other conventional methods for gene delivery that can be used for delivery of the coding sequence include, for example, use of hand-held gene transfer particle gun, as described in US 5,149,655; use of ionizing radiation for activating transferred gene, as described in US 5,206,152 and WO92/11033

Exemplary liposome and polycationic gene delivery vehicles are those described in US 5,422,120 and 4,762,915; in WO 95/13796; WO94/23697; and WO91/14445; in EP-0524968; and in Stryer, *Biochemistry*, pages 236-240 (1975) W.H. Freeman, San Francisco; Szoka (1980) *Biochem Biophys Acta* 600:1; Bayer (1979) *Biochem Biophys Acta* 550:464; Rivnay (1987) *Meth Enzymol* 149:119; Wang (1987) *Proc Natl Acad Sci* 84:7851; Plant (1989) *Anal Biochem* 176:420.

A polynucleotide composition can comprises therapeutically effective amount of a gene therapy vehicle, as the term is defined above. For purposes of the present invention, an effective dose will be from about 0.01 mg/ kg to 50 mg/kg or 0.05 mg/kg to about 10 mg/kg of the DNA constructs in the individual to which it is administered.

5 Delivery Methods

Once formulated, the polynucleotide compositions of the invention can be administered (1) directly to the subject; (2) delivered *ex vivo*; to cells derived from the subject; or (3) *in vitro* for expression of recombinant proteins. The subjects to be treated can be mammals or birds. Also, human subjects can be treated.

10 Direct delivery of the compositions will generally be accomplished by injection, either subcutaneously, intraperitoneally, intravenously or intramuscularly or delivered to the interstitial space of a tissue. The compositions can also be administered into a lesion. Other modes of administration include oral and pulmonary administration, suppositories, and transdermal or transcutaneous applications (*eg.* see WO98/20734), needles, and gene guns or hyposprays. Dosage treatment may be a single dose schedule or a multiple dose schedule.

15 Methods for the *ex vivo* delivery and reimplantation of transformed cells into a subject are known in the art and described in *eg.* WO93/14778. Examples of cells useful in *ex vivo* applications include, for example, stem cells, particularly hematopoietic, lymph cells, macrophages, dendritic cells, or tumor cells.

20 Generally, delivery of nucleic acids for both *ex vivo* and *in vitro* applications can be accomplished by the following procedures, for example, dextran-mediated transfection, calcium phosphate precipitation, polybrene mediated transfection, protoplast fusion, electroporation, encapsulation of the polynucleotide(s) in liposomes, and direct microinjection of the DNA into nuclei, all well known in the art.

Polynucleotide and polypeptide pharmaceutical compositions

In addition to the pharmaceutically acceptable carriers and salts described above, the following additional agents can be used with polynucleotide and/or polypeptide compositions.

A. Polypeptides

25 One example are polypeptides which include, without limitation: asioloorosomucoid (ASOR); transferrin; asialoglycoproteins; antibodies; antibody fragments; ferritin; interleukins; interferons, granulocyte, macrophage colony stimulating factor (GM-CSF), granulocyte colony stimulating factor (G-CSF), macrophage colony stimulating factor (M-CSF), stem cell factor and erythropoietin. Viral antigens, such as envelope proteins, can also be used. Also, proteins from other invasive organisms, such as the 17 amino acid peptide from the
30 circumsporozoite protein of plasmodium falciparum known as RII.

B.Hormones, Vitamins, etc.

Other groups that can be included are, for example: hormones, steroids, androgens, estrogens, thyroid hormone, or vitamins, folic acid.

C.Polyalkylenes, Polysaccharides, etc.

- 5 Also, polyalkylene glycol can be included with the desired polynucleotides/polypeptides. In a preferred embodiment, the polyalkylene glycol is polyethylene glycol. In addition, mono-, di-, or polysaccharides can be included. In a preferred embodiment of this aspect, the polysaccharide is dextran or DEAE-dextran. Also, chitosan and poly(lactide-co-glycolide)

D.Lipids, and Liposomes

- 10 The desired polynucleotide/polypeptide can also be encapsulated in lipids or packaged in liposomes prior to delivery to the subject or to cells derived therefrom.

Lipid encapsulation is generally accomplished using liposomes which are able to stably bind or entrap and retain nucleic acid. The ratio of condensed polynucleotide to lipid preparation can vary but will generally be around 1:1 (mg DNA:micromoles lipid), or more of lipid. For a review of the use of liposomes as carriers for delivery
15 of nucleic acids, see, Hug and Sleight (1991) *Biochim. Biophys. Acta.* 1097:1-17; Straubinger (1983) *Meth. Enzymol.* 101:512-527.

Liposomal preparations for use in the present invention include cationic (positively charged), anionic (negatively charged) and neutral preparations. Cationic liposomes have been shown to mediate intracellular delivery of plasmid DNA (Felgner (1987) *Proc. Natl. Acad. Sci. USA* 84:7413-7416); mRNA (Malone (1989)
20 *Proc. Natl. Acad. Sci. USA* 86:6077-6081); and purified transcription factors (Debs (1990) *J. Biol. Chem.* 265:10189-10192), in functional form.

Cationic liposomes are readily available. For example, N[1-2,3-dioleoyloxy)propyl]-N,N,N-triethylammonium (DOTMA) liposomes are available under the trademark Lipofectin, from GIBCO BRL, Grand Island, NY. (See, also, Felgner *supra*). Other commercially available liposomes include transfectace (DDAB/DOPE) and
25 DOTAP/DOPE (Boehringer). Other cationic liposomes can be prepared from readily available materials using techniques well known in the art. See, eg. Szoka (1978) *Proc. Natl. Acad. Sci. USA* 75:4194-4198; WO90/11092 for a description of the synthesis of DOTAP (1,2-bis(oleoyloxy)-3-(trimethylammonio)propane) liposomes.

Similarly, anionic and neutral liposomes are readily available, such as from Avanti Polar Lipids (Birmingham, AL), or can be easily prepared using readily available materials. Such materials include phosphatidyl choline,
30 cholesterol, phosphatidyl ethanolamine, dioleoylphosphatidyl choline (DOPC), dioleoylphosphatidyl glycerol (DOPG), dioleoylphosphatidyl ethanolamine (DOPE), among others. These materials can also be mixed with the

DOTMA and DOTAP starting materials in appropriate ratios. Methods for making liposomes using these materials are well known in the art.

The liposomes can comprise multilammellar vesicles (MLVs), small unilamellar vesicles (SUVs), or large unilamellar vesicles (LUVs). The various liposome-nucleic acid complexes are prepared using methods known in the art. See *eg.* Straubinger (1983) *Meth. Immunol.* 101:512-527; Szoka (1978) *Proc. Natl. Acad. Sci. USA* 75:4194-4198; Papahadjopoulos (1975) *Biochim. Biophys. Acta* 394:483; Wilson (1979) *Cell* 17:77; Deamer & Bangham (1976) *Biochim. Biophys. Acta* 443:629; Ostro (1977) *Biochem. Biophys. Res. Commun.* 76:836; Fraley (1979) *Proc. Natl. Acad. Sci. USA* 76:3348; Enoch & Strittmatter (1979) *Proc. Natl. Acad. Sci. USA* 76:145; Fraley (1980) *J. Biol. Chem.* (1980) 255:10431; Szoka & Papahadjopoulos (1978) *Proc. Natl. Acad. Sci. USA* 75:145; and Schaefer-Ridder (1982) *Science* 215:166.

E. Lipoproteins

In addition, lipoproteins can be included with the polynucleotide/polypeptide to be delivered. Examples of lipoproteins to be utilized include: chylomicrons, HDL, IDL, LDL, and VLDL. Mutants, fragments, or fusions of these proteins can also be used. Also, modifications of naturally occurring lipoproteins can be used, such as acetylated LDL. These lipoproteins can target the delivery of polynucleotides to cells expressing lipoprotein receptors. Preferably, if lipoproteins are including with the polynucleotide to be delivered, no other targeting ligand is included in the composition.

Naturally occurring lipoproteins comprise a lipid and a protein portion. The protein portion are known as apoproteins. At the present, apoproteins A, B, C, D, and E have been isolated and identified. At least two of these contain several proteins, designated by Roman numerals, AI, AII, AIV; CI, CII, CIII.

A lipoprotein can comprise more than one apoprotein. For example, naturally occurring chylomicrons comprises of A, B, C, and E, over time these lipoproteins lose A and acquire C and E apoproteins. VLDL comprises A, B, C, and E apoproteins, LDL comprises apoprotein B; and HDL comprises apoproteins A, C, and E.

The amino acid of these apoproteins are known and are described in, for example, Breslow (1985) *Annu Rev. Biochem* 54:699; Law (1986) *Adv. Exp Med. Biol.* 151:162; Chen (1986) *J Biol Chem* 261:12918; Kane (1980) *Proc Natl Acad Sci USA* 77:2465; and Utermann (1984) *Hum Genet* 65:232.

Lipoproteins contain a variety of lipids including, triglycerides, cholesterol (free and esters), and phospholipids. The composition of the lipids varies in naturally occurring lipoproteins. For example, chylomicrons comprise mainly triglycerides. A more detailed description of the lipid content of naturally occurring lipoproteins can be found, for example, in *Meth. Enzymol.* 128 (1986). The composition of the lipids are chosen to aid in conformation of the apoprotein for receptor binding activity. The composition of lipids can also be chosen to facilitate hydrophobic interaction and association with the polynucleotide binding molecule.

Naturally occurring lipoproteins can be isolated from serum by ultracentrifugation, for instance. Such methods are described in *Meth. Enzymol. (supra)*; Pitas (1980) *J. Biochem.* 255:5454-5460 and Mahey (1979) *J Clin. Invest* 64:743-750. Lipoproteins can also be produced by *in vitro* or recombinant methods by expression of the apoprotein genes in a desired host cell. See, for example, Atkinson (1986) *Annu Rev Biophys Chem* 15:403 and Radding (1958) *Biochim Biophys Acta* 30: 443. Lipoproteins can also be purchased from commercial suppliers, such as Biomedical Technologies, Inc., Stoughton, Massachusetts, USA. Further description of lipoproteins can be found in Zuckermann *et al.* WO98/06437.

F. Polycationic Agents

Polycationic agents can be included, with or without lipoprotein, in a composition with the desired polynucleotide/polypeptide to be delivered.

Polycationic agents, typically, exhibit a net positive charge at physiological relevant pH and are capable of neutralizing the electrical charge of nucleic acids to facilitate delivery to a desired location. These agents have both *in vitro*, *ex vivo*, and *in vivo* applications. Polycationic agents can be used to deliver nucleic acids to a living subject either intramuscularly, subcutaneously, etc.

The following are examples of useful polypeptides as polycationic agents: polylysine, polyarginine, polyornithine, and protamine. Other examples include histones, protamines, human serum albumin, DNA binding proteins, non-histone chromosomal proteins, coat proteins from DNA viruses, such as (X174, transcriptional factors also contain domains that bind DNA and therefore may be useful as nucleic acid condensing agents. Briefly, transcriptional factors such as C/EBP, c-jun, c-fos, AP-1, AP-2, AP-3, CPF, Prot-1, Sp-1, Oct-1, Oct-2, CREP, and TFIID contain basic domains that bind DNA sequences.

Organic polycationic agents include: spermine, spermidine, and putrescine.

The dimensions and of the physical properties of a polycationic agent can be extrapolated from the list above, to construct other polypeptide polycationic agents or to produce synthetic polycationic agents.

Synthetic polycationic agents which are useful include, for example, DEAE-dextran, polybrene. Lipofectin™, and lipofectAMINE™ are monomers that form polycationic complexes when combined with polynucleotides/polypeptides.

Immunodiagnostic Assays

Neisserial antigens of the invention can be used in immunoassays to detect antibody levels (or, conversely, anti-Neisserial antibodies can be used to detect antigen levels). Immunoassays based on well defined, recombinant antigens can be developed to replace invasive diagnostics methods. Antibodies to Neisserial proteins within biological samples, including for example, blood or serum samples, can be detected. Design of the

immunoassays is subject to a great deal of variation, and a variety of these are known in the art. Protocols for the immunoassay may be based, for example, upon competition, or direct reaction, or sandwich type assays. Protocols may also, for example, use solid supports, or may be by immunoprecipitation. Most assays involve the use of labeled antibody or polypeptide; the labels may be, for example, fluorescent, chemiluminescent, radioactive, or dye molecules. Assays which amplify the signals from the probe are also known; examples of which are assays which utilize biotin and avidin, and enzyme-labeled and mediated immunoassays, such as ELISA assays.

Kits suitable for immunodiagnosis and containing the appropriate labeled reagents are constructed by packaging the appropriate materials, including the compositions of the invention, in suitable containers, along with the remaining reagents and materials (for example, suitable buffers, salt solutions, *etc.*) required for the conduct of the assay, as well as suitable set of assay instructions.

Nucleic Acid Hybridisation

“Hybridization” refers to the association of two nucleic acid sequences to one another by hydrogen bonding. Typically, one sequence will be fixed to a solid support and the other will be free in solution. Then, the two sequences will be placed in contact with one another under conditions that favor hydrogen bonding. Factors that affect this bonding include: the type and volume of solvent; reaction temperature; time of hybridization; agitation; agents to block the non-specific attachment of the liquid phase sequence to the solid support (Denhardt's reagent or BLOTTO); concentration of the sequences; use of compounds to increase the rate of association of sequences (dextran sulfate or polyethylene glycol); and the stringency of the washing conditions following hybridization. See Sambrook *et al.* [*supra*] Volume 2, chapter 9, pages 9.47 to 9.57.

“Stringency” refers to conditions in a hybridization reaction that favor association of very similar sequences over sequences that differ. For example, the combination of temperature and salt concentration should be chosen that is approximately 120 to 200°C below the calculated T_m of the hybrid under study. The temperature and salt conditions can often be determined empirically in preliminary experiments in which samples of genomic DNA immobilized on filters are hybridized to the sequence of interest and then washed under conditions of different stringencies. See Sambrook *et al.* at page 9.50.

Variables to consider when performing, for example, a Southern blot are (1) the complexity of the DNA being blotted and (2) the homology between the probe and the sequences being detected. The total amount of the fragment(s) to be studied can vary a magnitude of 10, from 0.1 to 1 µg for a plasmid or phage digest to 10^{-9} to 10^{-8} g for a single copy gene in a highly complex eukaryotic genome. For lower complexity polynucleotides, substantially shorter blotting, hybridization, and exposure times, a smaller amount of starting polynucleotides, and lower specific activity of probes can be used. For example, a single-copy yeast gene can be detected with

an exposure time of only 1 hour starting with 1 µg of yeast DNA, blotting for two hours, and hybridizing for 4-8 hours with a probe of 10^8 cpm/µg. For a single-copy mammalian gene a conservative approach would start with 10 µg of DNA, blot overnight, and hybridize overnight in the presence of 10% dextran sulfate using a probe of greater than 10^8 cpm/µg, resulting in an exposure time of ~24 hours.

- 5 Several factors can affect the melting temperature (T_m) of a DNA-DNA hybrid between the probe and the fragment of interest, and consequently, the appropriate conditions for hybridization and washing. In many cases the probe is not 100% homologous to the fragment. Other commonly encountered variables include the length and total G+C content of the hybridizing sequences and the ionic strength and formamide content of the hybridization buffer. The effects of all of these factors can be approximated by a single equation:

10
$$T_m = 81 + 16.6(\log_{10} C_i) + 0.4[\%(G + C)] - 0.6(\% \text{formamide}) - 600/n - 1.5(\% \text{mismatch}).$$

where C_i is the salt concentration (monovalent ions) and n is the length of the hybrid in base pairs (slightly modified from Meinkoth & Wahl (1984) *Anal. Biochem.* 138: 267-284).

- In designing a hybridization experiment, some factors affecting nucleic acid hybridization can be conveniently altered. The temperature of the hybridization and washes and the salt concentration during the washes are the simplest to adjust. As the temperature of the hybridization increases (*ie.* stringency), it becomes less likely for hybridization to occur between strands that are nonhomologous, and as a result, background decreases. If the radiolabeled probe is not completely homologous with the immobilized fragment (as is frequently the case in gene family and interspecies hybridization experiments), the hybridization temperature must be reduced, and background will increase. The temperature of the washes affects the intensity of the hybridizing band and the degree of background in a similar manner. The stringency of the washes is also increased with decreasing salt concentrations.

- In general, convenient hybridization temperatures in the presence of 50% formamide are 42°C for a probe with is 95% to 100% homologous to the target fragment, 37°C for 90% to 95% homology, and 32°C for 85% to 90% homology. For lower homologies, formamide content should be lowered and temperature adjusted accordingly, using the equation above. If the homology between the probe and the target fragment are not known, the simplest approach is to start with both hybridization and wash conditions which are nonstringent. If non-specific bands or high background are observed after autoradiography, the filter can be washed at high stringency and reexposed. If the time required for exposure makes this approach impractical, several hybridization and/or washing stringencies should be tested in parallel.

Nucleic Acid Probe Assays

Methods such as PCR, branched DNA probe assays, or blotting techniques utilizing nucleic acid probes according to the invention can determine the presence of cDNA or mRNA. A probe is said to “hybridize” with a sequence of the invention if it can form a duplex or double stranded complex, which is stable enough to be detected.

The nucleic acid probes will hybridize to the Neisserial nucleotide sequences of the invention (including both sense and antisense strands). Though many different nucleotide sequences will encode the amino acid sequence, the native Neisserial sequence is preferred because it is the actual sequence present in cells. mRNA represents a coding sequence and so a probe should be complementary to the coding sequence; single-stranded cDNA is complementary to mRNA, and so a cDNA probe should be complementary to the non-coding sequence.

The probe sequence need not be identical to the Neisserial sequence (or its complement) — some variation in the sequence and length can lead to increased assay sensitivity if the nucleic acid probe can form a duplex with target nucleotides, which can be detected. Also, the nucleic acid probe can include additional nucleotides to stabilize the formed duplex. Additional Neisserial sequence may also be helpful as a label to detect the formed duplex. For example, a non-complementary nucleotide sequence may be attached to the 5' end of the probe, with the remainder of the probe sequence being complementary to a Neisserial sequence. Alternatively, non-complementary bases or longer sequences can be interspersed into the probe, provided that the probe sequence has sufficient complementarity with the a Neisserial sequence in order to hybridize therewith and thereby form a duplex which can be detected.

The exact length and sequence of the probe will depend on the hybridization conditions, such as temperature, salt condition and the like. For example, for diagnostic applications, depending on the complexity of the analyte sequence, the nucleic acid probe typically contains at least 10-20 nucleotides, preferably 15-25, and more preferably at least 30 nucleotides, although it may be shorter than this. Short primers generally require cooler temperatures to form sufficiently stable hybrid complexes with the template.

Probes may be produced by synthetic procedures, such as the triester method of Matteucci *et al.* [*J. Am. Chem. Soc.* (1981) 103:3185], or according to Urdea *et al.* [*Proc. Natl. Acad. Sci. USA* (1983) 80: 7461], or using commercially available automated oligonucleotide synthesizers.

The chemical nature of the probe can be selected according to preference. For certain applications, DNA or RNA are appropriate. For other applications, modifications may be incorporated *eg.* backbone modifications, such as phosphorothioates or methylphosphonates, can be used to increase *in vivo* half-life, alter RNA affinity, increase nuclease resistance *etc.* [*eg.* see Agrawal & Iyer (1995) *Curr Opin Biotechnol* 6:12-19; Agrawal (1996)

TIBTECH 14:376-387]; analogues such as peptide nucleic acids may also be used [eg. see Corey (1997) *TIBTECH* 15:224-229; Buchardt *et al.* (1993) *TIBTECH* 11:384-386].

Alternatively, the polymerase chain reaction (PCR) is another well-known means for detecting small amounts of target nucleic acids. The assay is described in: Mullis *et al.* [*Meth. Enzymol.* (1987) 155: 335-350]; US patents 4,683,195 and 4,683,202. Two "primer" nucleotides hybridize with the target nucleic acids and are used to prime the reaction. The primers can comprise sequence that does not hybridize to the sequence of the amplification target (or its complement) to aid with duplex stability or, for example, to incorporate a convenient restriction site. Typically, such sequence will flank the desired Neisserial sequence.

A thermostable polymerase creates copies of target nucleic acids from the primers using the original target nucleic acids as a template. After a threshold amount of target nucleic acids are generated by the polymerase, they can be detected by more traditional methods, such as Southern blots. When using the Southern blot method, the labelled probe will hybridize to the Neisserial sequence (or its complement).

Also, mRNA or cDNA can be detected by traditional blotting techniques described in Sambrook *et al* [*supra*]. mRNA, or cDNA generated from mRNA using a polymerase enzyme, can be purified and separated using gel electrophoresis. The nucleic acids on the gel are then blotted onto a solid support, such as nitrocellulose. The solid support is exposed to a labelled probe and then washed to remove any unhybridized probe. Next, the duplexes containing the labeled probe are detected. Typically, the probe is labelled with a radioactive moiety.

EXAMPLES OF PREFERRED FRAGMENTS

The protein sequences disclosed in WO99/24578 have been subjected to computer analysis to predict antigenic peptide fragments within the full-length proteins. Three algorithms have been used in this analysis:

- **AMPHI** This program has been used to predict T-cell epitopes [Gao *et al.* (1989) *J. Immunol.* 143:3007; Roberts *et al.* (1996) *AIDS Res Hum Retrovir* 12:593; Quakyi *et al.* (1992) *Scand J Immunol* suppl.11:9] and is available in the Protean package of DNASTAR, Inc. (1228 South Park Street, Madison, Wisconsin 53715 USA).
- **ANTIGENIC INDEX** as disclosed by Jameson & Wolf (1988) The antigenic index: a novel algorithm for predicting antigenic determinants. *CABIOS*, 4:181:186
- **HYDROPHILICITY** as disclosed by Hopp & Woods (1981) Prediction of protein antigenic determinants from amino acid sequences. *PNAS*, 78:3824-3828

Table I indicates preferred fragments of the proteins disclosed in WO99/24578. The three algorithms often identify the same fragments (eg. ORF100 – the fragment from residue 98 to residue 109, and

the fragments from residue 111 to residue 121). Such multiply-identified fragments are particularly preferred. The algorithms often identify overlapping fragments (*eg.* ORF100 – AMPHI identifies residues 143-152, and Antigenic Index identified residues 148-157). The invention explicitly includes fragments resulting from a combination of these overlapping fragments (*eg.* the fragment from residue 143 to residue 157, in the case of ORF100). Fragments separated by a single amino acid are also often identified (*eg.* ORF48-1 hydrophilicity 334-342 and 344-349). The invention also includes fragments spanning the two extremes of such “adjacent” fragments (*eg.* 334-349 for ORF48-1).

TABLE I – 14151 fragments of the proteins disclosed in WO99/24578.

10 Key: fragment#1 of the present application is amino acids 9-18 of ORF1-1 disclosed in WO99/24578, fragment#2 of the present application is amino acids 39-41 of ORF1-1 disclosed in WO99/24578 *etc.*

Fragment#	WO99/24578 ORF	Algorithm	Amino acids
1.	1-1	AMPHI	9-18
2.	1-1	AMPHI	39-41
3.	1-1	AMPHI	53-57
4.	1-1	AMPHI	71-73
5.	1-1	AMPHI	83-87
6.	1-1	AMPHI	102-104
7.	1-1	AMPHI	110-112
8.	1-1	AMPHI	118-120
9.	1-1	AMPHI	130-132
10.	1-1	AMPHI	162-168
11.	1-1	AMPHI	174-179
12.	1-1	AMPHI	191-193
13.	1-1	AMPHI	300-302
14.	1-1	AMPHI	351-354
15.	1-1	AMPHI	360-363
16.	1-1	AMPHI	368-372
17.	1-1	AMPHI	381-384
18.	1-1	AMPHI	391-393
19.	1-1	AMPHI	458-464
20.	1-1	AMPHI	494-497
21.	1-1	AMPHI	501-503
22.	1-1	AMPHI	545-549
23.	1-1	AMPHI	650-657
24.	1-1	AMPHI	678-680
25.	1-1	AMPHI	696-700

26.	1-1	AMPHI	709-711
27.	1-1	AMPHI	732-741
28.	1-1	AMPHI	748-752
29.	1-1	AMPHI	771-775
30.	1-1	AMPHI	794-796
31.	1-1	AMPHI	809-811
32.	1-1	AMPHI	874-878
33.	1-1	AMPHI	926-932
34.	1-1	AMPHI	934-939
35.	1-1	AMPHI	972-977
36.	1-1	AMPHI	1001-1004
37.	1-1	AMPHI	1007-1014
38.	1-1	AMPHI	1055-1059
39.	1-1	AMPHI	1064-1069
40.	1-1	AMPHI	1074-1076
41.	1-1	AMPHI	1084-1087
42.	1-1	AMPHI	1093-1108
43.	1-1	AMPHI	1153-1156
44.	1-1	AMPHI	1174-1178
45.	1-1	AMPHI	1182-1186
46.	1-1	AMPHI	1188-1192
47.	1-1	AMPHI	1197-1202
48.	1-1	AMPHI	1214-1224
49.	1-1	AMPHI	1228-1232
50.	1-1	AMPHI	1243-1246
51.	1-1	AMPHI	1261-1271
52.	1-1	AMPHI	1302-1305
53.	1-1	AMPHI	1391-1394
54.	1-1	AMPHI	1410-1415
55.	1-1	Antigenic Index	1-23
56.	1-1	Antigenic Index	55-64
57.	1-1	Antigenic Index	66-87
58.	1-1	Antigenic Index	95-101
59.	1-1	Antigenic Index	115-120
60.	1-1	Antigenic Index	124-161
61.	1-1	Antigenic Index	168-175
62.	1-1	Antigenic Index	178-218
63.	1-1	Antigenic Index	229-231
64.	1-1	Antigenic Index	233-241
65.	1-1	Antigenic Index	246-256
66.	1-1	Antigenic Index	260-270
67.	1-1	Antigenic Index	276-279
68.	1-1	Antigenic Index	293-299
69.	1-1	Antigenic Index	301-308

70.	1-1	Antigenic Index	316-319
71.	1-1	Antigenic Index	322-359
72.	1-1	Antigenic Index	367-375
73.	1-1	Antigenic Index	383-394
74.	1-1	Antigenic Index	396-405
75.	1-1	Antigenic Index	410-415
76.	1-1	Antigenic Index	425-435
77.	1-1	Antigenic Index	441-448
78.	1-1	Antigenic Index	455-467
79.	1-1	Antigenic Index	471-486
80.	1-1	Antigenic Index	490-501
81.	1-1	Antigenic Index	508-512
82.	1-1	Antigenic Index	516-525
83.	1-1	Antigenic Index	530-541
84.	1-1	Antigenic Index	546-554
85.	1-1	Antigenic Index	559-566
86.	1-1	Antigenic Index	570-591
87.	1-1	Antigenic Index	593-608
88.	1-1	Antigenic Index	615-621
89.	1-1	Antigenic Index	625-629
90.	1-1	Antigenic Index	632-640
91.	1-1	Antigenic Index	642-650
92.	1-1	Antigenic Index	653-667
93.	1-1	Antigenic Index	671-690
94.	1-1	Antigenic Index	693-710
95.	1-1	Antigenic Index	719-722
96.	1-1	Antigenic Index	727-748
97.	1-1	Antigenic Index	752-764
98.	1-1	Antigenic Index	779-790
99.	1-1	Antigenic Index	793-799
100.	1-1	Antigenic Index	815-827
101.	1-1	Antigenic Index	829-835
102.	1-1	Antigenic Index	843-849
103.	1-1	Antigenic Index	854-856
104.	1-1	Antigenic Index	860-862
105.	1-1	Antigenic Index	869-904
106.	1-1	Antigenic Index	914-944
107.	1-1	Antigenic Index	948-957
108.	1-1	Antigenic Index	961-970
109.	1-1	Antigenic Index	980-994
110.	1-1	Antigenic Index	1000-1008
111.	1-1	Antigenic Index	1013-1027
112.	1-1	Antigenic Index	1034-1037
113.	1-1	Antigenic Index	1045-1054

114.	1-1	Antigenic Index	1056-1083
115.	1-1	Antigenic Index	1090-1113
116.	1-1	Antigenic Index	1117-1160
117.	1-1	Antigenic Index	1162-1175
118.	1-1	Antigenic Index	1177-1184
119.	1-1	Antigenic Index	1197-1211
120.	1-1	Antigenic Index	1215-1238
121.	1-1	Antigenic Index	1240-1250
122.	1-1	Antigenic Index	1256-1273
123.	1-1	Antigenic Index	1286-1288
124.	1-1	Antigenic Index	1293-1295
125.	1-1	Antigenic Index	1297-1314
126.	1-1	Antigenic Index	1321-1329
127.	1-1	Antigenic Index	1334-1337
128.	1-1	Antigenic Index	1345-1352
129.	1-1	Antigenic Index	1363-1379
130.	1-1	Antigenic Index	1391-1403
131.	1-1	Antigenic Index	1410-1419
132.	1-1	Antigenic Index	1424-1427
133.	1-1	Antigenic Index	1437-1450
134.	1-1	Hydrophilicity	1-23
135.	1-1	Hydrophilicity	56-64
136.	1-1	Hydrophilicity	66-82
137.	1-1	Hydrophilicity	84-86
138.	1-1	Hydrophilicity	124-136
139.	1-1	Hydrophilicity	140-151
140.	1-1	Hydrophilicity	168-175
141.	1-1	Hydrophilicity	180-187
142.	1-1	Hydrophilicity	190-199
143.	1-1	Hydrophilicity	202-217
144.	1-1	Hydrophilicity	237-239
145.	1-1	Hydrophilicity	246-252
146.	1-1	Hydrophilicity	263-268
147.	1-1	Hydrophilicity	276-279
148.	1-1	Hydrophilicity	302-304
149.	1-1	Hydrophilicity	324-328
150.	1-1	Hydrophilicity	331-359
151.	1-1	Hydrophilicity	369-375
152.	1-1	Hydrophilicity	385-393
153.	1-1	Hydrophilicity	396-405
154.	1-1	Hydrophilicity	428-432
155.	1-1	Hydrophilicity	441-447
156.	1-1	Hydrophilicity	455-464
157.	1-1	Hydrophilicity	471-477

158.	1-1	Hydrophilicity	490-501
159.	1-1	Hydrophilicity	519-523
160.	1-1	Hydrophilicity	531-537
161.	1-1	Hydrophilicity	548-554
162.	1-1	Hydrophilicity	560-566
163.	1-1	Hydrophilicity	571-577
164.	1-1	Hydrophilicity	582-591
165.	1-1	Hydrophilicity	596-606
166.	1-1	Hydrophilicity	615-621
167.	1-1	Hydrophilicity	645-647
168.	1-1	Hydrophilicity	658-667
169.	1-1	Hydrophilicity	679-686
170.	1-1	Hydrophilicity	697-703
171.	1-1	Hydrophilicity	729-731
172.	1-1	Hydrophilicity	737-748
173.	1-1	Hydrophilicity	752-756
174.	1-1	Hydrophilicity	761-764
175.	1-1	Hydrophilicity	782-788
176.	1-1	Hydrophilicity	843-849
177.	1-1	Hydrophilicity	860-862
178.	1-1	Hydrophilicity	869-873
179.	1-1	Hydrophilicity	878-892
180.	1-1	Hydrophilicity	916-922
181.	1-1	Hydrophilicity	927-943
182.	1-1	Hydrophilicity	950-956
183.	1-1	Hydrophilicity	964-967
184.	1-1	Hydrophilicity	981-993
185.	1-1	Hydrophilicity	1002-1008
186.	1-1	Hydrophilicity	1015-1025
187.	1-1	Hydrophilicity	1034-1037
188.	1-1	Hydrophilicity	1045-1054
189.	1-1	Hydrophilicity	1056-1083
190.	1-1	Hydrophilicity	1090-1111
191.	1-1	Hydrophilicity	1117-1144
192.	1-1	Hydrophilicity	1149-1159
193.	1-1	Hydrophilicity	1165-1174
194.	1-1	Hydrophilicity	1197-1210
195.	1-1	Hydrophilicity	1215-1238
196.	1-1	Hydrophilicity	1243-1249
197.	1-1	Hydrophilicity	1257-1269
198.	1-1	Hydrophilicity	1271-1273
199.	1-1	Hydrophilicity	1301-1304
200.	1-1	Hydrophilicity	1306-1314
201.	1-1	Hydrophilicity	1321-1325

202.	1-1	Hydrophilicity	1346-1352
203.	1-1	Hydrophilicity	1364-1371
204.	1-1	Hydrophilicity	1373-1375
205.	1-1	Hydrophilicity	1395-1403
206.	1-1	Hydrophilicity	1411-1419
207.	1-1	Hydrophilicity	1424-1427
208.	1-1	Hydrophilicity	1437-1447
209.	2-1	AMPHI	12-17
210.	2-1	AMPHI	22-34
211.	2-1	AMPHI	36-45
212.	2-1	AMPHI	58-62
213.	2-1	AMPHI	75-79
214.	2-1	AMPHI	87-101
215.	2-1	AMPHI	121-133
216.	2-1	AMPHI	144-146
217.	2-1	AMPHI	152-160
218.	2-1	AMPHI	167-170
219.	2-1	AMPHI	180-182
220.	2-1	AMPHI	187-194
221.	2-1	Antigenic Index	21-41
222.	2-1	Antigenic Index	44-52
223.	2-1	Antigenic Index	54-68
224.	2-1	Antigenic Index	72-88
225.	2-1	Antigenic Index	90-141
226.	2-1	Antigenic Index	144-168
227.	2-1	Antigenic Index	200-228
228.	2-1	Antigenic Index	21-33
229.	2-1	Antigenic Index	35-41
230.	2-1	Antigenic Index	46-52
231.	2-1	Antigenic Index	54-68
232.	2-1	Antigenic Index	72-88
233.	2-1	Antigenic Index	90-108
234.	2-1	Antigenic Index	110-121
235.	2-1	Antigenic Index	124-126
236.	2-1	Antigenic Index	129-131
237.	2-1	Antigenic Index	134-141
238.	2-1	Antigenic Index	144-151
239.	2-1	Antigenic Index	154-168
240.	2-1	Antigenic Index	200-228
241.	2-1	Hydrophilicity	21-33
242.	2-1	Hydrophilicity	35-41
243.	2-1	Hydrophilicity	46-52
244.	2-1	Hydrophilicity	54-68
245.	2-1	Hydrophilicity	72-88

246.	2-1	Hydrophilicity	90-108
247.	2-1	Hydrophilicity	110-121
248.	2-1	Hydrophilicity	124-126
249.	2-1	Hydrophilicity	129-131
250.	2-1	Hydrophilicity	134-141
251.	2-1	Hydrophilicity	144-151
252.	2-1	Hydrophilicity	154-168
253.	2-1	Hydrophilicity	200-228
254.	3-1	AMPHI	4-11
255.	3-1	AMPHI	46-49
256.	3-1	AMPHI	52-56
257.	3-1	AMPHI	61-65
258.	3-1	AMPHI	79-81
259.	3-1	AMPHI	90-101
260.	3-1	AMPHI	116-118
261.	3-1	AMPHI	122-124
262.	3-1	AMPHI	136-140
263.	3-1	AMPHI	214-216
264.	3-1	AMPHI	218-225
265.	3-1	AMPHI	238-245
266.	3-1	AMPHI	271-273
267.	3-1	AMPHI	336-342
268.	3-1	AMPHI	387-391
269.	3-1	AMPHI	397-403
270.	3-1	Antigenic Index	32-39
271.	3-1	Antigenic Index	43-55
272.	3-1	Antigenic Index	60-95
273.	3-1	Antigenic Index	102-105
274.	3-1	Antigenic Index	109-112
275.	3-1	Antigenic Index	122-135
276.	3-1	Antigenic Index	141-154
277.	3-1	Antigenic Index	179-181
278.	3-1	Antigenic Index	183-192
279.	3-1	Antigenic Index	196-203
280.	3-1	Antigenic Index	207-215
281.	3-1	Antigenic Index	222-226
282.	3-1	Antigenic Index	228-239
283.	3-1	Antigenic Index	252-260
284.	3-1	Antigenic Index	266-279
285.	3-1	Antigenic Index	291-297
286.	3-1	Antigenic Index	299-302
287.	3-1	Antigenic Index	317-323
288.	3-1	Antigenic Index	331-335
289.	3-1	Antigenic Index	345-357

290.	3-1	Antigenic Index	359-380
291.	3-1	Antigenic Index	387-393
292.	3-1	Antigenic Index	398-413
293.	3-1	Hydrophilicity	34-37
294.	3-1	Hydrophilicity	45-55
295.	3-1	Hydrophilicity	60-70
296.	3-1	Hydrophilicity	74-95
297.	3-1	Hydrophilicity	102-105
298.	3-1	Hydrophilicity	124-133
299.	3-1	Hydrophilicity	147-154
300.	3-1	Hydrophilicity	179-181
301.	3-1	Hydrophilicity	183-192
302.	3-1	Hydrophilicity	197-203
303.	3-1	Hydrophilicity	213-215
304.	3-1	Hydrophilicity	222-226
305.	3-1	Hydrophilicity	228-236
306.	3-1	Hydrophilicity	253-255
307.	3-1	Hydrophilicity	257-260
308.	3-1	Hydrophilicity	268-279
309.	3-1	Hydrophilicity	293-295
310.	3-1	Hydrophilicity	318-320
311.	3-1	Hydrophilicity	331-333
312.	3-1	Hydrophilicity	354-357
313.	3-1	Hydrophilicity	365-375
314.	3-1	Hydrophilicity	387-391
315.	3-1	Hydrophilicity	398-412
316.	4-1	AMPHI	4-9
317.	4-1	AMPHI	49-60
318.	4-1	AMPHI	75-82
319.	4-1	AMPHI	104-109
320.	4-1	AMPHI	116-121
321.	4-1	AMPHI	132-140
322.	4-1	AMPHI	145-156
323.	4-1	AMPHI	162-165
324.	4-1	AMPHI	171-176
325.	4-1	AMPHI	184-191
326.	4-1	AMPHI	198-200
327.	4-1	AMPHI	241-244
328.	4-1	AMPHI	252-258
329.	4-1	AMPHI	263-266
330.	4-1	AMPHI	270-281
331.	4-1	Antigenic Index	20-28
332.	4-1	Antigenic Index	34-45
333.	4-1	Antigenic Index	50-71

334.	4-1	Antigenic Index	80-83
335.	4-1	Antigenic Index	89-94
336.	4-1	Antigenic Index	101-115
337.	4-1	Antigenic Index	124-127
338.	4-1	Antigenic Index	131-145
339.	4-1	Antigenic Index	147-154
340.	4-1	Antigenic Index	168-175
341.	4-1	Antigenic Index	177-189
342.	4-1	Antigenic Index	199-207
343.	4-1	Antigenic Index	213-216
344.	4-1	Antigenic Index	220-225
345.	4-1	Antigenic Index	228-233
346.	4-1	Antigenic Index	243-251
347.	4-1	Antigenic Index	254-257
348.	4-1	Antigenic Index	259-264
349.	4-1	Antigenic Index	268-277
350.	4-1	Antigenic Index	282-287
351.	4-1	Hydrophilicity	21-28
352.	4-1	Hydrophilicity	34-45
353.	4-1	Hydrophilicity	53-71
354.	4-1	Hydrophilicity	89-94
355.	4-1	Hydrophilicity	102-115
356.	4-1	Hydrophilicity	131-144
357.	4-1	Hydrophilicity	147-153
358.	4-1	Hydrophilicity	168-173
359.	4-1	Hydrophilicity	177-189
360.	4-1	Hydrophilicity	199-207
361.	4-1	Hydrophilicity	222-225
362.	4-1	Hydrophilicity	243-251
363.	4-1	Hydrophilicity	254-257
364.	4-1	Hydrophilicity	270-276
365.	4-1	Hydrophilicity	284-287
366.	5-1	AMPHI	11-35
367.	5-1	AMPHI	46-56
368.	5-1	AMPHI	71-73
369.	5-1	AMPHI	79-83
370.	5-1	AMPHI	105-107
371.	5-1	AMPHI	112-117
372.	5-1	AMPHI	127-130
373.	5-1	AMPHI	141-151
374.	5-1	AMPHI	161-164
375.	5-1	AMPHI	168-186
376.	5-1	AMPHI	192-197
377.	5-1	AMPHI	210-217

378.	5-1	AMPHI	228-230
379.	5-1	AMPHI	256-259
380.	5-1	AMPHI	272-275
381.	5-1	AMPHI	287-289
382.	5-1	Antigenic Index	1-10
383.	5-1	Antigenic Index	18-28
384.	5-1	Antigenic Index	34-45
385.	5-1	Antigenic Index	47-54
386.	5-1	Antigenic Index	56-81
387.	5-1	Antigenic Index	90-92
388.	5-1	Antigenic Index	96-104
389.	5-1	Antigenic Index	112-114
390.	5-1	Antigenic Index	118-124
391.	5-1	Antigenic Index	127-129
392.	5-1	Antigenic Index	136-140
393.	5-1	Antigenic Index	146-154
394.	5-1	Antigenic Index	159-167
395.	5-1	Antigenic Index	173-175
396.	5-1	Antigenic Index	178-194
397.	5-1	Antigenic Index	199-204
398.	5-1	Antigenic Index	209-215
399.	5-1	Antigenic Index	218-275
400.	5-1	Antigenic Index	293-299
401.	5-1	Hydrophilicity	1-7
402.	5-1	Hydrophilicity	18-28
403.	5-1	Hydrophilicity	34-42
404.	5-1	Hydrophilicity	47-54
405.	5-1	Hydrophilicity	56-81
406.	5-1	Hydrophilicity	96-104
407.	5-1	Hydrophilicity	112-114
408.	5-1	Hydrophilicity	127-129
409.	5-1	Hydrophilicity	136-140
410.	5-1	Hydrophilicity	146-153
411.	5-1	Hydrophilicity	161-164
412.	5-1	Hydrophilicity	173-175
413.	5-1	Hydrophilicity	178-194
414.	5-1	Hydrophilicity	199-204
415.	5-1	Hydrophilicity	209-213
416.	5-1	Hydrophilicity	222-250
417.	5-1	Hydrophilicity	253-263
418.	5-1	Hydrophilicity	267-275
419.	5-1	Hydrophilicity	294-299
420.	6-1	AMPHI	15-21
421.	6-1	AMPHI	29-34

422.	6-1	AMPHI	40-47
423.	6-1	AMPHI	57-60
424.	6-1	AMPHI	67-72
425.	6-1	Antigenic Index	33-35
426.	6-1	Antigenic Index	44-49
427.	6-1	Antigenic Index	61-77
428.	6-1	Hydrophilicity	61-77
429.	7-1	AMPHI	4-7
430.	7-1	AMPHI	44-51
431.	7-1	AMPHI	73-75
432.	7-1	AMPHI	83-88
433.	7-1	AMPHI	90-96
434.	7-1	AMPHI	115-123
435.	7-1	AMPHI	132-134
436.	7-1	AMPHI	140-143
437.	7-1	AMPHI	145-148
438.	7-1	AMPHI	174-187
439.	7-1	AMPHI	199-202
440.	7-1	AMPHI	244-246
441.	7-1	AMPHI	266-269
442.	7-1	AMPHI	309-319
443.	7-1	Antigenic Index	4-6
444.	7-1	Antigenic Index	26-35
445.	7-1	Antigenic Index	37-58
446.	7-1	Antigenic Index	77-88
447.	7-1	Antigenic Index	93-105
448.	7-1	Antigenic Index	109-141
449.	7-1	Antigenic Index	143-145
450.	7-1	Antigenic Index	148-169
451.	7-1	Antigenic Index	179-201
452.	7-1	Antigenic Index	209-223
453.	7-1	Antigenic Index	231-233
454.	7-1	Antigenic Index	237-243
455.	7-1	Antigenic Index	251-277
456.	7-1	Antigenic Index	281-287
457.	7-1	Antigenic Index	291-297
458.	7-1	Antigenic Index	303-311
459.	7-1	Antigenic Index	316-319
460.	7-1	Antigenic Index	322-324
461.	7-1	Antigenic Index	327-331
462.	7-1	Hydrophilicity	4-6
463.	7-1	Hydrophilicity	27-35
464.	7-1	Hydrophilicity	37-40
465.	7-1	Hydrophilicity	46-58

466.	7-1	Hydrophilicity	83-85
467.	7-1	Hydrophilicity	94-104
468.	7-1	Hydrophilicity	110-113
469.	7-1	Hydrophilicity	115-125
470.	7-1	Hydrophilicity	127-136
471.	7-1	Hydrophilicity	138-141
472.	7-1	Hydrophilicity	143-145
473.	7-1	Hydrophilicity	148-153
474.	7-1	Hydrophilicity	161-168
475.	7-1	Hydrophilicity	179-196
476.	7-1	Hydrophilicity	199-201
477.	7-1	Hydrophilicity	209-223
478.	7-1	Hydrophilicity	231-233
479.	7-1	Hydrophilicity	237-239
480.	7-1	Hydrophilicity	251-265
481.	7-1	Hydrophilicity	285-287
482.	7-1	Hydrophilicity	293-296
483.	7-1	Hydrophilicity	304-307
484.	7-1	Hydrophilicity	316-319
485.	7-1	Hydrophilicity	322-324
486.	7-1	Hydrophilicity	327-331
487.	9-1	AMPHI	4-7
488.	9-1	AMPHI	9-12
489.	9-1	AMPHI	31-41
490.	9-1	AMPHI	64-72
491.	9-1	AMPHI	88-90
492.	9-1	AMPHI	104-108
493.	9-1	AMPHI	115-119
494.	9-1	AMPHI	126-133
495.	9-1	AMPHI	137-139
496.	9-1	AMPHI	144-147
497.	9-1	AMPHI	154-163
498.	9-1	AMPHI	191-197
499.	9-1	AMPHI	205-208
500.	9-1	AMPHI	211-213
501.	9-1	AMPHI	227-235
502.	9-1	AMPHI	254-262
503.	9-1	AMPHI	266-279
504.	9-1	AMPHI	281-294
505.	9-1	AMPHI	324-329
506.	9-1	AMPHI	334-340
507.	9-1	AMPHI	359-370
508.	9-1	AMPHI	395-407
509.	9-1	AMPHI	417-422

510.	9-1	AMPHI	425-429
511.	9-1	AMPHI	436-446
512.	9-1	AMPHI	467-469
513.	9-1	AMPHI	476-483
514.	9-1	AMPHI	493-495
515.	9-1	AMPHI	505-509
516.	9-1	AMPHI	512-514
517.	9-1	AMPHI	561-566
518.	9-1	AMPHI	578-581
519.	9-1	AMPHI	594-599
520.	9-1	Antigenic Index	2-7
521.	9-1	Antigenic Index	23-59
522.	9-1	Antigenic Index	61-67
523.	9-1	Antigenic Index	77-84
524.	9-1	Antigenic Index	96-109
525.	9-1	Antigenic Index	118-121
526.	9-1	Antigenic Index	126-173
527.	9-1	Antigenic Index	183-202
528.	9-1	Antigenic Index	205-207
529.	9-1	Antigenic Index	219-227
530.	9-1	Antigenic Index	232-242
531.	9-1	Antigenic Index	250-270
532.	9-1	Antigenic Index	287-294
533.	9-1	Antigenic Index	300-307
534.	9-1	Antigenic Index	317-324
535.	9-1	Antigenic Index	328-345
536.	9-1	Antigenic Index	353-361
537.	9-1	Antigenic Index	364-371
538.	9-1	Antigenic Index	375-380
539.	9-1	Antigenic Index	387-396
540.	9-1	Antigenic Index	398-414
541.	9-1	Antigenic Index	416-419
542.	9-1	Antigenic Index	428-456
543.	9-1	Antigenic Index	468-489
544.	9-1	Antigenic Index	495-498
545.	9-1	Antigenic Index	502-511
546.	9-1	Antigenic Index	520-531
547.	9-1	Antigenic Index	537-544
548.	9-1	Antigenic Index	549-560
549.	9-1	Antigenic Index	572-577
550.	9-1	Antigenic Index	586-614
551.	9-1	Hydrophilicity	4-7
552.	9-1	Hydrophilicity	27-59
553.	9-1	Hydrophilicity	61-67

554.	9-1	Hydrophilicity	77-84
555.	9-1	Hydrophilicity	96-109
556.	9-1	Hydrophilicity	118-121
557.	9-1	Hydrophilicity	133-143
558.	9-1	Hydrophilicity	147-155
559.	9-1	Hydrophilicity	157-173
560.	9-1	Hydrophilicity	187-202
561.	9-1	Hydrophilicity	205-207
562.	9-1	Hydrophilicity	219-227
563.	9-1	Hydrophilicity	232-240
564.	9-1	Hydrophilicity	250-258
565.	9-1	Hydrophilicity	263-270
566.	9-1	Hydrophilicity	287-294
567.	9-1	Hydrophilicity	300-305
568.	9-1	Hydrophilicity	317-324
569.	9-1	Hydrophilicity	329-345
570.	9-1	Hydrophilicity	353-361
571.	9-1	Hydrophilicity	364-366
572.	9-1	Hydrophilicity	369-371
573.	9-1	Hydrophilicity	387-396
574.	9-1	Hydrophilicity	398-410
575.	9-1	Hydrophilicity	417-419
576.	9-1	Hydrophilicity	428-448
577.	9-1	Hydrophilicity	450-456
578.	9-1	Hydrophilicity	468-489
579.	9-1	Hydrophilicity	502-509
580.	9-1	Hydrophilicity	521-527
581.	9-1	Hydrophilicity	539-543
582.	9-1	Hydrophilicity	552-560
583.	9-1	Hydrophilicity	572-577
584.	9-1	Hydrophilicity	588-602
585.	9-1	Hydrophilicity	607-614
586.	10-1	AMPHI	6-8
587.	10-1	AMPHI	13-16
588.	10-1	AMPHI	35-38
589.	10-1	AMPHI	62-65
590.	10-1	AMPHI	88-91
591.	10-1	AMPHI	163-165
592.	10-1	AMPHI	173-182
593.	10-1	AMPHI	198-200
594.	10-1	AMPHI	222-226
595.	10-1	AMPHI	239-247
596.	10-1	AMPHI	264-273
597.	10-1	AMPHI	275-278

598.	10-1	AMPHI	306-313
599.	10-1	AMPHI	319-321
600.	10-1	AMPHI	339-343
601.	10-1	AMPHI	349-351
602.	10-1	AMPHI	360-366
603.	10-1	AMPHI	403-410
604.	10-1	AMPHI	431-435
605.	10-1	AMPHI	440-450
606.	10-1	AMPHI	459-465
607.	10-1	Antigenic Index	1-5
608.	10-1	Antigenic Index	32-38
609.	10-1	Antigenic Index	66-74
610.	10-1	Antigenic Index	95-103
611.	10-1	Antigenic Index	108-111
612.	10-1	Antigenic Index	135-139
613.	10-1	Antigenic Index	192-200
614.	10-1	Antigenic Index	202-205
615.	10-1	Antigenic Index	231-237
616.	10-1	Antigenic Index	277-287
617.	10-1	Antigenic Index	289-293
618.	10-1	Antigenic Index	317-321
619.	10-1	Antigenic Index	349-357
620.	10-1	Antigenic Index	376-382
621.	10-1	Antigenic Index	397-405
622.	10-1	Antigenic Index	408-411
623.	10-1	Antigenic Index	423-425
624.	10-1	Antigenic Index	434-436
625.	10-1	Antigenic Index	453-460
626.	10-1	Antigenic Index	467-470
627.	10-1	Hydrophilicity	1-5
628.	10-1	Hydrophilicity	34-37
629.	10-1	Hydrophilicity	66-74
630.	10-1	Hydrophilicity	97-100
631.	10-1	Hydrophilicity	108-111
632.	10-1	Hydrophilicity	135-139
633.	10-1	Hydrophilicity	192-200
634.	10-1	Hydrophilicity	231-233
635.	10-1	Hydrophilicity	235-237
636.	10-1	Hydrophilicity	277-287
637.	10-1	Hydrophilicity	289-293
638.	10-1	Hydrophilicity	349-355
639.	10-1	Hydrophilicity	378-382
640.	10-1	Hydrophilicity	398-403
641.	10-1	Hydrophilicity	453-460

642.	11-1	AMPHI	4-10
643.	11-1	AMPHI	20-24
644.	11-1	AMPHI	27-30
645.	11-1	AMPHI	61-66
646.	11-1	AMPHI	72-78
647.	11-1	AMPHI	109-111
648.	11-1	AMPHI	117-120
649.	11-1	AMPHI	152-157
650.	11-1	AMPHI	186-191
651.	11-1	AMPHI	202-205
652.	11-1	AMPHI	214-216
653.	11-1	AMPHI	221-223
654.	11-1	AMPHI	228-230
655.	11-1	AMPHI	237-239
656.	11-1	AMPHI	242-248
657.	11-1	AMPHI	293-295
658.	11-1	AMPHI	317-322
659.	11-1	AMPHI	327-331
660.	11-1	AMPHI	346-352
661.	11-1	AMPHI	377-381
662.	11-1	AMPHI	409-411
663.	11-1	AMPHI	418-428
664.	11-1	AMPHI	440-443
665.	11-1	AMPHI	451-459
666.	11-1	AMPHI	479-481
667.	11-1	AMPHI	492-497
668.	11-1	AMPHI	520-523
669.	11-1	AMPHI	532-537
670.	11-1	Antigenic Index	1-5
671.	11-1	Antigenic Index	22-38
672.	11-1	Antigenic Index	66-76
673.	11-1	Antigenic Index	82-91
674.	11-1	Antigenic Index	95-102
675.	11-1	Antigenic Index	108-111
676.	11-1	Antigenic Index	124-153
677.	11-1	Antigenic Index	158-161
678.	11-1	Antigenic Index	172-178
679.	11-1	Antigenic Index	180-198
680.	11-1	Antigenic Index	210-216
681.	11-1	Antigenic Index	219-244
682.	11-1	Antigenic Index	258-265
683.	11-1	Antigenic Index	272-287
684.	11-1	Antigenic Index	297-303
685.	11-1	Antigenic Index	310-313

686.	11-1	Antigenic Index	325-333
687.	11-1	Antigenic Index	338-340
688.	11-1	Antigenic Index	352-354
689.	11-1	Antigenic Index	375-377
690.	11-1	Antigenic Index	379-387
691.	11-1	Antigenic Index	391-404
692.	11-1	Antigenic Index	412-422
693.	11-1	Antigenic Index	445-448
694.	11-1	Antigenic Index	457-464
695.	11-1	Antigenic Index	481-490
696.	11-1	Antigenic Index	529-545
697.	11-1	Hydrophilicity	1-5
698.	11-1	Hydrophilicity	22-38
699.	11-1	Hydrophilicity	66-76
700.	11-1	Hydrophilicity	82-91
701.	11-1	Hydrophilicity	95-102
702.	11-1	Hydrophilicity	108-111
703.	11-1	Hydrophilicity	124-153
704.	11-1	Hydrophilicity	158-161
705.	11-1	Hydrophilicity	172-178
706.	11-1	Hydrophilicity	180-198
707.	11-1	Hydrophilicity	210-216
708.	11-1	Hydrophilicity	219-244
709.	11-1	Hydrophilicity	258-265
710.	11-1	Hydrophilicity	272-287
711.	11-1	Hydrophilicity	297-303
712.	11-1	Hydrophilicity	310-313
713.	11-1	Hydrophilicity	325-333
714.	11-1	Hydrophilicity	338-340
715.	11-1	Hydrophilicity	352-354
716.	11-1	Hydrophilicity	375-377
717.	11-1	Hydrophilicity	379-387
718.	11-1	Hydrophilicity	391-404
719.	11-1	Hydrophilicity	412-422
720.	11-1	Hydrophilicity	445-448
721.	11-1	Hydrophilicity	457-464
722.	11-1	Hydrophilicity	481-490
723.	11-1	Hydrophilicity	529-545
724.	12-1	AMPHI	1-5
725.	12-1	AMPHI	22-38
726.	12-1	AMPHI	66-76
727.	12-1	AMPHI	82-91
728.	12-1	AMPHI	95-102
729.	12-1	AMPHI	108-111

730.	12-1	AMPHI	124-153
731.	12-1	AMPHI	158-161
732.	12-1	AMPHI	172-178
733.	12-1	AMPHI	180-198
734.	12-1	AMPHI	210-216
735.	12-1	AMPHI	219-244
736.	12-1	AMPHI	258-265
737.	12-1	AMPHI	272-287
738.	12-1	AMPHI	297-303
739.	12-1	AMPHI	310-313
740.	12-1	AMPHI	325-333
741.	12-1	AMPHI	338-340
742.	12-1	AMPHI	352-354
743.	12-1	AMPHI	375-377
744.	12-1	AMPHI	379-387
745.	12-1	AMPHI	391-404
746.	12-1	AMPHI	412-422
747.	12-1	AMPHI	445-448
748.	12-1	AMPHI	457-464
749.	12-1	AMPHI	481-490
750.	12-1	AMPHI	529-545
751.	12-1	Antigenic Index	1-12
752.	12-1	Antigenic Index	23-25
753.	12-1	Antigenic Index	50-67
754.	12-1	Antigenic Index	108-113
755.	12-1	Antigenic Index	123-131
756.	12-1	Antigenic Index	141-147
757.	12-1	Antigenic Index	164-169
758.	12-1	Antigenic Index	180-183
759.	12-1	Antigenic Index	239-271
760.	12-1	Antigenic Index	293-307
761.	12-1	Antigenic Index	309-311
762.	12-1	Antigenic Index	332-343
763.	12-1	Antigenic Index	349-352
764.	12-1	Antigenic Index	375-377
765.	12-1	Antigenic Index	391-396
766.	12-1	Antigenic Index	446-449
767.	12-1	Antigenic Index	471-478
768.	12-1	Antigenic Index	512-514
769.	12-1	Hydrophilicity	2-12
770.	12-1	Hydrophilicity	52-65
771.	12-1	Hydrophilicity	108-113
772.	12-1	Hydrophilicity	125-130
773.	12-1	Hydrophilicity	144-146

774.	12-1	Hydrophilicity	239-242
775.	12-1	Hydrophilicity	252-264
776.	12-1	Hydrophilicity	296-302
777.	12-1	Hydrophilicity	332-343
778.	12-1	Hydrophilicity	391-393
779.	12-1	Hydrophilicity	446-449
780.	12-1	Hydrophilicity	471-477
781.	13-1	AMPHI	6-8
782.	13-1	AMPHI	44-46
783.	13-1	AMPHI	57-60
784.	13-1	AMPHI	65-68
785.	13-1	AMPHI	72-79
786.	13-1	Antigenic Index	56-73
787.	13-1	Antigenic Index	78-88
788.	13-1	Antigenic Index	91-95
789.	13-1	Antigenic Index	97-109
790.	13-1	Antigenic Index	112-119
791.	13-1	Hydrophilicity	56-71
792.	13-1	Hydrophilicity	100-109
793.	13-1	Hydrophilicity	112-119
794.	15-1	AMPHI	18-25
795.	15-1	AMPHI	48-51
796.	15-1	AMPHI	55-57
797.	15-1	AMPHI	85-87
798.	15-1	AMPHI	93-95
799.	15-1	AMPHI	110-114
800.	15-1	AMPHI	118-129
801.	15-1	AMPHI	153-156
802.	15-1	AMPHI	172-177
803.	15-1	AMPHI	183-190
804.	15-1	AMPHI	203-206
805.	15-1	AMPHI	234-236
806.	15-1	AMPHI	247-251
807.	15-1	AMPHI	264-273
808.	15-1	AMPHI	278-282
809.	15-1	AMPHI	284-290
810.	15-1	AMPHI	300-304
811.	15-1	AMPHI	309-319
812.	15-1	Antigenic Index	18-20
813.	15-1	Antigenic Index	26-36
814.	15-1	Antigenic Index	38-40
815.	15-1	Antigenic Index	47-54
816.	15-1	Antigenic Index	58-61
817.	15-1	Antigenic Index	69-80

818.	15-1	Antigenic Index	86-88
819.	15-1	Antigenic Index	91-117
820.	15-1	Antigenic Index	132-147
821.	15-1	Antigenic Index	153-171
822.	15-1	Antigenic Index	184-186
823.	15-1	Antigenic Index	191-195
824.	15-1	Antigenic Index	207-212
825.	15-1	Antigenic Index	219-226
826.	15-1	Antigenic Index	233-247
827.	15-1	Antigenic Index	251-256
828.	15-1	Antigenic Index	263-275
829.	15-1	Antigenic Index	280-320
830.	15-1	Hydrophilicity	29-36
831.	15-1	Hydrophilicity	38-40
832.	15-1	Hydrophilicity	47-54
833.	15-1	Hydrophilicity	58-61
834.	15-1	Hydrophilicity	70-74
835.	15-1	Hydrophilicity	86-88
836.	15-1	Hydrophilicity	97-100
837.	15-1	Hydrophilicity	106-115
838.	15-1	Hydrophilicity	132-147
839.	15-1	Hydrophilicity	155-170
840.	15-1	Hydrophilicity	191-195
841.	15-1	Hydrophilicity	207-212
842.	15-1	Hydrophilicity	219-226
843.	15-1	Hydrophilicity	233-247
844.	15-1	Hydrophilicity	251-254
845.	15-1	Hydrophilicity	264-273
846.	15-1	Hydrophilicity	294-303
847.	15-1	Hydrophilicity	306-320
848.	16-1	AMPHI	14-16
849.	16-1	AMPHI	41-48
850.	16-1	AMPHI	65-73
851.	16-1	AMPHI	98-106
852.	16-1	AMPHI	120-122
853.	16-1	AMPHI	143-145
854.	16-1	AMPHI	151-153
855.	16-1	AMPHI	165-167
856.	16-1	AMPHI	175-179
857.	16-1	AMPHI	190-193
858.	16-1	AMPHI	230-235
859.	16-1	AMPHI	249-256
860.	16-1	AMPHI	264-268
861.	16-1	AMPHI	301-316

862.	16-1	AMPHI	326-332
863.	16-1	AMPHI	337-339
864.	16-1	AMPHI	344-349
865.	16-1	AMPHI	371-376
866.	16-1	AMPHI	389-397
867.	16-1	AMPHI	405-411
868.	16-1	AMPHI	419-423
869.	16-1	AMPHI	437-440
870.	16-1	Antigenic Index	1-12
871.	16-1	Antigenic Index	38-43
872.	16-1	Antigenic Index	50-57
873.	16-1	Antigenic Index	77-91
874.	16-1	Antigenic Index	110-113
875.	16-1	Antigenic Index	152-161
876.	16-1	Antigenic Index	190-196
877.	16-1	Antigenic Index	222-232
878.	16-1	Antigenic Index	241-247
879.	16-1	Antigenic Index	253-256
880.	16-1	Antigenic Index	280-283
881.	16-1	Antigenic Index	291-298
882.	16-1	Antigenic Index	300-305
883.	16-1	Antigenic Index	327-333
884.	16-1	Antigenic Index	385-392
885.	16-1	Antigenic Index	397-400
886.	16-1	Antigenic Index	444-451
887.	16-1	Hydrophilicity	8-12
888.	16-1	Hydrophilicity	52-54
889.	16-1	Hydrophilicity	80-91
890.	16-1	Hydrophilicity	152-159
891.	16-1	Hydrophilicity	190-196
892.	16-1	Hydrophilicity	222-232
893.	16-1	Hydrophilicity	241-247
894.	16-1	Hydrophilicity	253-256
895.	16-1	Hydrophilicity	293-295
896.	16-1	Hydrophilicity	327-333
897.	16-1	Hydrophilicity	446-449
898.	17-1	AMPHI	20-25
899.	17-1	AMPHI	43-47
900.	17-1	AMPHI	65-71
901.	17-1	AMPHI	87-90
902.	17-1	AMPHI	93-100
903.	17-1	AMPHI	125-127
904.	17-1	AMPHI	134-136
905.	17-1	AMPHI	138-159

906.	17-1	AMPHI	179-181
907.	17-1	AMPHI	195-203
908.	17-1	AMPHI	207-209
909.	17-1	AMPHI	221-225
910.	17-1	AMPHI	239-241
911.	17-1	Antigenic Index	26-29
912.	17-1	Antigenic Index	73-81
913.	17-1	Antigenic Index	127-140
914.	17-1	Antigenic Index	161-164
915.	17-1	Antigenic Index	181-186
916.	17-1	Antigenic Index	209-212
917.	17-1	Antigenic Index	239-250
918.	17-1	Hydrophilicity	74-81
919.	17-1	Hydrophilicity	127-137
920.	17-1	Hydrophilicity	239-250
921.	18-1	AMPHI	8-12
922.	18-1	AMPHI	49-54
923.	18-1	AMPHI	70-72
924.	18-1	AMPHI	98-100
925.	18-1	AMPHI	113-122
926.	18-1	AMPHI	134-138
927.	18-1	AMPHI	169-172
928.	18-1	AMPHI	180-187
929.	18-1	Antigenic Index	78-96
930.	18-1	Antigenic Index	123-125
931.	18-1	Antigenic Index	162-173
932.	18-1	Antigenic Index	175-177
933.	18-1	Antigenic Index	198-201
934.	18-1	Hydrophilicity	80-86
935.	18-1	Hydrophilicity	91-95
936.	18-1	Hydrophilicity	162-169
937.	18-1	Hydrophilicity	198-201
938.	19-1	AMPHI	12-21
939.	19-1	AMPHI	47-50
940.	19-1	AMPHI	58-64
941.	19-1	AMPHI	70-74
942.	19-1	AMPHI	99-102
943.	19-1	AMPHI	119-122
944.	19-1	AMPHI	159-175
945.	19-1	AMPHI	182-184
946.	19-1	AMPHI	206-213
947.	19-1	AMPHI	226-235
948.	19-1	AMPHI	241-247
949.	19-1	AMPHI	254-261

950.	19-1	AMPHI	269-274
951.	19-1	AMPHI	279-283
952.	19-1	AMPHI	288-291
953.	19-1	AMPHI	297-308
954.	19-1	AMPHI	310-313
955.	19-1	AMPHI	323-342
956.	19-1	AMPHI	366-373
957.	19-1	AMPHI	385-387
958.	19-1	AMPHI	400-404
959.	19-1	AMPHI	440-444
960.	19-1	AMPHI	446-451
961.	19-1	AMPHI	474-476
962.	19-1	AMPHI	489-491
963.	19-1	AMPHI	506-512
964.	19-1	AMPHI	549-555
965.	19-1	AMPHI	559-563
966.	19-1	AMPHI	581-598
967.	19-1	AMPHI	604-606
968.	19-1	AMPHI	613-621
969.	19-1	AMPHI	648-652
970.	19-1	AMPHI	658-661
971.	19-1	AMPHI	663-668
972.	19-1	AMPHI	672-676
973.	19-1	AMPHI	688-693
974.	19-1	AMPHI	695-707
975.	19-1	Antigenic Index	31-35
976.	19-1	Antigenic Index	49-61
977.	19-1	Antigenic Index	81-83
978.	19-1	Antigenic Index	125-129
979.	19-1	Antigenic Index	156-165
980.	19-1	Antigenic Index	167-170
981.	19-1	Antigenic Index	176-187
982.	19-1	Antigenic Index	194-197
983.	19-1	Antigenic Index	210-213
984.	19-1	Antigenic Index	219-232
985.	19-1	Antigenic Index	241-248
986.	19-1	Antigenic Index	251-265
987.	19-1	Antigenic Index	276-285
988.	19-1	Antigenic Index	287-310
989.	19-1	Antigenic Index	312-340
990.	19-1	Antigenic Index	343-372
991.	19-1	Antigenic Index	376-384
992.	19-1	Antigenic Index	423-436
993.	19-1	Antigenic Index	455-457

994.	19-1	Antigenic Index	474-479
995.	19-1	Antigenic Index	526-529
996.	19-1	Antigenic Index	535-538
997.	19-1	Antigenic Index	551-577
998.	19-1	Antigenic Index	584-602
999.	19-1	Antigenic Index	620-634
1000.	19-1	Antigenic Index	652-663
1001.	19-1	Antigenic Index	665-683
1002.	19-1	Antigenic Index	695-716
1003.	19-1	Hydrophilicity	31-35
1004.	19-1	Hydrophilicity	49-61
1005.	19-1	Hydrophilicity	160-165
1006.	19-1	Hydrophilicity	176-187
1007.	19-1	Hydrophilicity	194-197
1008.	19-1	Hydrophilicity	220-231
1009.	19-1	Hydrophilicity	241-247
1010.	19-1	Hydrophilicity	252-262
1011.	19-1	Hydrophilicity	277-285
1012.	19-1	Hydrophilicity	287-291
1013.	19-1	Hydrophilicity	293-295
1014.	19-1	Hydrophilicity	297-310
1015.	19-1	Hydrophilicity	312-330
1016.	19-1	Hydrophilicity	333-335
1017.	19-1	Hydrophilicity	337-339
1018.	19-1	Hydrophilicity	347-361
1019.	19-1	Hydrophilicity	365-367
1020.	19-1	Hydrophilicity	378-380
1021.	19-1	Hydrophilicity	428-436
1022.	19-1	Hydrophilicity	535-538
1023.	19-1	Hydrophilicity	551-577
1024.	19-1	Hydrophilicity	585-597
1025.	19-1	Hydrophilicity	622-632
1026.	19-1	Hydrophilicity	653-662
1027.	19-1	Hydrophilicity	665-678
1028.	19-1	Hydrophilicity	695-697
1029.	19-1	Hydrophilicity	707-713
1030.	20-1	AMPHI	4-11
1031.	20-1	AMPHI	16-22
1032.	20-1	AMPHI	30-34
1033.	20-1	AMPHI	47-55
1034.	20-1	AMPHI	60-62
1035.	20-1	AMPHI	78-80
1036.	20-1	AMPHI	83-91
1037.	20-1	AMPHI	99-105

1038.	20-1	AMPHI	143-515
1039.	20-1	AMPHI	164-167
1040.	20-1	AMPHI	196-199
1041.	20-1	AMPHI	214-217
1042.	20-1	AMPHI	226-233
1043.	20-1	AMPHI	251-257
1044.	20-1	AMPHI	270-284
1045.	20-1	AMPHI	293-295
1046.	20-1	AMPHI	301-307
1047.	20-1	AMPHI	342-345
1048.	20-1	AMPHI	362-364
1049.	20-1	AMPHI	369-373
1050.	20-1	AMPHI	381-384
1051.	20-1	AMPHI	389-392
1052.	20-1	AMPHI	395-397
1053.	20-1	AMPHI	401-407
1054.	20-1	AMPHI	417-419
1055.	20-1	AMPHI	441-446
1056.	20-1	AMPHI	475-479
1057.	20-1	AMPHI	495-498
1058.	20-1	Antigenic Index	26-28
1059.	20-1	Antigenic Index	49-51
1060.	20-1	Antigenic Index	54-56
1061.	20-1	Antigenic Index	70-83
1062.	20-1	Antigenic Index	114-117
1063.	20-1	Antigenic Index	119-126
1064.	20-1	Antigenic Index	180-186
1065.	20-1	Antigenic Index	217-226
1066.	20-1	Antigenic Index	228-231
1067.	20-1	Antigenic Index	258-261
1068.	20-1	Antigenic Index	268-276
1069.	20-1	Antigenic Index	291-302
1070.	20-1	Antigenic Index	376-384
1071.	20-1	Antigenic Index	430-440
1072.	20-1	Antigenic Index	474-480
1073.	20-1	Antigenic Index	502-512
1074.	20-1	Hydrophilicity	49-51
1075.	20-1	Hydrophilicity	54-56
1076.	20-1	Hydrophilicity	70-83
1077.	20-1	Hydrophilicity	119-126
1078.	20-1	Hydrophilicity	217-226
1079.	20-1	Hydrophilicity	228-231
1080.	20-1	Hydrophilicity	270-273
1081.	20-1	Hydrophilicity	292-302

1082.	20-1	Hydrophilicity	378-380
1083.	20-1	Hydrophilicity	382-384
1084.	20-1	Hydrophilicity	474-480
1085.	20-1	Hydrophilicity	502-512
1086.	22-1	AMPHI	47-52
1087.	22-1	AMPHI	76-79
1088.	22-1	AMPHI	103-113
1089.	22-1	AMPHI	117-120
1090.	22-1	AMPHI	128-130
1091.	22-1	AMPHI	136-141
1092.	22-1	AMPHI	169-176
1093.	22-1	AMPHI	182-184
1094.	22-1	AMPHI	190-194
1095.	22-1	AMPHI	213-215
1096.	22-1	AMPHI	226-230
1097.	22-1	AMPHI	243-252
1098.	22-1	AMPHI	269-271
1099.	22-1	AMPHI	273-279
1100.	22-1	AMPHI	284-287
1101.	22-1	AMPHI	291-294
1102.	22-1	AMPHI	304-308
1103.	22-1	AMPHI	311-327
1104.	22-1	AMPHI	336-338
1105.	22-1	AMPHI	353-356
1106.	22-1	AMPHI	361-363
1107.	22-1	AMPHI	369-372
1108.	22-1	AMPHI	380-383
1109.	22-1	AMPHI	389-391
1110.	22-1	AMPHI	409-411
1111.	22-1	Antigenic Index	2-8
1112.	22-1	Antigenic Index	12-25
1113.	22-1	Antigenic Index	35-38
1114.	22-1	Antigenic Index	40-65
1115.	22-1	Antigenic Index	72-75
1116.	22-1	Antigenic Index	80-87
1117.	22-1	Antigenic Index	95-107
1118.	22-1	Antigenic Index	113-123
1119.	22-1	Antigenic Index	131-138
1120.	22-1	Antigenic Index	140-146
1121.	22-1	Antigenic Index	154-163
1122.	22-1	Antigenic Index	165-167
1123.	22-1	Antigenic Index	169-177
1124.	22-1	Antigenic Index	183-191
1125.	22-1	Antigenic Index	195-206

1126.	22-1	Antigenic Index	208-214
1127.	22-1	Antigenic Index	216-222
1128.	22-1	Antigenic Index	230-236
1129.	22-1	Antigenic Index	253-263
1130.	22-1	Antigenic Index	266-276
1131.	22-1	Antigenic Index	291-301
1132.	22-1	Antigenic Index	312-322
1133.	22-1	Antigenic Index	326-334
1134.	22-1	Antigenic Index	341-349
1135.	22-1	Antigenic Index	366-375
1136.	22-1	Antigenic Index	379-385
1137.	22-1	Antigenic Index	399-407
1138.	22-1	Antigenic Index	413-420
1139.	22-1	Antigenic Index	426-436
1140.	22-1	Antigenic Index	438-447
1141.	22-1	Hydrophilicity	2-8
1142.	22-1	Hydrophilicity	14-20
1143.	22-1	Hydrophilicity	35-38
1144.	22-1	Hydrophilicity	40-64
1145.	22-1	Hydrophilicity	72-74
1146.	22-1	Hydrophilicity	80-87
1147.	22-1	Hydrophilicity	95-107
1148.	22-1	Hydrophilicity	114-123
1149.	22-1	Hydrophilicity	132-137
1150.	22-1	Hydrophilicity	140-146
1151.	22-1	Hydrophilicity	158-160
1152.	22-1	Hydrophilicity	165-167
1153.	22-1	Hydrophilicity	169-176
1154.	22-1	Hydrophilicity	183-191
1155.	22-1	Hydrophilicity	195-206
1156.	22-1	Hydrophilicity	208-211
1157.	22-1	Hydrophilicity	256-263
1158.	22-1	Hydrophilicity	269-276
1159.	22-1	Hydrophilicity	291-300
1160.	22-1	Hydrophilicity	326-334
1161.	22-1	Hydrophilicity	342-348
1162.	22-1	Hydrophilicity	369-375
1163.	22-1	Hydrophilicity	380-383
1164.	22-1	Hydrophilicity	399-407
1165.	22-1	Hydrophilicity	413-420
1166.	22-1	Hydrophilicity	428-431
1167.	22-1	Hydrophilicity	434-436
1168.	22-1	Hydrophilicity	438-447
1169.	23-1	AMPHI	12-15

1170.	23-1	AMPHI	31-35
1171.	23-1	AMPHI	68-78
1172.	23-1	AMPHI	82-84
1173.	23-1	AMPHI	89-93
1174.	23-1	AMPHI	120-124
1175.	23-1	AMPHI	129-131
1176.	23-1	AMPHI	135-137
1177.	23-1	AMPHI	139-141
1178.	23-1	AMPHI	148-165
1179.	23-1	AMPHI	203-205
1180.	23-1	AMPHI	217-220
1181.	23-1	AMPHI	224-226
1182.	23-1	AMPHI	238-240
1183.	23-1	AMPHI	259-264
1184.	23-1	AMPHI	278-281
1185.	23-1	AMPHI	289-294
1186.	23-1	AMPHI	300-305
1187.	23-1	AMPHI	332-336
1188.	23-1	AMPHI	349-352
1189.	23-1	AMPHI	380-386
1190.	23-1	AMPHI	392-395
1191.	23-1	AMPHI	401-406
1192.	23-1	AMPHI	408-411
1193.	23-1	AMPHI	415-427
1194.	23-1	AMPHI	434-437
1195.	23-1	AMPHI	444-446
1196.	23-1	AMPHI	455-457
1197.	23-1	AMPHI	496-500
1198.	23-1	AMPHI	514-518
1199.	23-1	AMPHI	564-571
1200.	23-1	AMPHI	617-621
1201.	23-1	AMPHI	629-631
1202.	23-1	AMPHI	654-657
1203.	23-1	AMPHI	663-666
1204.	23-1	AMPHI	674-679
1205.	23-1	AMPHI	694-697
1206.	23-1	AMPHI	699-701
1207.	23-1	AMPHI	711-718
1208.	23-1	Antigenic Index	22-35
1209.	23-1	Antigenic Index	42-53
1210.	23-1	Antigenic Index	67-73
1211.	23-1	Antigenic Index	81-92
1212.	23-1	Antigenic Index	99-114
1213.	23-1	Antigenic Index	118-124

1214.	23-1	Antigenic Index	136-144
1215.	23-1	Antigenic Index	146-155
1216.	23-1	Antigenic Index	160-169
1217.	23-1	Antigenic Index	173-184
1218.	23-1	Antigenic Index	186-198
1219.	23-1	Antigenic Index	200-216
1220.	23-1	Antigenic Index	220-237
1221.	23-1	Antigenic Index	245-251
1222.	23-1	Antigenic Index	253-266
1223.	23-1	Antigenic Index	274-277
1224.	23-1	Antigenic Index	282-291
1225.	23-1	Antigenic Index	293-299
1226.	23-1	Antigenic Index	306-332
1227.	23-1	Antigenic Index	340-344
1228.	23-1	Antigenic Index	354-361
1229.	23-1	Antigenic Index	368-379
1230.	23-1	Antigenic Index	387-399
1231.	23-1	Antigenic Index	401-405
1232.	23-1	Antigenic Index	407-419
1233.	23-1	Antigenic Index	426-435
1234.	23-1	Antigenic Index	441-446
1235.	23-1	Antigenic Index	455-470
1236.	23-1	Antigenic Index	477-483
1237.	23-1	Antigenic Index	506-516
1238.	23-1	Antigenic Index	519-524
1239.	23-1	Antigenic Index	526-529
1240.	23-1	Antigenic Index	531-534
1241.	23-1	Antigenic Index	536-539
1242.	23-1	Antigenic Index	544-552
1243.	23-1	Antigenic Index	555-564
1244.	23-1	Antigenic Index	569-590
1245.	23-1	Antigenic Index	593-617
1246.	23-1	Antigenic Index	627-632
1247.	23-1	Antigenic Index	637-639
1248.	23-1	Antigenic Index	641-651
1249.	23-1	Antigenic Index	654-671
1250.	23-1	Antigenic Index	681-689
1251.	23-1	Antigenic Index	691-693
1252.	23-1	Antigenic Index	695-711
1253.	23-1	Hydrophilicity	22-35
1254.	23-1	Hydrophilicity	42-51
1255.	23-1	Hydrophilicity	67-73
1256.	23-1	Hydrophilicity	81-92
1257.	23-1	Hydrophilicity	100-102

1258.	23-1	Hydrophilicity	106-112
1259.	23-1	Hydrophilicity	119-122
1260.	23-1	Hydrophilicity	136-142
1261.	23-1	Hydrophilicity	147-155
1262.	23-1	Hydrophilicity	163-169
1263.	23-1	Hydrophilicity	173-180
1264.	23-1	Hydrophilicity	182-184
1265.	23-1	Hydrophilicity	186-198
1266.	23-1	Hydrophilicity	200-202
1267.	23-1	Hydrophilicity	206-208
1268.	23-1	Hydrophilicity	210-216
1269.	23-1	Hydrophilicity	221-236
1270.	23-1	Hydrophilicity	249-251
1271.	23-1	Hydrophilicity	258-266
1272.	23-1	Hydrophilicity	283-288
1273.	23-1	Hydrophilicity	295-299
1274.	23-1	Hydrophilicity	306-310
1275.	23-1	Hydrophilicity	314-329
1276.	23-1	Hydrophilicity	356-361
1277.	23-1	Hydrophilicity	372-379
1278.	23-1	Hydrophilicity	392-398
1279.	23-1	Hydrophilicity	408-411
1280.	23-1	Hydrophilicity	429-434
1281.	23-1	Hydrophilicity	441-446
1282.	23-1	Hydrophilicity	455-469
1283.	23-1	Hydrophilicity	507-514
1284.	23-1	Hydrophilicity	526-529
1285.	23-1	Hydrophilicity	531-534
1286.	23-1	Hydrophilicity	536-539
1287.	23-1	Hydrophilicity	544-551
1288.	23-1	Hydrophilicity	555-561
1289.	23-1	Hydrophilicity	569-572
1290.	23-1	Hydrophilicity	580-582
1291.	23-1	Hydrophilicity	584-586
1292.	23-1	Hydrophilicity	595-617
1293.	23-1	Hydrophilicity	641-643
1294.	23-1	Hydrophilicity	645-648
1295.	23-1	Hydrophilicity	656-671
1296.	23-1	Hydrophilicity	682-689
1297.	23-1	Hydrophilicity	700-709
1298.	24-1	AMPHI	37-40
1299.	24-1	AMPHI	47-57
1300.	24-1	AMPHI	71-74
1301.	24-1	AMPHI	76-87

1302.	24-1	AMPHI	90-95
1303.	24-1	AMPHI	106-110
1304.	24-1	AMPHI	133-141
1305.	24-1	AMPHI	143-150
1306.	24-1	AMPHI	171-174
1307.	24-1	AMPHI	178-180
1308.	24-1	AMPHI	203-206
1309.	24-1	AMPHI	223-227
1310.	24-1	AMPHI	235-239
1311.	24-1	AMPHI	253-258
1312.	24-1	AMPHI	264-269
1313.	24-1	AMPHI	296-305
1314.	24-1	Antigenic Index	34-42
1315.	24-1	Antigenic Index	53-57
1316.	24-1	Antigenic Index	63-70
1317.	24-1	Antigenic Index	72-79
1318.	24-1	Antigenic Index	93-96
1319.	24-1	Antigenic Index	105-135
1320.	24-1	Antigenic Index	141-153
1321.	24-1	Antigenic Index	172-175
1322.	24-1	Antigenic Index	178-187
1323.	24-1	Antigenic Index	193-201
1324.	24-1	Antigenic Index	218-223
1325.	24-1	Antigenic Index	264-277
1326.	24-1	Antigenic Index	279-292
1327.	24-1	Hydrophilicity	37-41
1328.	24-1	Hydrophilicity	64-70
1329.	24-1	Hydrophilicity	74-76
1330.	24-1	Hydrophilicity	110-121
1331.	24-1	Hydrophilicity	125-132
1332.	24-1	Hydrophilicity	141-149
1333.	24-1	Hydrophilicity	182-185
1334.	24-1	Hydrophilicity	193-199
1335.	24-1	Hydrophilicity	219-223
1336.	24-1	Hydrophilicity	265-277
1337.	24-1	Hydrophilicity	282-292
1338.	25-1	AMPHI	22-27
1339.	25-1	AMPHI	34-36
1340.	25-1	AMPHI	42-44
1341.	25-1	AMPHI	50-52
1342.	25-1	AMPHI	79-87
1343.	25-1	AMPHI	102-105
1344.	25-1	AMPHI	120-123
1345.	25-1	AMPHI	165-169

1346.	25-1	AMPHI	193-195
1347.	25-1	AMPHI	226-232
1348.	25-1	AMPHI	242-244
1349.	25-1	AMPHI	270-276
1350.	25-1	AMPHI	296-300
1351.	25-1	AMPHI	313-316
1352.	25-1	Antigenic Index	17-30
1353.	25-1	Antigenic Index	37-67
1354.	25-1	Antigenic Index	79-89
1355.	25-1	Antigenic Index	99-111
1356.	25-1	Antigenic Index	118-120
1357.	25-1	Antigenic Index	122-138
1358.	25-1	Antigenic Index	146-154
1359.	25-1	Antigenic Index	182-194
1360.	25-1	Antigenic Index	196-215
1361.	25-1	Antigenic Index	218-225
1362.	25-1	Antigenic Index	227-248
1363.	25-1	Antigenic Index	250-270
1364.	25-1	Antigenic Index	274-312
1365.	25-1	Antigenic Index	319-331
1366.	25-1	Hydrophilicity	17-27
1367.	25-1	Hydrophilicity	45-67
1368.	25-1	Hydrophilicity	79-88
1369.	25-1	Hydrophilicity	103-110
1370.	25-1	Hydrophilicity	122-130
1371.	25-1	Hydrophilicity	132-136
1372.	25-1	Hydrophilicity	147-152
1373.	25-1	Hydrophilicity	183-194
1374.	25-1	Hydrophilicity	196-215
1375.	25-1	Hydrophilicity	218-225
1376.	25-1	Hydrophilicity	227-248
1377.	25-1	Hydrophilicity	252-270
1378.	25-1	Hydrophilicity	277-312
1379.	25-1	Hydrophilicity	319-331
1380.	26-1	AMPHI	10-18
1381.	26-1	AMPHI	48-58
1382.	26-1	AMPHI	85-90
1383.	26-1	AMPHI	100-103
1384.	26-1	AMPHI	117-119
1385.	26-1	AMPHI	124-133
1386.	26-1	AMPHI	138-145
1387.	26-1	AMPHI	155-157
1388.	26-1	AMPHI	171-173
1389.	26-1	AMPHI	179-186

1390.	26-1	AMPHI	191-201
1391.	26-1	AMPHI	205-217
1392.	26-1	AMPHI	220-222
1393.	26-1	AMPHI	229-230
1394.	26-1	AMPHI	238-243
1395.	26-1	AMPHI	249-251
1396.	26-1	AMPHI	263-266
1397.	26-1	AMPHI	268-272
1398.	26-1	AMPHI	285-292
1399.	26-1	AMPHI	306-309
1400.	26-1	AMPHI	317-325
1401.	26-1	AMPHI	335-338
1402.	26-1	AMPHI	349-354
1403.	26-1	AMPHI	360-363
1404.	26-1	AMPHI	382-385
1405.	26-1	AMPHI	393-395
1406.	26-1	AMPHI	418-421
1407.	26-1	AMPHI	429-434
1408.	26-1	AMPHI	448-455
1409.	26-1	Antigenic Index	45-52
1410.	26-1	Antigenic Index	54-57
1411.	26-1	Antigenic Index	66-76
1412.	26-1	Antigenic Index	94-99
1413.	26-1	Antigenic Index	103-115
1414.	26-1	Antigenic Index	129-131
1415.	26-1	Antigenic Index	142-153
1416.	26-1	Antigenic Index	160-162
1417.	26-1	Antigenic Index	172-175
1418.	26-1	Antigenic Index	190-193
1419.	26-1	Antigenic Index	195-197
1420.	26-1	Antigenic Index	226-229
1421.	26-1	Antigenic Index	231-235
1422.	26-1	Antigenic Index	240-254
1423.	26-1	Antigenic Index	279-282
1424.	26-1	Antigenic Index	290-298
1425.	26-1	Antigenic Index	318-325
1426.	26-1	Antigenic Index	330-335
1427.	26-1	Antigenic Index	352-359
1428.	26-1	Antigenic Index	369-371
1429.	26-1	Antigenic Index	389-394
1430.	26-1	Antigenic Index	407-411
1431.	26-1	Antigenic Index	428-436
1432.	26-1	Antigenic Index	441-449
1433.	26-1	Antigenic Index	498-506

1434.	26-1	Hydrophilicity	54-57
1435.	26-1	Hydrophilicity	69-76
1436.	26-1	Hydrophilicity	103-115
1437.	26-1	Hydrophilicity	142-153
1438.	26-1	Hydrophilicity	231-235
1439.	26-1	Hydrophilicity	240-254
1440.	26-1	Hydrophilicity	291-295
1441.	26-1	Hydrophilicity	319-324
1442.	26-1	Hydrophilicity	407-411
1443.	26-1	Hydrophilicity	430-435
1444.	26-1	Hydrophilicity	443-446
1445.	26-1	Hydrophilicity	498-506
1446.	27-1	AMPHI	4-6
1447.	27-1	AMPHI	23-25
1448.	27-1	AMPHI	38-40
1449.	27-1	AMPHI	45-48
1450.	27-1	AMPHI	51-58
1451.	27-1	AMPHI	65-69
1452.	27-1	AMPHI	80-86
1453.	27-1	AMPHI	103-107
1454.	27-1	AMPHI	116-118
1455.	27-1	AMPHI	132-136
1456.	27-1	AMPHI	141-148
1457.	27-1	AMPHI	161-166
1458.	27-1	AMPHI	184-188
1459.	27-1	AMPHI	196-198
1460.	27-1	AMPHI	217-219
1461.	27-1	Antigenic Index	1-5
1462.	27-1	Antigenic Index	30-35
1463.	27-1	Antigenic Index	63-70
1464.	27-1	Antigenic Index	86-88
1465.	27-1	Antigenic Index	96-114
1466.	27-1	Antigenic Index	117-126
1467.	27-1	Antigenic Index	130-162
1468.	27-1	Antigenic Index	167-174
1469.	27-1	Antigenic Index	178-185
1470.	27-1	Antigenic Index	188-197
1471.	27-1	Antigenic Index	199-209
1472.	27-1	Antigenic Index	213-242
1473.	27-1	Hydrophilicity	1-5
1474.	27-1	Hydrophilicity	33-35
1475.	27-1	Hydrophilicity	64-69
1476.	27-1	Hydrophilicity	98-103
1477.	27-1	Hydrophilicity	106-114

1478.	27-1	Hydrophilicity	121-126
1479.	27-1	Hydrophilicity	133-136
1480.	27-1	Hydrophilicity	144-159
1481.	27-1	Hydrophilicity	170-174
1482.	27-1	Hydrophilicity	178-185
1483.	27-1	Hydrophilicity	190-197
1484.	27-1	Hydrophilicity	199-201
1485.	27-1	Hydrophilicity	203-206
1486.	27-1	Hydrophilicity	213-232
1487.	27-1	Hydrophilicity	234-242
1488.	28-1	AMPHI	18-20
1489.	28-1	AMPHI	29-35
1490.	28-1	AMPHI	38-40
1491.	28-1	AMPHI	45-50
1492.	28-1	AMPHI	78-80
1493.	28-1	AMPHI	83-85
1494.	28-1	AMPHI	88-97
1495.	28-1	AMPHI	102-105
1496.	28-1	AMPHI	133-142
1497.	28-1	AMPHI	157-160
1498.	28-1	AMPHI	171-173
1499.	28-1	AMPHI	195-198
1500.	28-1	AMPHI	203-207
1501.	28-1	AMPHI	222-224
1502.	28-1	AMPHI	228-232
1503.	28-1	Antigenic Index	5-7
1504.	28-1	Antigenic Index	26-31
1505.	28-1	Antigenic Index	34-46
1506.	28-1	Antigenic Index	51-62
1507.	28-1	Antigenic Index	74-81
1508.	28-1	Antigenic Index	88-105
1509.	28-1	Antigenic Index	111-145
1510.	28-1	Antigenic Index	149-157
1511.	28-1	Antigenic Index	161-180
1512.	28-1	Antigenic Index	183-188
1513.	28-1	Antigenic Index	193-202
1514.	28-1	Antigenic Index	234-238
1515.	28-1	Hydrophilicity	5-7
1516.	28-1	Hydrophilicity	34-46
1517.	28-1	Hydrophilicity	51-62
1518.	28-1	Hydrophilicity	75-81
1519.	28-1	Hydrophilicity	88-102
1520.	28-1	Hydrophilicity	111-117
1521.	28-1	Hydrophilicity	130-145

1522.	28-1	Hydrophilicity	149-153
1523.	28-1	Hydrophilicity	155-157
1524.	28-1	Hydrophilicity	161-167
1525.	28-1	Hydrophilicity	172-176
1526.	28-1	Hydrophilicity	178-180
1527.	28-1	Hydrophilicity	193-202
1528.	28-1	Hydrophilicity	234-238
1529.	29-1	AMPHI	6-8
1530.	29-1	AMPHI	17-19
1531.	29-1	AMPHI	41-43
1532.	29-1	AMPHI	64-68
1533.	29-1	AMPHI	86-89
1534.	29-1	AMPHI	104-109
1535.	29-1	AMPHI	114-116
1536.	29-1	AMPHI	119-121
1537.	29-1	AMPHI	130-136
1538.	29-1	AMPHI	142-150
1539.	29-1	AMPHI	161-165
1540.	29-1	AMPHI	185-187
1541.	29-1	AMPHI	202-206
1542.	29-1	AMPHI	222-229
1543.	29-1	AMPHI	232-235
1544.	29-1	AMPHI	247-249
1545.	29-1	AMPHI	255-257
1546.	29-1	AMPHI	259-261
1547.	29-1	AMPHI	266-274
1548.	29-1	AMPHI	296-307
1549.	29-1	AMPHI	319-325
1550.	29-1	AMPHI	343-345
1551.	29-1	AMPHI	349-359
1552.	29-1	AMPHI	369-378
1553.	29-1	AMPHI	399-403
1554.	29-1	AMPHI	440-442
1555.	29-1	AMPHI	456-462
1556.	29-1	AMPHI	467-470
1557.	29-1	Antigenic Index	25-47
1558.	29-1	Antigenic Index	53-63
1559.	29-1	Antigenic Index	80-88
1560.	29-1	Antigenic Index	96-125
1561.	29-1	Antigenic Index	131-160
1562.	29-1	Antigenic Index	166-175
1563.	29-1	Antigenic Index	182-194
1564.	29-1	Antigenic Index	200-206
1565.	29-1	Antigenic Index	210-218

1566.	29-1	Antigenic Index	221-229
1567.	29-1	Antigenic Index	260-262
1568.	29-1	Antigenic Index	268-280
1569.	29-1	Antigenic Index	292-305
1570.	29-1	Antigenic Index	307-311
1571.	29-1	Antigenic Index	329-355
1572.	29-1	Antigenic Index	360-394
1573.	29-1	Antigenic Index	396-409
1574.	29-1	Antigenic Index	413-439
1575.	29-1	Antigenic Index	441-473
1576.	29-1	Antigenic Index	476-483
1577.	29-1	Hydrophilicity	29-46
1578.	29-1	Hydrophilicity	54-63
1579.	29-1	Hydrophilicity	80-86
1580.	29-1	Hydrophilicity	100-103
1581.	29-1	Hydrophilicity	108-118
1582.	29-1	Hydrophilicity	133-154
1583.	29-1	Hydrophilicity	156-160
1584.	29-1	Hydrophilicity	169-175
1585.	29-1	Hydrophilicity	186-193
1586.	29-1	Hydrophilicity	200-206
1587.	29-1	Hydrophilicity	212-215
1588.	29-1	Hydrophilicity	222-228
1589.	29-1	Hydrophilicity	271-277
1590.	29-1	Hydrophilicity	292-294
1591.	29-1	Hydrophilicity	296-300
1592.	29-1	Hydrophilicity	303-305
1593.	29-1	Hydrophilicity	329-339
1594.	29-1	Hydrophilicity	347-355
1595.	29-1	Hydrophilicity	360-372
1596.	29-1	Hydrophilicity	377-390
1597.	29-1	Hydrophilicity	400-402
1598.	29-1	Hydrophilicity	414-438
1599.	29-1	Hydrophilicity	443-451
1600.	29-1	Hydrophilicity	454-459
1601.	29-1	Hydrophilicity	462-472
1602.	29-1	Hydrophilicity	479-483
1603.	30-1	AMPHI	15-25
1604.	30-1	AMPHI	40-43
1605.	30-1	AMPHI	64-69
1606.	30-1	AMPHI	72-74
1607.	30-1	AMPHI	80-90
1608.	30-1	AMPHI	96-123
1609.	30-1	AMPHI	126-128

1610.	30-1	AMPHI	137-147
1611.	30-1	AMPHI	149-157
1612.	30-1	Antigenic Index	1-5
1613.	30-1	Antigenic Index	21-29
1614.	30-1	Antigenic Index	35-39
1615.	30-1	Antigenic Index	46-56
1616.	30-1	Antigenic Index	74-76
1617.	30-1	Antigenic Index	81-93
1618.	30-1	Antigenic Index	102-104
1619.	30-1	Antigenic Index	115-127
1620.	30-1	Antigenic Index	129-181
1621.	30-1	Antigenic Index	1-5
1622.	30-1	Antigenic Index	26-29
1623.	30-1	Antigenic Index	35-39
1624.	30-1	Antigenic Index	46-56
1625.	30-1	Antigenic Index	83-92
1626.	30-1	Antigenic Index	115-122
1627.	30-1	Antigenic Index	135-138
1628.	30-1	Antigenic Index	144-158
1629.	30-1	Antigenic Index	161-181
1630.	31-1	AMPHI	24-31
1631.	31-1	AMPHI	33-35
1632.	31-1	AMPHI	115-120
1633.	31-1	AMPHI	140-143
1634.	31-1	AMPHI	159-175
1635.	31-1	Antigenic Index	1-5
1636.	31-1	Antigenic Index	9-17
1637.	31-1	Antigenic Index	22-37
1638.	31-1	Antigenic Index	48-53
1639.	31-1	Antigenic Index	78-89
1640.	31-1	Antigenic Index	95-98
1641.	31-1	Antigenic Index	106-109
1642.	31-1	Antigenic Index	122-138
1643.	31-1	Antigenic Index	147-157
1644.	31-1	Antigenic Index	162-172
1645.	31-1	Antigenic Index	175-183
1646.	31-1	Antigenic Index	195-197
1647.	31-1	Antigenic Index	200-206
1648.	31-1	Antigenic Index	208-228
1649.	31-1	Antigenic Index	234-244
1650.	31-1	Antigenic Index	251-263
1651.	31-1	Hydrophilicity	10-16
1652.	31-1	Hydrophilicity	22-36
1653.	31-1	Hydrophilicity	78-89

1654.	31-1	Hydrophilicity	122-124
1655.	31-1	Hydrophilicity	131-136
1656.	31-1	Hydrophilicity	153-157
1657.	31-1	Hydrophilicity	176-183
1658.	31-1	Hydrophilicity	222-225
1659.	31-1	Hydrophilicity	235-242
1660.	31-1	Hydrophilicity	255-263
1661.	32-1	AMPHI	14-21
1662.	32-1	AMPHI	47-49
1663.	32-1	AMPHI	51-59
1664.	32-1	AMPHI	67-69
1665.	32-1	AMPHI	80-82
1666.	32-1	AMPHI	85-87
1667.	32-1	AMPHI	93-101
1668.	32-1	AMPHI	131-134
1669.	32-1	AMPHI	157-160
1670.	32-1	AMPHI	190-204
1671.	32-1	AMPHI	215-221
1672.	32-1	AMPHI	255-266
1673.	32-1	AMPHI	297-304
1674.	32-1	AMPHI	310-314
1675.	32-1	AMPHI	316-333
1676.	32-1	AMPHI	335-362
1677.	32-1	AMPHI	366-373
1678.	32-1	Antigenic Index	4-6
1679.	32-1	Antigenic Index	16-22
1680.	32-1	Antigenic Index	31-33
1681.	32-1	Antigenic Index	42-48
1682.	32-1	Antigenic Index	52-60
1683.	32-1	Antigenic Index	70-82
1684.	32-1	Antigenic Index	94-98
1685.	32-1	Antigenic Index	103-109
1686.	32-1	Antigenic Index	116-135
1687.	32-1	Antigenic Index	143-180
1688.	32-1	Antigenic Index	187-191
1689.	32-1	Antigenic Index	200-204
1690.	32-1	Antigenic Index	217-236
1691.	32-1	Antigenic Index	251-257
1692.	32-1	Antigenic Index	265-274
1693.	32-1	Antigenic Index	278-280
1694.	32-1	Antigenic Index	288-296
1695.	32-1	Antigenic Index	305-336
1696.	32-1	Antigenic Index	344-361
1697.	32-1	Antigenic Index	363-371

1698.	32-1	Antigenic Index	376-382
1699.	32-1	Hydrophilicity	16-19
1700.	32-1	Hydrophilicity	31-33
1701.	32-1	Hydrophilicity	45-48
1702.	32-1	Hydrophilicity	55-58
1703.	32-1	Hydrophilicity	74-80
1704.	32-1	Hydrophilicity	94-97
1705.	32-1	Hydrophilicity	104-107
1706.	32-1	Hydrophilicity	117-126
1707.	32-1	Hydrophilicity	130-135
1708.	32-1	Hydrophilicity	144-159
1709.	32-1	Hydrophilicity	161-180
1710.	32-1	Hydrophilicity	217-222
1711.	32-1	Hydrophilicity	229-236
1712.	32-1	Hydrophilicity	253-256
1713.	32-1	Hydrophilicity	265-274
1714.	32-1	Hydrophilicity	289-296
1715.	32-1	Hydrophilicity	314-327
1716.	32-1	Hydrophilicity	329-333
1717.	32-1	Hydrophilicity	352-358
1718.	32-1	Hydrophilicity	366-371
1719.	32-1	Hydrophilicity	377-382
1720.	33-1	AMPHI	6-16
1721.	33-1	AMPHI	28-41
1722.	33-1	AMPHI	58-65
1723.	33-1	AMPHI	79-85
1724.	33-1	AMPHI	114-119
1725.	33-1	AMPHI	128-134
1726.	33-1	AMPHI	145-150
1727.	33-1	AMPHI	174-183
1728.	33-1	AMPHI	206-213
1729.	33-1	AMPHI	234-236
1730.	33-1	AMPHI	241-244
1731.	33-1	AMPHI	247-249
1732.	33-1	AMPHI	258-266
1733.	33-1	AMPHI	285-296
1734.	33-1	AMPHI	321-323
1735.	33-1	AMPHI	339-345
1736.	33-1	AMPHI	384-393
1737.	33-1	AMPHI	404-406
1738.	33-1	AMPHI	409-429
1739.	33-1	Antigenic Index	3-10
1740.	33-1	Antigenic Index	13-19
1741.	33-1	Antigenic Index	23-29

1742.	33-1	Antigenic Index	31-69
1743.	33-1	Antigenic Index	92-96
1744.	33-1	Antigenic Index	131-144
1745.	33-1	Antigenic Index	151-162
1746.	33-1	Antigenic Index	166-170
1747.	33-1	Antigenic Index	218-221
1748.	33-1	Antigenic Index	224-241
1749.	33-1	Antigenic Index	272-287
1750.	33-1	Antigenic Index	289-307
1751.	33-1	Antigenic Index	310-312
1752.	33-1	Antigenic Index	314-316
1753.	33-1	Antigenic Index	318-321
1754.	33-1	Antigenic Index	328-337
1755.	33-1	Antigenic Index	339-341
1756.	33-1	Antigenic Index	344-357
1757.	33-1	Antigenic Index	359-367
1758.	33-1	Antigenic Index	377-385
1759.	33-1	Antigenic Index	389-396
1760.	33-1	Antigenic Index	408-419
1761.	33-1	Antigenic Index	433-446
1762.	33-1	Hydrophilicity	3-10
1763.	33-1	Hydrophilicity	13-16
1764.	33-1	Hydrophilicity	26-29
1765.	33-1	Hydrophilicity	31-66
1766.	33-1	Hydrophilicity	138-143
1767.	33-1	Hydrophilicity	151-160
1768.	33-1	Hydrophilicity	225-235
1769.	33-1	Hydrophilicity	239-241
1770.	33-1	Hydrophilicity	272-283
1771.	33-1	Hydrophilicity	293-307
1772.	33-1	Hydrophilicity	318-321
1773.	33-1	Hydrophilicity	329-332
1774.	33-1	Hydrophilicity	334-337
1775.	33-1	Hydrophilicity	339-341
1776.	33-1	Hydrophilicity	344-346
1777.	33-1	Hydrophilicity	348-357
1778.	33-1	Hydrophilicity	359-367
1779.	33-1	Hydrophilicity	378-385
1780.	33-1	Hydrophilicity	389-396
1781.	33-1	Hydrophilicity	408-419
1782.	33-1	Hydrophilicity	433-446
1783.	34-1	AMPHI	13-15
1784.	34-1	AMPHI	19-22
1785.	34-1	AMPHI	24-31

-81-

1786.	34-1	AMPHI	55-57
1787.	34-1	AMPHI	79-81
1788.	34-1	AMPHI	134-143
1789.	34-1	AMPHI	153-156
1790.	34-1	AMPHI	163-168
1791.	34-1	AMPHI	175-178
1792.	34-1	AMPHI	185-193
1793.	34-1	AMPHI	202-211
1794.	34-1	AMPHI	220-235
1795.	34-1	AMPHI	250-256
1796.	34-1	AMPHI	277-280
1797.	34-1	AMPHI	299-308
1798.	34-1	AMPHI	319-329
1799.	34-1	AMPHI	344-346
1800.	34-1	AMPHI	365-368
1801.	34-1	AMPHI	371-373
1802.	34-1	AMPHI	405-410
1803.	34-1	AMPHI	420-424
1804.	34-1	Antigenic Index	18-25
1805.	34-1	Antigenic Index	59-67
1806.	34-1	Antigenic Index	85-88
1807.	34-1	Antigenic Index	107-115
1808.	34-1	Antigenic Index	119-128
1809.	34-1	Antigenic Index	133-136
1810.	34-1	Antigenic Index	141-143
1811.	34-1	Antigenic Index	145-156
1812.	34-1	Antigenic Index	188-195
1813.	34-1	Antigenic Index	218-229
1814.	34-1	Antigenic Index	231-233
1815.	34-1	Antigenic Index	239-252
1816.	34-1	Antigenic Index	262-267
1817.	34-1	Antigenic Index	274-296
1818.	34-1	Antigenic Index	303-315
1819.	34-1	Antigenic Index	323-326
1820.	34-1	Antigenic Index	329-331
1821.	34-1	Antigenic Index	338-347
1822.	34-1	Antigenic Index	351-359
1823.	34-1	Antigenic Index	371-383
1824.	34-1	Antigenic Index	388-409
1825.	34-1	Antigenic Index	411-429
1826.	34-1	Antigenic Index	441-446
1827.	34-1	Hydrophilicity	19-25
1828.	34-1	Hydrophilicity	62-65
1829.	34-1	Hydrophilicity	108-112

1830.	34-1	Hydrophilicity	124-128
1831.	34-1	Hydrophilicity	150-153
1832.	34-1	Hydrophilicity	191-195
1833.	34-1	Hydrophilicity	218-229
1834.	34-1	Hydrophilicity	231-233
1835.	34-1	Hydrophilicity	239-242
1836.	34-1	Hydrophilicity	248-250
1837.	34-1	Hydrophilicity	262-266
1838.	34-1	Hydrophilicity	275-281
1839.	34-1	Hydrophilicity	285-293
1840.	34-1	Hydrophilicity	304-313
1841.	34-1	Hydrophilicity	341-347
1842.	34-1	Hydrophilicity	351-358
1843.	34-1	Hydrophilicity	376-380
1844.	34-1	Hydrophilicity	389-394
1845.	34-1	Hydrophilicity	396-404
1846.	34-1	Hydrophilicity	407-409
1847.	34-1	Hydrophilicity	411-428
1848.	37-1	AMPHI	6-8
1849.	37-1	AMPHI	24-31
1850.	37-1	AMPHI	64-74
1851.	37-1	AMPHI	99-107
1852.	37-1	AMPHI	135-151
1853.	37-1	AMPHI	173-178
1854.	37-1	AMPHI	181-185
1855.	37-1	Hydrophilicity	1-3
1856.	37-1	Hydrophilicity	25-34
1857.	37-1	Hydrophilicity	55-64
1858.	37-1	Hydrophilicity	71-73
1859.	37-1	Hydrophilicity	91-100
1860.	37-1	Hydrophilicity	125-136
1861.	37-1	Hydrophilicity	159-172
1862.	37-1	Hydrophilicity	180-196
1863.	46-1	AMPHI	19-22
1864.	46-1	AMPHI	57-59
1865.	46-1	AMPHI	77-82
1866.	46-1	AMPHI	84-93
1867.	46-1	AMPHI	103-111
1868.	46-1	AMPHI	123-134
1869.	46-1	AMPHI	142-145
1870.	46-1	AMPHI	169-179
1871.	46-1	AMPHI	182-195
1872.	46-1	AMPHI	202-226
1873.	46-1	Antigenic Index	13-19

1874.	46-1	Antigenic Index	22-34
1875.	46-1	Antigenic Index	38-49
1876.	46-1	Antigenic Index	53-59
1877.	46-1	Antigenic Index	72-74
1878.	46-1	Antigenic Index	81-109
1879.	46-1	Antigenic Index	116-144
1880.	46-1	Antigenic Index	146-150
1881.	46-1	Antigenic Index	159-180
1882.	46-1	Antigenic Index	185-206
1883.	46-1	Antigenic Index	212-217
1884.	46-1	Antigenic Index	225-227
1885.	46-1	Hydrophilicity	17-19
1886.	46-1	Hydrophilicity	22-24
1887.	46-1	Hydrophilicity	26-33
1888.	46-1	Hydrophilicity	39-48
1889.	46-1	Hydrophilicity	81-87
1890.	46-1	Hydrophilicity	95-106
1891.	46-1	Hydrophilicity	126-132
1892.	46-1	Hydrophilicity	140-144
1893.	46-1	Hydrophilicity	160-176
1894.	46-1	Hydrophilicity	188-206
1895.	46-1	Hydrophilicity	215-217
1896.	46-1	Hydrophilicity	225-227
1897.	47-1	AMPHI	13-25
1898.	47-1	AMPHI	37-40
1899.	47-1	AMPHI	65-73
1900.	47-1	AMPHI	95-101
1901.	47-1	AMPHI	105-108
1902.	47-1	AMPHI	138-140
1903.	47-1	AMPHI	158-168
1904.	47-1	AMPHI	174-181
1905.	47-1	AMPHI	183-185
1906.	47-1	AMPHI	188-190
1907.	47-1	AMPHI	194-196
1908.	47-1	AMPHI	225-230
1909.	47-1	AMPHI	241-250
1910.	47-1	AMPHI	269-271
1911.	47-1	AMPHI	292-296
1912.	47-1	AMPHI	337-342
1913.	47-1	Antigenic Index	2-5
1914.	47-1	Antigenic Index	33-35
1915.	47-1	Antigenic Index	37-43
1916.	47-1	Antigenic Index	71-80
1917.	47-1	Antigenic Index	125-133

1918.	47-1	Antigenic Index	155-158
1919.	47-1	Antigenic Index	189-195
1920.	47-1	Antigenic Index	197-204
1921.	47-1	Antigenic Index	251-253
1922.	47-1	Antigenic Index	311-316
1923.	47-1	Antigenic Index	318-322
1924.	47-1	Antigenic Index	344-347
1925.	47-1	Antigenic Index	350-356
1926.	47-1	Antigenic Index	375-384
1927.	47-1	Hydrophilicity	2-5
1928.	47-1	Hydrophilicity	75-78
1929.	47-1	Hydrophilicity	127-132
1930.	47-1	Hydrophilicity	191-194
1931.	47-1	Hydrophilicity	251-253
1932.	47-1	Hydrophilicity	352-354
1933.	47-1	Hydrophilicity	377-384
1934.	48-1	AMPHI	49-52
1935.	48-1	AMPHI	68-102
1936.	48-1	AMPHI	111-115
1937.	48-1	AMPHI	143-149
1938.	48-1	AMPHI	158-161
1939.	48-1	AMPHI	164-166
1940.	48-1	AMPHI	198-200
1941.	48-1	AMPHI	214-218
1942.	48-1	AMPHI	220-222
1943.	48-1	AMPHI	245-249
1944.	48-1	AMPHI	275-277
1945.	48-1	AMPHI	279-285
1946.	48-1	AMPHI	287-290
1947.	48-1	AMPHI	294-307
1948.	48-1	AMPHI	309-311
1949.	48-1	AMPHI	320-323
1950.	48-1	AMPHI	338-342
1951.	48-1	AMPHI	352-354
1952.	48-1	AMPHI	356-358
1953.	48-1	AMPHI	364-370
1954.	48-1	AMPHI	385-387
1955.	48-1	AMPHI	411-415
1956.	48-1	AMPHI	420-431
1957.	48-1	AMPHI	447-460
1958.	48-1	Antigenic Index	8-12
1959.	48-1	Antigenic Index	14-17
1960.	48-1	Antigenic Index	111-113
1961.	48-1	Antigenic Index	134-141

1962.	48-1	Antigenic Index	162-169
1963.	48-1	Antigenic Index	173-178
1964.	48-1	Antigenic Index	190-194
1965.	48-1	Antigenic Index	207-214
1966.	48-1	Antigenic Index	217-225
1967.	48-1	Antigenic Index	233-235
1968.	48-1	Antigenic Index	238-243
1969.	48-1	Antigenic Index	251-259
1970.	48-1	Antigenic Index	261-264
1971.	48-1	Antigenic Index	272-278
1972.	48-1	Antigenic Index	289-300
1973.	48-1	Antigenic Index	302-311
1974.	48-1	Antigenic Index	318-342
1975.	48-1	Antigenic Index	344-349
1976.	48-1	Antigenic Index	354-363
1977.	48-1	Antigenic Index	369-377
1978.	48-1	Antigenic Index	385-394
1979.	48-1	Antigenic Index	397-405
1980.	48-1	Antigenic Index	407-413
1981.	48-1	Antigenic Index	428-438
1982.	48-1	Antigenic Index	443-454
1983.	48-1	Antigenic Index	470-472
1984.	48-1	Hydrophilicity	134-141
1985.	48-1	Hydrophilicity	164-168
1986.	48-1	Hydrophilicity	210-214
1987.	48-1	Hydrophilicity	218-225
1988.	48-1	Hydrophilicity	240-243
1989.	48-1	Hydrophilicity	251-258
1990.	48-1	Hydrophilicity	272-278
1991.	48-1	Hydrophilicity	289-300
1992.	48-1	Hydrophilicity	302-310
1993.	48-1	Hydrophilicity	334-342
1994.	48-1	Hydrophilicity	344-349
1995.	48-1	Hydrophilicity	360-363
1996.	48-1	Hydrophilicity	369-374
1997.	48-1	Hydrophilicity	387-390
1998.	48-1	Hydrophilicity	392-394
1999.	48-1	Hydrophilicity	397-402
2000.	48-1	Hydrophilicity	407-413
2001.	48-1	Hydrophilicity	428-438
2002.	48-1	Hydrophilicity	445-447
2003.	48-1	Hydrophilicity	470-472
2004.	53-1	AMPHI	54-58
2005.	53-1	AMPHI	73-79

2006.	53-1	AMPHI	144-151
2007.	53-1	AMPHI	170-173
2008.	53-1	AMPHI	196-199
2009.	53-1	AMPHI	206-212
2010.	53-1	AMPHI	240-242
2011.	53-1	AMPHI	250-255
2012.	53-1	AMPHI	265-276
2013.	53-1	AMPHI	281-289
2014.	53-1	AMPHI	292-294
2015.	53-1	AMPHI	303-320
2016.	53-1	AMPHI	351-370
2017.	53-1	AMPHI	392-394
2018.	53-1	AMPHI	396-402
2019.	53-1	Antigenic Index	8-15
2020.	53-1	Antigenic Index	36-38
2021.	53-1	Antigenic Index	65-76
2022.	53-1	Antigenic Index	79-84
2023.	53-1	Antigenic Index	140-151
2024.	53-1	Antigenic Index	170-183
2025.	53-1	Antigenic Index	216-230
2026.	53-1	Antigenic Index	256-261
2027.	53-1	Antigenic Index	265-268
2028.	53-1	Antigenic Index	282-285
2029.	53-1	Antigenic Index	297-299
2030.	53-1	Antigenic Index	307-309
2031.	53-1	Antigenic Index	311-328
2032.	53-1	Antigenic Index	339-342
2033.	53-1	Antigenic Index	377-388
2034.	53-1	Hydrophilicity	9-13
2035.	53-1	Hydrophilicity	70-76
2036.	53-1	Hydrophilicity	79-84
2037.	53-1	Hydrophilicity	142-151
2038.	53-1	Hydrophilicity	174-176
2039.	53-1	Hydrophilicity	179-182
2040.	53-1	Hydrophilicity	217-230
2041.	53-1	Hydrophilicity	307-309
2042.	53-1	Hydrophilicity	311-327
2043.	53-1	Hydrophilicity	377-386
2044.	56-1	AMPHI	28-32
2045.	56-1	AMPHI	53-61
2046.	56-1	AMPHI	67-70
2047.	56-1	Antigenic Index	19-25
2048.	56-1	Antigenic Index	45-52
2049.	56-1	Antigenic Index	78-84

2050.	56-1	Hydrophilicity	21-23
2051.	56-1	Hydrophilicity	48-50
2052.	58-1	AMPHI	30-33
2053.	58-1	AMPHI	43-57
2054.	58-1	AMPHI	78-84
2055.	58-1	AMPHI	109-111
2056.	58-1	AMPHI	113-124
2057.	58-1	AMPHI	137-140
2058.	58-1	AMPHI	173-176
2059.	58-1	AMPHI	183-190
2060.	58-1	AMPHI	196-205
2061.	58-1	AMPHI	222-228
2062.	58-1	AMPHI	235-239
2063.	58-1	AMPHI	263-265
2064.	58-1	AMPHI	267-275
2065.	58-1	AMPHI	299-303
2066.	58-1	AMPHI	324-327
2067.	58-1	AMPHI	335-340
2068.	58-1	AMPHI	361-370
2069.	58-1	AMPHI	397-401
2070.	58-1	AMPHI	419-436
2071.	58-1	AMPHI	446-454
2072.	58-1	AMPHI	464-468
2073.	58-1	AMPHI	570-576
2074.	58-1	AMPHI	597-606
2075.	58-1	AMPHI	610-616
2076.	58-1	AMPHI	636-645
2077.	58-1	AMPHI	666-673
2078.	58-1	AMPHI	693-701
2079.	58-1	AMPHI	717-719
2080.	58-1	AMPHI	721-730
2081.	58-1	AMPHI	749-752
2082.	58-1	AMPHI	755-766
2083.	58-1	AMPHI	768-785
2084.	58-1	AMPHI	792-797
2085.	58-1	AMPHI	806-811
2086.	58-1	AMPHI	816-825
2087.	58-1	AMPHI	845-853
2088.	58-1	AMPHI	875-877
2089.	58-1	AMPHI	898-903
2090.	58-1	AMPHI	911-934
2091.	58-1	AMPHI	938-943
2092.	58-1	AMPHI	970-974
2093.	58-1	AMPHI	982-992

2094.	58-1	Antigenic Index	22-30
2095.	58-1	Antigenic Index	33-57
2096.	58-1	Antigenic Index	80-86
2097.	58-1	Antigenic Index	88-142
2098.	58-1	Antigenic Index	145-175
2099.	58-1	Antigenic Index	178-188
2100.	58-1	Antigenic Index	191-222
2101.	58-1	Antigenic Index	227-237
2102.	58-1	Antigenic Index	241-256
2103.	58-1	Antigenic Index	258-267
2104.	58-1	Antigenic Index	271-278
2105.	58-1	Antigenic Index	285-330
2106.	58-1	Antigenic Index	332-362
2107.	58-1	Antigenic Index	370-333
2108.	58-1	Antigenic Index	375-389
2109.	58-1	Antigenic Index	396-403
2110.	58-1	Antigenic Index	409-445
2111.	58-1	Antigenic Index	447-523
2112.	58-1	Antigenic Index	526-529
2113.	58-1	Antigenic Index	538-551
2114.	58-1	Antigenic Index	554-569
2115.	58-1	Antigenic Index	571-574
2116.	58-1	Antigenic Index	581-594
2117.	58-1	Antigenic Index	596-603
2118.	58-1	Antigenic Index	614-620
2119.	58-1	Antigenic Index	626-635
2120.	58-1	Antigenic Index	641-652
2121.	58-1	Antigenic Index	657-663
2122.	58-1	Antigenic Index	668-671
2123.	58-1	Antigenic Index	680-688
2124.	58-1	Antigenic Index	700-706
2125.	58-1	Antigenic Index	711-715
2126.	58-1	Antigenic Index	734-736
2127.	58-1	Antigenic Index	747-753
2128.	58-1	Antigenic Index	766-795
2129.	58-1	Antigenic Index	806-808
2130.	58-1	Antigenic Index	813-822
2131.	58-1	Antigenic Index	825-831
2132.	58-1	Antigenic Index	840-847
2133.	58-1	Antigenic Index	854-858
2134.	58-1	Antigenic Index	864-874
2135.	58-1	Antigenic Index	884-887
2136.	58-1	Antigenic Index	892-901
2137.	58-1	Antigenic Index	906-913

2138.	58-1	Antigenic Index	919-958
2139.	58-1	Antigenic Index	962-994
2140.	58-1	Antigenic Index	998-1006
2141.	58-1	Antigenic Index	1011-1014
2142.	58-1	Hydrophilicity	22-30
2143.	58-1	Hydrophilicity	33-57
2144.	58-1	Hydrophilicity	88-97
2145.	58-1	Hydrophilicity	100-142
2146.	58-1	Hydrophilicity	146-158
2147.	58-1	Hydrophilicity	162-170
2148.	58-1	Hydrophilicity	173-175
2149.	58-1	Hydrophilicity	178-188
2150.	58-1	Hydrophilicity	191-220
2151.	58-1	Hydrophilicity	227-233
2152.	58-1	Hydrophilicity	241-255
2153.	58-1	Hydrophilicity	259-264
2154.	58-1	Hydrophilicity	271-277
2155.	58-1	Hydrophilicity	285-301
2156.	58-1	Hydrophilicity	304-307
2157.	58-1	Hydrophilicity	309-330
2158.	58-1	Hydrophilicity	332-341
2159.	58-1	Hydrophilicity	344-362
2160.	58-1	Hydrophilicity	375-389
2161.	58-1	Hydrophilicity	397-402
2162.	58-1	Hydrophilicity	423-426
2163.	58-1	Hydrophilicity	432-445
2164.	58-1	Hydrophilicity	447-449
2165.	58-1	Hydrophilicity	453-473
2166.	58-1	Hydrophilicity	478-484
2167.	58-1	Hydrophilicity	496-523
2168.	58-1	Hydrophilicity	542-551
2169.	58-1	Hydrophilicity	554-569
2170.	58-1	Hydrophilicity	581-591
2171.	58-1	Hydrophilicity	596-603
2172.	58-1	Hydrophilicity	627-635
2173.	58-1	Hydrophilicity	644-652
2174.	58-1	Hydrophilicity	668-671
2175.	58-1	Hydrophilicity	682-688
2176.	58-1	Hydrophilicity	700-706
2177.	58-1	Hydrophilicity	713-715
2178.	58-1	Hydrophilicity	747-753
2179.	58-1	Hydrophilicity	769-781
2180.	58-1	Hydrophilicity	787-795
2181.	58-1	Hydrophilicity	806-808

2182.	58-1	Hydrophilicity	814-822
2183.	58-1	Hydrophilicity	825-831
2184.	58-1	Hydrophilicity	841-845
2185.	58-1	Hydrophilicity	866-874
2186.	58-1	Hydrophilicity	906-913
2187.	58-1	Hydrophilicity	921-923
2188.	58-1	Hydrophilicity	925-928
2189.	58-1	Hydrophilicity	934-941
2190.	58-1	Hydrophilicity	943-958
2191.	58-1	Hydrophilicity	962-968
2192.	58-1	Hydrophilicity	974-976
2193.	58-1	Hydrophilicity	982-994
2194.	58-1	Hydrophilicity	999-1004
2195.	61-1	AMPHI	7-31
2196.	61-1	AMPHI	37-53
2197.	61-1	AMPHI	55-77
2198.	61-1	AMPHI	98-100
2199.	61-1	AMPHI	104-107
2200.	61-1	AMPHI	124-133
2201.	61-1	AMPHI	135-137
2202.	61-1	AMPHI	155-158
2203.	61-1	AMPHI	165-169
2204.	61-1	AMPHI	198-200
2205.	61-1	AMPHI	219-230
2206.	61-1	AMPHI	265-268
2207.	61-1	AMPHI	291-303
2208.	61-1	AMPHI	362-374
2209.	61-1	AMPHI	376-379
2210.	61-1	AMPHI	391-399
2211.	61-1	AMPHI	404-406
2212.	61-1	AMPHI	426-443
2213.	61-1	AMPHI	493-498
2214.	61-1	AMPHI	511-521
2215.	61-1	AMPHI	541-543
2216.	61-1	AMPHI	550-559
2217.	61-1	AMPHI	567-569
2218.	61-1	AMPHI	576-581
2219.	61-1	Antigenic Index	15-17
2220.	61-1	Antigenic Index	28-36
2221.	61-1	Antigenic Index	38-41
2222.	61-1	Antigenic Index	50-58
2223.	61-1	Antigenic Index	71-82
2224.	61-1	Antigenic Index	86-99
2225.	61-1	Antigenic Index	102-110

2226.	61-1	Antigenic Index	116-135
2227.	61-1	Antigenic Index	141-143
2228.	61-1	Antigenic Index	145-154
2229.	61-1	Antigenic Index	162-168
2230.	61-1	Antigenic Index	170-172
2231.	61-1	Antigenic Index	178-180
2232.	61-1	Antigenic Index	182-190
2233.	61-1	Antigenic Index	196-204
2234.	61-1	Antigenic Index	215-221
2235.	61-1	Antigenic Index	231-239
2236.	61-1	Antigenic Index	258-264
2237.	61-1	Antigenic Index	272-279
2238.	61-1	Antigenic Index	284-291
2239.	61-1	Antigenic Index	293-302
2240.	61-1	Antigenic Index	307-339
2241.	61-1	Antigenic Index	344-350
2242.	61-1	Antigenic Index	356-359
2243.	61-1	Antigenic Index	364-375
2244.	61-1	Antigenic Index	378-388
2245.	61-1	Antigenic Index	395-403
2246.	61-1	Antigenic Index	405-411
2247.	61-1	Antigenic Index	413-416
2248.	61-1	Antigenic Index	424-437
2249.	61-1	Antigenic Index	440-450
2250.	61-1	Antigenic Index	464-473
2251.	61-1	Antigenic Index	483-488
2252.	61-1	Antigenic Index	492-503
2253.	61-1	Antigenic Index	507-510
2254.	61-1	Antigenic Index	529-541
2255.	61-1	Antigenic Index	547-555
2256.	61-1	Antigenic Index	565-571
2257.	61-1	Antigenic Index	584-591
2258.	61-1	Hydrophilicity	15-17
2259.	61-1	Hydrophilicity	28-36
2260.	61-1	Hydrophilicity	50-55
2261.	61-1	Hydrophilicity	71-82
2262.	61-1	Hydrophilicity	86-99
2263.	61-1	Hydrophilicity	102-110
2264.	61-1	Hydrophilicity	118-135
2265.	61-1	Hydrophilicity	148-150
2266.	61-1	Hydrophilicity	162-168
2267.	61-1	Hydrophilicity	170-172
2268.	61-1	Hydrophilicity	183-190
2269.	61-1	Hydrophilicity	196-202

2270.	61-1	Hydrophilicity	217-221
2271.	61-1	Hydrophilicity	232-239
2272.	61-1	Hydrophilicity	259-263
2273.	61-1	Hydrophilicity	272-279
2274.	61-1	Hydrophilicity	285-291
2275.	61-1	Hydrophilicity	293-300
2276.	61-1	Hydrophilicity	307-316
2277.	61-1	Hydrophilicity	320-339
2278.	61-1	Hydrophilicity	346-350
2279.	61-1	Hydrophilicity	367-372
2280.	61-1	Hydrophilicity	378-386
2281.	61-1	Hydrophilicity	395-402
2282.	61-1	Hydrophilicity	405-411
2283.	61-1	Hydrophilicity	424-434
2284.	61-1	Hydrophilicity	442-448
2285.	61-1	Hydrophilicity	464-470
2286.	61-1	Hydrophilicity	483-488
2287.	61-1	Hydrophilicity	493-503
2288.	61-1	Hydrophilicity	529-541
2289.	61-1	Hydrophilicity	549-555
2290.	61-1	Hydrophilicity	565-571
2291.	61-1	Hydrophilicity	584-591
2292.	62-1	AMPHI	6-8
2293.	62-1	AMPHI	38-57
2294.	62-1	AMPHI	66-75
2295.	62-1	AMPHI	155-171
2296.	62-1	AMPHI	228-235
2297.	62-1	AMPHI	246-249
2298.	62-1	AMPHI	259-268
2299.	62-1	Antigenic Index	44-59
2300.	62-1	Antigenic Index	107-112
2301.	62-1	Antigenic Index	132-141
2302.	62-1	Antigenic Index	160-163
2303.	62-1	Antigenic Index	165-167
2304.	62-1	Antigenic Index	215-217
2305.	62-1	Antigenic Index	224-232
2306.	62-1	Antigenic Index	258-260
2307.	62-1	Antigenic Index	280-284
2308.	62-1	Hydrophilicity	45-59
2309.	62-1	Hydrophilicity	109-112
2310.	62-1	Hydrophilicity	133-139
2311.	62-1	Hydrophilicity	160-163
2312.	62-1	Hydrophilicity	165-167
2313.	62-1	Hydrophilicity	227-229

2314.	62-1	Hydrophilicity	280-284
2315.	64-1	AMPHI	8-12
2316.	64-1	AMPHI	25-28
2317.	64-1	AMPHI	69-86
2318.	64-1	AMPHI	97-119
2319.	64-1	AMPHI	144-146
2320.	64-1	AMPHI	150-164
2321.	64-1	AMPHI	167-170
2322.	64-1	AMPHI	177-183
2323.	64-1	AMPHI	188-190
2324.	64-1	AMPHI	196-216
2325.	64-1	AMPHI	240-244
2326.	64-1	AMPHI	278-288
2327.	64-1	AMPHI	298-304
2328.	64-1	AMPHI	307-313
2329.	64-1	AMPHI	327-340
2330.	64-1	AMPHI	364-373
2331.	64-1	AMPHI	383-393
2332.	64-1	AMPHI	395-400
2333.	64-1	AMPHI	422-429
2334.	64-1	AMPHI	486-498
2335.	64-1	AMPHI	527-551
2336.	64-1	AMPHI	564-571
2337.	64-1	AMPHI	600-617
2338.	64-1	AMPHI	646-658
2339.	64-1	AMPHI	669-671
2340.	64-1	AMPHI	675-678
2341.	64-1	Antigenic Index	1-3
2342.	64-1	Antigenic Index	24-29
2343.	64-1	Antigenic Index	58-66
2344.	64-1	Antigenic Index	71-77
2345.	64-1	Antigenic Index	103-124
2346.	64-1	Antigenic Index	132-134
2347.	64-1	Antigenic Index	148-156
2348.	64-1	Antigenic Index	160-163
2349.	64-1	Antigenic Index	174-213
2350.	64-1	Antigenic Index	225-232
2351.	64-1	Antigenic Index	237-247
2352.	64-1	Antigenic Index	252-259
2353.	64-1	Antigenic Index	262-270
2354.	64-1	Antigenic Index	297-299
2355.	64-1	Antigenic Index	307-331
2356.	64-1	Antigenic Index	344-362
2357.	64-1	Antigenic Index	379-392

2358.	64-1	Antigenic Index	402-409
2359.	64-1	Antigenic Index	431-438
2360.	64-1	Antigenic Index	442-451
2361.	64-1	Antigenic Index	456-464
2362.	64-1	Antigenic Index	478-484
2363.	64-1	Antigenic Index	486-500
2364.	64-1	Antigenic Index	505-510
2365.	64-1	Antigenic Index	513-522
2366.	64-1	Antigenic Index	526-533
2367.	64-1	Antigenic Index	537-562
2368.	64-1	Antigenic Index	576-580
2369.	64-1	Antigenic Index	584-586
2370.	64-1	Antigenic Index	608-633
2371.	64-1	Antigenic Index	637-646
2372.	64-1	Antigenic Index	656-666
2373.	64-1	Antigenic Index	673-691
2374.	64-1	Antigenic Index	698-705
2375.	64-1	Hydrophilicity	1-3
2376.	64-1	Hydrophilicity	59-66
2377.	64-1	Hydrophilicity	71-76
2378.	64-1	Hydrophilicity	109-120
2379.	64-1	Hydrophilicity	151-156
2380.	64-1	Hydrophilicity	174-183
2381.	64-1	Hydrophilicity	185-189
2382.	64-1	Hydrophilicity	191-193
2383.	64-1	Hydrophilicity	195-202
2384.	64-1	Hydrophilicity	204-211
2385.	64-1	Hydrophilicity	227-231
2386.	64-1	Hydrophilicity	239-241
2387.	64-1	Hydrophilicity	243-247
2388.	64-1	Hydrophilicity	252-259
2389.	64-1	Hydrophilicity	262-268
2390.	64-1	Hydrophilicity	297-299
2391.	64-1	Hydrophilicity	307-313
2392.	64-1	Hydrophilicity	316-319
2393.	64-1	Hydrophilicity	322-331
2394.	64-1	Hydrophilicity	344-362
2395.	64-1	Hydrophilicity	379-383
2396.	64-1	Hydrophilicity	386-392
2397.	64-1	Hydrophilicity	431-438
2398.	64-1	Hydrophilicity	442-451
2399.	64-1	Hydrophilicity	456-463
2400.	64-1	Hydrophilicity	478-484
2401.	64-1	Hydrophilicity	486-497

2402.	64-1	Hydrophilicity	505-510
2403.	64-1	Hydrophilicity	515-522
2404.	64-1	Hydrophilicity	527-533
2405.	64-1	Hydrophilicity	537-545
2406.	64-1	Hydrophilicity	574-551
2407.	64-1	Hydrophilicity	553-561
2408.	64-1	Hydrophilicity	584-586
2409.	64-1	Hydrophilicity	608-633
2410.	64-1	Hydrophilicity	639-646
2411.	64-1	Hydrophilicity	657-663
2412.	64-1	Hydrophilicity	673-680
2413.	64-1	Hydrophilicity	682-690
2414.	64-1	Hydrophilicity	700-703
2415.	65-1	AMPHI	7-12
2416.	65-1	AMPHI	15-21
2417.	65-1	AMPHI	44-46
2418.	65-1	AMPHI	73-82
2419.	65-1	AMPHI	90-95
2420.	65-1	AMPHI	103-107
2421.	65-1	AMPHI	111-114
2422.	65-1	AMPHI	156-169
2423.	65-1	AMPHI	179-184
2424.	65-1	AMPHI	190-194
2425.	65-1	AMPHI	196-210
2426.	65-1	AMPHI	251-257
2427.	65-1	AMPHI	264-274
2428.	65-1	Antigenic Index	5-13
2429.	65-1	Antigenic Index	35-213
2430.	65-1	Antigenic Index	222-234
2431.	65-1	Antigenic Index	241-243
2432.	65-1	Antigenic Index	249-253
2433.	65-1	Antigenic Index	257-263
2434.	65-1	Antigenic Index	265-279
2435.	65-1	Antigenic Index	284-289
2436.	65-1	Hydrophilicity	6-12
2437.	65-1	Hydrophilicity	46-182
2438.	65-1	Hydrophilicity	189-213
2439.	65-1	Hydrophilicity	222-234
2440.	65-1	Hydrophilicity	265-279
2441.	65-1	Hydrophilicity	284-289
2442.	66-1	AMPHI	31-33
2443.	66-1	AMPHI	39-43
2444.	66-1	AMPHI	59-67
2445.	66-1	AMPHI	81-88

2446.	66-1	AMPHI	94-107
2447.	66-1	AMPHI	118-135
2448.	66-1	AMPHI	149-154
2449.	66-1	AMPHI	177-179
2450.	66-1	AMPHI	199-207
2451.	66-1	Antigenic Index	8-10
2452.	66-1	Antigenic Index	65-68
2453.	66-1	Antigenic Index	92-95
2454.	66-1	Antigenic Index	132-136
2455.	66-1	Antigenic Index	166-169
2456.	66-1	Antigenic Index	205-210
2457.	66-1	Antigenic Index	212-228
2458.	66-1	Hydrophilicity	8-10
2459.	66-1	Hydrophilicity	132-136
2460.	66-1	Hydrophilicity	208-210
2461.	66-1	Hydrophilicity	213-223
2462.	72-1	AMPHI	32-38
2463.	72-1	AMPHI	41-52
2464.	72-1	AMPHI	60-69
2465.	72-1	AMPHI	94-102
2466.	72-1	AMPHI	121-129
2467.	72-1	Antigenic Index	26-30
2468.	72-1	Antigenic Index	32-35
2469.	72-1	Antigenic Index	40-47
2470.	72-1	Antigenic Index	51-64
2471.	72-1	Antigenic Index	73-81
2472.	72-1	Antigenic Index	87-89
2473.	72-1	Antigenic Index	95-104
2474.	72-1	Antigenic Index	106-108
2475.	72-1	Antigenic Index	125-147
2476.	72-1	Hydrophilicity	32-35
2477.	72-1	Hydrophilicity	40-47
2478.	72-1	Hydrophilicity	51-59
2479.	72-1	Hydrophilicity	61-64
2480.	72-1	Hydrophilicity	75-81
2481.	72-1	Hydrophilicity	87-89
2482.	72-1	Hydrophilicity	98-104
2483.	72-1	Hydrophilicity	106-108
2484.	72-1	Hydrophilicity	125-133
2485.	72-1	Hydrophilicity	136-147
2486.	73-1	AMPHI	91-95
2487.	73-1	AMPHI	114-117
2488.	73-1	Antigenic Index	25-30
2489.	73-1	Antigenic Index	60-68

2490.	73-1	Antigenic Index	103-105
2491.	73-1	Antigenic Index	110-116
2492.	73-1	Antigenic Index	120-161
2493.	73-1	Hydrophilicity	60-66
2494.	73-1	Hydrophilicity	122-137
2495.	73-1	Hydrophilicity	139-142
2496.	73-1	Hydrophilicity	144-161
2497.	75-1	AMPHI	6-13
2498.	75-1	AMPHI	21-29
2499.	75-1	AMPHI	36-38
2500.	75-1	AMPHI	54-56
2501.	75-1	AMPHI	79-87
2502.	75-1	AMPHI	99-102
2503.	75-1	AMPHI	106-114
2504.	75-1	AMPHI	132-134
2505.	75-1	AMPHI	159-166
2506.	75-1	AMPHI	175-188
2507.	75-1	AMPHI	200-218
2508.	75-1	AMPHI	245-259
2509.	75-1	AMPHI	263-265
2510.	75-1	AMPHI	267-269
2511.	75-1	Antigenic Index	5-14
2512.	75-1	Antigenic Index	40-52
2513.	75-1	Antigenic Index	67-80
2514.	75-1	Antigenic Index	85-87
2515.	75-1	Antigenic Index	94-101
2516.	75-1	Antigenic Index	104-118
2517.	75-1	Antigenic Index	138-142
2518.	75-1	Antigenic Index	147-160
2519.	75-1	Antigenic Index	175-180
2520.	75-1	Antigenic Index	190-197
2521.	75-1	Antigenic Index	199-205
2522.	75-1	Antigenic Index	209-214
2523.	75-1	Antigenic Index	220-230
2524.	75-1	Antigenic Index	238-252
2525.	75-1	Antigenic Index	261-267
2526.	75-1	Antigenic Index	269-271
2527.	75-1	Antigenic Index	273-281
2528.	75-1	Antigenic Index	288-291
2529.	75-1	Hydrophilicity	5-13
2530.	75-1	Hydrophilicity	40-52
2531.	75-1	Hydrophilicity	67-80
2532.	75-1	Hydrophilicity	95-99
2533.	75-1	Hydrophilicity	105-117

2534.	75-1	Hydrophilicity	152-160
2535.	75-1	Hydrophilicity	175-177
2536.	75-1	Hydrophilicity	190-197
2537.	75-1	Hydrophilicity	199-204
2538.	75-1	Hydrophilicity	220-230
2539.	75-1	Hydrophilicity	238-252
2540.	75-1	Hydrophilicity	261-263
2541.	75-1	Hydrophilicity	265-267
2542.	75-1	Hydrophilicity	269-271
2543.	75-1	Hydrophilicity	273-281
2544.	75-1	Hydrophilicity	288-291
2545.	76-1	AMPHI	10-16
2546.	76-1	AMPHI	18-22
2547.	76-1	AMPHI	33-38
2548.	76-1	AMPHI	44-49
2549.	76-1	AMPHI	59-73
2550.	76-1	AMPHI	76-81
2551.	76-1	AMPHI	100-108
2552.	76-1	AMPHI	115-123
2553.	76-1	AMPHI	156-160
2554.	76-1	AMPHI	177-190
2555.	76-1	AMPHI	196-200
2556.	76-1	AMPHI	209-217
2557.	76-1	AMPHI	221-225
2558.	76-1	AMPHI	227-231
2559.	76-1	Antigenic Index	1-7
2560.	76-1	Antigenic Index	22-30
2561.	76-1	Antigenic Index	41-67
2562.	76-1	Antigenic Index	69-94
2563.	76-1	Antigenic Index	101-119
2564.	76-1	Antigenic Index	121-126
2565.	76-1	Antigenic Index	136-144
2566.	76-1	Antigenic Index	156-168
2567.	76-1	Antigenic Index	176-181
2568.	76-1	Antigenic Index	188-203
2569.	76-1	Antigenic Index	210-220
2570.	76-1	Antigenic Index	222-241
2571.	76-1	Antigenic Index	243-252
2572.	76-1	Hydrophilicity	1-7
2573.	76-1	Hydrophilicity	22-30
2574.	76-1	Hydrophilicity	41-67
2575.	76-1	Hydrophilicity	69-94
2576.	76-1	Hydrophilicity	101-119
2577.	76-1	Hydrophilicity	124-126

2578.	76-1	Hydrophilicity	136-144
2579.	76-1	Hydrophilicity	156-168
2580.	76-1	Hydrophilicity	189-202
2581.	76-1	Hydrophilicity	210-220
2582.	76-1	Hydrophilicity	222-241
2583.	76-1	Hydrophilicity	243-252
2584.	78-1	AMPHI	81-105
2585.	78-1	AMPHI	115-117
2586.	78-1	AMPHI	131-133
2587.	78-1	AMPHI	137-139
2588.	78-1	AMPHI	143-147
2589.	78-1	AMPHI	170-172
2590.	78-1	Antigenic Index	25-27
2591.	78-1	Antigenic Index	30-35
2592.	78-1	Antigenic Index	46-49
2593.	78-1	Antigenic Index	79-81
2594.	78-1	Antigenic Index	89-106
2595.	78-1	Antigenic Index	115-118
2596.	78-1	Antigenic Index	128-133
2597.	78-1	Antigenic Index	157-160
2598.	78-1	Antigenic Index	194-198
2599.	78-1	Antigenic Index	201-227
2600.	78-1	Hydrophilicity	30-35
2601.	78-1	Hydrophilicity	79-81
2602.	78-1	Hydrophilicity	89-103
2603.	78-1	Hydrophilicity	128-133
2604.	78-1	Hydrophilicity	194-198
2605.	78-1	Hydrophilicity	204-227
2606.	79-1	AMPHI	6-18
2607.	79-1	AMPHI	28-32
2608.	79-1	AMPHI	75-81
2609.	79-1	AMPHI	84-86
2610.	79-1	AMPHI	92-97
2611.	79-1	AMPHI	113-116
2612.	79-1	AMPHI	141-144
2613.	79-1	Antigenic Index	1-4
2614.	79-1	Antigenic Index	23-29
2615.	79-1	Antigenic Index	31-37
2616.	79-1	Antigenic Index	45-52
2617.	79-1	Antigenic Index	58-68
2618.	79-1	Antigenic Index	72-87
2619.	79-1	Antigenic Index	89-101
2620.	79-1	Antigenic Index	109-121
2621.	79-1	Antigenic Index	125-131

2622.	79-1	Antigenic Index	137-139
2623.	79-1	Antigenic Index	149-156
2624.	79-1	Hydrophilicity	1-4
2625.	79-1	Hydrophilicity	26-29
2626.	79-1	Hydrophilicity	32-37
2627.	79-1	Hydrophilicity	45-52
2628.	79-1	Hydrophilicity	61-68
2629.	79-1	Hydrophilicity	76-85
2630.	79-1	Hydrophilicity	89-99
2631.	79-1	Hydrophilicity	109-121
2632.	79-1	Hydrophilicity	125-131
2633.	79-1	Hydrophilicity	137-139
2634.	79-1	Hydrophilicity	150-156
2635.	82-1	AMPHI	36-40
2636.	82-1	AMPHI	95-111
2637.	82-1	AMPHI	117-132
2638.	82-1	AMPHI	135-137
2639.	82-1	AMPHI	160-174
2640.	82-1	AMPHI	183-187
2641.	82-1	Antigenic Index	2-8
2642.	82-1	Antigenic Index	56-60
2643.	82-1	Antigenic Index	90-97
2644.	82-1	Antigenic Index	104-111
2645.	82-1	Antigenic Index	114-137
2646.	82-1	Antigenic Index	141-151
2647.	82-1	Antigenic Index	170-175
2648.	82-1	Antigenic Index	180-188
2649.	82-1	Antigenic Index	194-201
2650.	82-1	Antigenic Index	206-209
2651.	82-1	Antigenic Index	216-218
2652.	82-1	Hydrophilicity	2-8
2653.	82-1	Hydrophilicity	56-60
2654.	82-1	Hydrophilicity	90-97
2655.	82-1	Hydrophilicity	105-108
2656.	82-1	Hydrophilicity	120-128
2657.	82-1	Hydrophilicity	130-134
2658.	82-1	Hydrophilicity	141-151
2659.	82-1	Hydrophilicity	170-175
2660.	82-1	Hydrophilicity	186-188
2661.	82-1	Hydrophilicity	195-200
2662.	82-1	Hydrophilicity	206-209
2663.	83-1	AMPHI	14-21
2664.	83-1	AMPHI	44-47
2665.	83-1	AMPHI	81-83

2666.	83-1	AMPHI	90-93
2667.	83-1	AMPHI	114-117
2668.	83-1	AMPHI	123-126
2669.	83-1	AMPHI	128-131
2670.	83-1	AMPHI	134-141
2671.	83-1	AMPHI	168-174
2672.	83-1	AMPHI	180-182
2673.	83-1	AMPHI	199-202
2674.	83-1	AMPHI	230-232
2675.	83-1	AMPHI	257-269
2676.	83-1	AMPHI	274-280
2677.	83-1	AMPHI	296-298
2678.	83-1	AMPHI	303-306
2679.	83-1	Antigenic Index	23-32
2680.	83-1	Antigenic Index	34-36
2681.	83-1	Antigenic Index	40-58
2682.	83-1	Antigenic Index	65-79
2683.	83-1	Antigenic Index	82-84
2684.	83-1	Antigenic Index	86-97
2685.	83-1	Antigenic Index	104-114
2686.	83-1	Antigenic Index	132-145
2687.	83-1	Antigenic Index	149-157
2688.	83-1	Antigenic Index	159-167
2689.	83-1	Antigenic Index	184-193
2690.	83-1	Antigenic Index	201-209
2691.	83-1	Antigenic Index	215-222
2692.	83-1	Antigenic Index	227-237
2693.	83-1	Antigenic Index	239-243
2694.	83-1	Antigenic Index	245-250
2695.	83-1	Antigenic Index	257-272
2696.	83-1	Antigenic Index	279-313
2697.	83-1	Hydrophilicity	25-32
2698.	83-1	Hydrophilicity	34-36
2699.	83-1	Hydrophilicity	40-58
2700.	83-1	Hydrophilicity	66-70
2701.	83-1	Hydrophilicity	82-84
2702.	83-1	Hydrophilicity	90-96
2703.	83-1	Hydrophilicity	107-114
2704.	83-1	Hydrophilicity	132-143
2705.	83-1	Hydrophilicity	151-155
2706.	83-1	Hydrophilicity	161-166
2707.	83-1	Hydrophilicity	187-190
2708.	83-1	Hydrophilicity	203-208
2709.	83-1	Hydrophilicity	215-222

2710.	83-1	Hydrophilicity	227-237
2711.	83-1	Hydrophilicity	260-272
2712.	83-1	Hydrophilicity	285-313
2713.	84-1	AMPHI	15-22
2714.	84-1	AMPHI	41-47
2715.	84-1	AMPHI	51-53
2716.	84-1	AMPHI	59-67
2717.	84-1	AMPHI	72-85
2718.	84-1	AMPHI	104-108
2719.	84-1	AMPHI	111-114
2720.	84-1	AMPHI	128-133
2721.	84-1	AMPHI	138-140
2722.	84-1	AMPHI	156-158
2723.	84-1	AMPHI	166-170
2724.	84-1	AMPHI	175-180
2725.	84-1	AMPHI	185-190
2726.	84-1	AMPHI	195-201
2727.	84-1	AMPHI	226-230
2728.	84-1	AMPHI	283-299
2729.	84-1	AMPHI	317-322
2730.	84-1	AMPHI	327-330
2731.	84-1	AMPHI	348-353
2732.	84-1	AMPHI	366-368
2733.	84-1	AMPHI	373-375
2734.	84-1	AMPHI	380-387
2735.	84-1	Antigenic Index	9-18
2736.	84-1	Antigenic Index	24-42
2737.	84-1	Antigenic Index	45-48
2738.	84-1	Antigenic Index	54-70
2739.	84-1	Antigenic Index	76-85
2740.	84-1	Antigenic Index	91-95
2741.	84-1	Antigenic Index	97-109
2742.	84-1	Antigenic Index	114-120
2743.	84-1	Antigenic Index	128-137
2744.	84-1	Antigenic Index	139-141
2745.	84-1	Antigenic Index	148-154
2746.	84-1	Antigenic Index	162-170
2747.	84-1	Antigenic Index	181-187
2748.	84-1	Antigenic Index	190-193
2749.	84-1	Antigenic Index	198-205
2750.	84-1	Antigenic Index	226-247
2751.	84-1	Antigenic Index	249-265
2752.	84-1	Antigenic Index	274-286
2753.	84-1	Antigenic Index	288-291

2754.	84-1	Antigenic Index	300-307
2755.	84-1	Antigenic Index	313-321
2756.	84-1	Antigenic Index	324-360
2757.	84-1	Antigenic Index	363-371
2758.	84-1	Antigenic Index	373-387
2759.	84-1	Hydrophilicity	12-18
2760.	84-1	Hydrophilicity	24-42
2761.	84-1	Hydrophilicity	45-48
2762.	84-1	Hydrophilicity	54-70
2763.	84-1	Hydrophilicity	76-83
2764.	84-1	Hydrophilicity	91-95
2765.	84-1	Hydrophilicity	101-108
2766.	84-1	Hydrophilicity	131-137
2767.	84-1	Hydrophilicity	139-141
2768.	84-1	Hydrophilicity	151-154
2769.	84-1	Hydrophilicity	162-170
2770.	84-1	Hydrophilicity	181-187
2771.	84-1	Hydrophilicity	190-193
2772.	84-1	Hydrophilicity	198-204
2773.	84-1	Hydrophilicity	230-247
2774.	84-1	Hydrophilicity	251-261
2775.	84-1	Hydrophilicity	274-282
2776.	84-1	Hydrophilicity	288-291
2777.	84-1	Hydrophilicity	301-306
2778.	84-1	Hydrophilicity	316-321
2779.	84-1	Hydrophilicity	327-330
2780.	84-1	Hydrophilicity	337-349
2781.	84-1	Hydrophilicity	351-359
2782.	84-1	Hydrophilicity	364-368
2783.	84-1	Hydrophilicity	374-383
2784.	85-1	AMPHI	20-23
2785.	85-1	AMPHI	28-31
2786.	85-1	AMPHI	33-35
2787.	85-1	AMPHI	66-70
2788.	85-1	AMPHI	86-90
2789.	85-1	AMPHI	100-105
2790.	85-1	AMPHI	126-128
2791.	85-1	AMPHI	134-136
2792.	85-1	AMPHI	144-148
2793.	85-1	AMPHI	152-157
2794.	85-1	AMPHI	173-175
2795.	85-1	AMPHI	199-201
2796.	85-1	AMPHI	206-208
2797.	85-1	AMPHI	215-217

2798.	85-1	AMPHI	219-221
2799.	85-1	AMPHI	253-255
2800.	85-1	AMPHI	273-276
2801.	85-1	AMPHI	283-287
2802.	85-1	AMPHI	303-307
2803.	85-1	AMPHI	312-315
2804.	85-1	AMPHI	320-326
2805.	85-1	Antigenic Index	7-10
2806.	85-1	Antigenic Index	20-29
2807.	85-1	Antigenic Index	32-51
2808.	85-1	Antigenic Index	63-71
2809.	85-1	Antigenic Index	76-89
2810.	85-1	Antigenic Index	98-101
2811.	85-1	Antigenic Index	104-111
2812.	85-1	Antigenic Index	115-121
2813.	85-1	Antigenic Index	127-131
2814.	85-1	Antigenic Index	138-143
2815.	85-1	Antigenic Index	147-150
2816.	85-1	Antigenic Index	167-182
2817.	85-1	Antigenic Index	187-205
2818.	85-1	Antigenic Index	211-221
2819.	85-1	Antigenic Index	232-240
2820.	85-1	Antigenic Index	243-255
2821.	85-1	Antigenic Index	264-273
2822.	85-1	Antigenic Index	277-311
2823.	85-1	Antigenic Index	316-334
2824.	85-1	Hydrophilicity	20-29
2825.	85-1	Hydrophilicity	40-51
2826.	85-1	Hydrophilicity	63-71
2827.	85-1	Hydrophilicity	77-89
2828.	85-1	Hydrophilicity	98-101
2829.	85-1	Hydrophilicity	104-111
2830.	85-1	Hydrophilicity	115-121
2831.	85-1	Hydrophilicity	138-143
2832.	85-1	Hydrophilicity	167-180
2833.	85-1	Hydrophilicity	188-202
2834.	85-1	Hydrophilicity	215-221
2835.	85-1	Hydrophilicity	235-239
2836.	85-1	Hydrophilicity	249-255
2837.	85-1	Hydrophilicity	265-273
2838.	85-1	Hydrophilicity	277-311
2839.	85-1	Hydrophilicity	316-334
2840.	88-1	AMPHI	15-21
2841.	88-1	AMPHI	28-41

2842.	88-1	AMPHI	55-73
2843.	88-1	AMPHI	100-109
2844.	88-1	AMPHI	115-117
2845.	88-1	AMPHI	132-138
2846.	88-1	AMPHI	163-167
2847.	88-1	AMPHI	265-267
2848.	88-1	AMPHI	271-276
2849.	88-1	AMPHI	288-292
2850.	88-1	AMPHI	313-316
2851.	88-1	AMPHI	327-330
2852.	88-1	AMPHI	339-342
2853.	88-1	AMPHI	357-360
2854.	88-1	AMPHI	365-371
2855.	88-1	AMPHI	376-387
2856.	88-1	AMPHI	391-396
2857.	88-1	AMPHI	443-445
2858.	88-1	AMPHI	463-465
2859.	88-1	AMPHI	478-480
2860.	88-1	AMPHI	498-501
2861.	88-1	AMPHI	509-512
2862.	88-1	AMPHI	524-527
2863.	88-1	AMPHI	529-548
2864.	88-1	AMPHI	551-553
2865.	88-1	AMPHI	566-577
2866.	88-1	AMPHI	586-590
2867.	88-1	AMPHI	597-601
2868.	88-1	AMPHI	650-670
2869.	88-1	Antigenic Index	1-11
2870.	88-1	Antigenic Index	43-51
2871.	88-1	Antigenic Index	96-116
2872.	88-1	Antigenic Index	119-124
2873.	88-1	Antigenic Index	127-138
2874.	88-1	Antigenic Index	142-154
2875.	88-1	Antigenic Index	158-166
2876.	88-1	Antigenic Index	182-185
2877.	88-1	Antigenic Index	199-204
2878.	88-1	Antigenic Index	209-215
2879.	88-1	Antigenic Index	224-236
2880.	88-1	Antigenic Index	243-246
2881.	88-1	Antigenic Index	252-254
2882.	88-1	Antigenic Index	256-262
2883.	88-1	Antigenic Index	267-294
2884.	88-1	Antigenic Index	296-299
2885.	88-1	Antigenic Index	311-319

2886.	88-1	Antigenic Index	324-334
2887.	88-1	Antigenic Index	347-356
2888.	88-1	Antigenic Index	363-396
2889.	88-1	Antigenic Index	404-411
2890.	88-1	Antigenic Index	413-418
2891.	88-1	Antigenic Index	424-427
2892.	88-1	Antigenic Index	432-440
2893.	88-1	Antigenic Index	448-455
2894.	88-1	Antigenic Index	463-488
2895.	88-1	Antigenic Index	504-508
2896.	88-1	Antigenic Index	516-528
2897.	88-1	Antigenic Index	540-560
2898.	88-1	Antigenic Index	574-577
2899.	88-1	Antigenic Index	585-603
2900.	88-1	Antigenic Index	623-628
2901.	88-1	Antigenic Index	631-637
2902.	88-1	Antigenic Index	642-671
2903.	88-1	Hydrophilicity	1-8
2904.	88-1	Hydrophilicity	46-48
2905.	88-1	Hydrophilicity	101-116
2906.	88-1	Hydrophilicity	127-138
2907.	88-1	Hydrophilicity	146-153
2908.	88-1	Hydrophilicity	158-163
2909.	88-1	Hydrophilicity	199-201
2910.	88-1	Hydrophilicity	209-215
2911.	88-1	Hydrophilicity	228-236
2912.	88-1	Hydrophilicity	252-254
2913.	88-1	Hydrophilicity	256-262
2914.	88-1	Hydrophilicity	270-294
2915.	88-1	Hydrophilicity	313-316
2916.	88-1	Hydrophilicity	327-334
2917.	88-1	Hydrophilicity	347-356
2918.	88-1	Hydrophilicity	363-378
2919.	88-1	Hydrophilicity	380-395
2920.	88-1	Hydrophilicity	404-411
2921.	88-1	Hydrophilicity	434-438
2922.	88-1	Hydrophilicity	448-455
2923.	88-1	Hydrophilicity	463-488
2924.	88-1	Hydrophilicity	517-526
2925.	88-1	Hydrophilicity	540-546
2926.	88-1	Hydrophilicity	553-560
2927.	88-1	Hydrophilicity	586-594
2928.	88-1	Hydrophilicity	599-601
2929.	88-1	Hydrophilicity	623-628

2930.	88-1	Hydrophilicity	633-637
2931.	88-1	Hydrophilicity	643-671
2932.	89-1	AMPHI	12-15
2933.	89-1	AMPHI	20-31
2934.	89-1	AMPHI	36-38
2935.	89-1	AMPHI	40-44
2936.	89-1	AMPHI	47-58
2937.	89-1	AMPHI	108-116
2938.	89-1	AMPHI	123-125
2939.	89-1	AMPHI	127-132
2940.	89-1	AMPHI	145-150
2941.	89-1	Antigenic Index	2-10
2942.	89-1	Antigenic Index	37-46
2943.	89-1	Antigenic Index	55-57
2944.	89-1	Antigenic Index	60-76
2945.	89-1	Antigenic Index	82-95
2946.	89-1	Antigenic Index	99-108
2947.	89-1	Antigenic Index	114-118
2948.	89-1	Antigenic Index	128-140
2949.	89-1	Antigenic Index	148-154
2950.	89-1	Antigenic Index	157-162
2951.	89-1	Hydrophilicity	4-10
2952.	89-1	Hydrophilicity	64-76
2953.	89-1	Hydrophilicity	85-95
2954.	89-1	Hydrophilicity	99-108
2955.	89-1	Hydrophilicity	131-140
2956.	89-1	Hydrophilicity	152-154
2957.	89-1	Hydrophilicity	157-162
2958.	91-1	AMPHI	24-31
2959.	91-1	AMPHI	62-84
2960.	91-1	AMPHI	89-94
2961.	91-1	AMPHI	96-98
2962.	91-1	AMPHI	120-122
2963.	91-1	AMPHI	163-165
2964.	91-1	AMPHI	169-180
2965.	91-1	Antigenic Index	1-5
2966.	91-1	Antigenic Index	29-37
2967.	91-1	Antigenic Index	42-56
2968.	91-1	Antigenic Index	74-91
2969.	91-1	Antigenic Index	104-128
2970.	91-1	Antigenic Index	130-141
2971.	91-1	Antigenic Index	146-155
2972.	91-1	Antigenic Index	169-173
2973.	91-1	Antigenic Index	177-187

2974.	91-1	Antigenic Index	189-196
2975.	91-1	Hydrophilicity	1-5
2976.	91-1	Hydrophilicity	31-35
2977.	91-1	Hydrophilicity	43-56
2978.	91-1	Hydrophilicity	78-91
2979.	91-1	Hydrophilicity	104-108
2980.	91-1	Hydrophilicity	110-119
2981.	91-1	Hydrophilicity	121-128
2982.	91-1	Hydrophilicity	130-132
2983.	91-1	Hydrophilicity	134-141
2984.	91-1	Hydrophilicity	151-154
2985.	91-1	Hydrophilicity	177-183
2986.	91-1	Hydrophilicity	185-187
2987.	91-1	Hydrophilicity	189-196
2988.	97-1	AMPHI	49-53
2989.	97-1	AMPHI	63-67
2990.	97-1	AMPHI	142-150
2991.	97-1	Antigenic Index	20-33
2992.	97-1	Antigenic Index	39-61
2993.	97-1	Antigenic Index	68-79
2994.	97-1	Antigenic Index	89-96
2995.	97-1	Antigenic Index	98-104
2996.	97-1	Antigenic Index	114-130
2997.	97-1	Antigenic Index	134-139
2998.	97-1	Antigenic Index	141-143
2999.	97-1	Antigenic Index	147-154
3000.	97-1	Antigenic Index	156-159
3001.	97-1	Hydrophilicity	22-33
3002.	97-1	Hydrophilicity	43-45
3003.	97-1	Hydrophilicity	47-61
3004.	97-1	Hydrophilicity	68-77
3005.	97-1	Hydrophilicity	92-94
3006.	97-1	Hydrophilicity	98-103
3007.	97-1	Hydrophilicity	114-130
3008.	97-1	Hydrophilicity	137-139
3009.	97-1	Hydrophilicity	141-143
3010.	97-1	Hydrophilicity	147-154
3011.	97-1	Hydrophilicity	156-159
3012.	98-1	AMPHI	6-19
3013.	98-1	AMPHI	44-54
3014.	98-1	AMPHI	67-73
3015.	98-1	AMPHI	89-100
3016.	98-1	AMPHI	107-120
3017.	98-1	AMPHI	123-126

3018.	98-1	AMPHI	149-156
3019.	98-1	AMPHI	199-201
3020.	98-1	AMPHI	214-220
3021.	98-1	Antigenic Index	1-16
3022.	98-1	Antigenic Index	42-45
3023.	98-1	Antigenic Index	51-58
3024.	98-1	Antigenic Index	111-128
3025.	98-1	Antigenic Index	136-139
3026.	98-1	Antigenic Index	147-154
3027.	98-1	Antigenic Index	157-164
3028.	98-1	Antigenic Index	172-177
3029.	98-1	Antigenic Index	187-199
3030.	98-1	Antigenic Index	209-219
3031.	98-1	Antigenic Index	222-233
3032.	98-1	Hydrophilicity	1-16
3033.	98-1	Hydrophilicity	53-55
3034.	98-1	Hydrophilicity	111-117
3035.	98-1	Hydrophilicity	119-128
3036.	98-1	Hydrophilicity	157-164
3037.	98-1	Hydrophilicity	184-199
3038.	98-1	Hydrophilicity	211-215
3039.	98-1	Hydrophilicity	222-233
3040.	100-1	AMPHI	61-63
3041.	100-1	AMPHI	67-79
3042.	100-1	AMPHI	130-134
3043.	100-1	AMPHI	143-152
3044.	100-1	AMPHI	188-192
3045.	100-1	AMPHI	204-206
3046.	100-1	AMPHI	209-220
3047.	100-1	AMPHI	224-232
3048.	100-1	AMPHI	239-246
3049.	100-1	AMPHI	249-260
3050.	100-1	AMPHI	280-285
3051.	100-1	AMPHI	298-305
3052.	100-1	AMPHI	317-321
3053.	100-1	AMPHI	323-328
3054.	100-1	AMPHI	371-384
3055.	100-1	Antigenic Index	23-26
3056.	100-1	Antigenic Index	68-85
3057.	100-1	Antigenic Index	89-92
3058.	100-1	Antigenic Index	98-109
3059.	100-1	Antigenic Index	111-121
3060.	100-1	Antigenic Index	135-144
3061.	100-1	Antigenic Index	148-157

3062.	100-1	Antigenic Index	166-176
3063.	100-1	Antigenic Index	185-189
3064.	100-1	Antigenic Index	199-206
3065.	100-1	Antigenic Index	211-218
3066.	100-1	Antigenic Index	220-232
3067.	100-1	Antigenic Index	237-244
3068.	100-1	Antigenic Index	250-264
3069.	100-1	Antigenic Index	268-274
3070.	100-1	Antigenic Index	288-297
3071.	100-1	Antigenic Index	306-319
3072.	100-1	Antigenic Index	323-330
3073.	100-1	Antigenic Index	341-354
3074.	100-1	Antigenic Index	361-364
3075.	100-1	Antigenic Index	373-387
3076.	100-1	Antigenic Index	393-402
3077.	100-1	Antigenic Index	404-407
3078.	100-1	Hydrophilicity	68-74
3079.	100-1	Hydrophilicity	76-85
3080.	100-1	Hydrophilicity	98-109
3081.	100-1	Hydrophilicity	111-121
3082.	100-1	Hydrophilicity	135-144
3083.	100-1	Hydrophilicity	148-156
3084.	100-1	Hydrophilicity	166-176
3085.	100-1	Hydrophilicity	200-206
3086.	100-1	Hydrophilicity	211-218
3087.	100-1	Hydrophilicity	220-229
3088.	100-1	Hydrophilicity	237-244
3089.	100-1	Hydrophilicity	250-264
3090.	100-1	Hydrophilicity	268-274
3091.	100-1	Hydrophilicity	289-297
3092.	100-1	Hydrophilicity	306-319
3093.	100-1	Hydrophilicity	323-329
3094.	100-1	Hydrophilicity	346-349
3095.	100-1	Hydrophilicity	351-354
3096.	100-1	Hydrophilicity	373-387
3097.	100-1	Hydrophilicity	393-402
3098.	100-1	Hydrophilicity	404-407
3099.	101-1	AMPHI	10-12
3100.	101-1	AMPHI	31-36
3101.	101-1	AMPHI	48-54
3102.	101-1	AMPHI	68-78
3103.	101-1	AMPHI	95-103
3104.	101-1	AMPHI	110-117
3105.	101-1	AMPHI	127-133

-111-

3106.	101-1	AMPHI	144-154
3107.	101-1	AMPHI	237-244
3108.	101-1	AMPHI	316-318
3109.	101-1	AMPHI	331-334
3110.	101-1	Antigenic Index	6-9
3111.	101-1	Antigenic Index	37-45
3112.	101-1	Antigenic Index	78-86
3113.	101-1	Antigenic Index	125-133
3114.	101-1	Antigenic Index	135-143
3115.	101-1	Antigenic Index	147-157
3116.	101-1	Antigenic Index	165-171
3117.	101-1	Antigenic Index	176-186
3118.	101-1	Antigenic Index	192-224
3119.	101-1	Antigenic Index	236-251
3120.	101-1	Antigenic Index	257-264
3121.	101-1	Antigenic Index	290-298
3122.	101-1	Antigenic Index	311-313
3123.	101-1	Antigenic Index	320-325
3124.	101-1	Antigenic Index	350-356
3125.	101-1	Antigenic Index	362-371
3126.	101-1	Hydrophilicity	6-9
3127.	101-1	Hydrophilicity	37-45
3128.	101-1	Hydrophilicity	79-85
3129.	101-1	Hydrophilicity	125-133
3130.	101-1	Hydrophilicity	135-143
3131.	101-1	Hydrophilicity	151-157
3132.	101-1	Hydrophilicity	165-171
3133.	101-1	Hydrophilicity	176-185
3134.	101-1	Hydrophilicity	192-195
3135.	101-1	Hydrophilicity	199-207
3136.	101-1	Hydrophilicity	215-222
3137.	101-1	Hydrophilicity	239-242
3138.	101-1	Hydrophilicity	244-251
3139.	101-1	Hydrophilicity	293-296
3140.	101-1	Hydrophilicity	320-325
3141.	101-1	Hydrophilicity	350-353
3142.	101-1	Hydrophilicity	368-371
3143.	102-1	AMPHI	6-14
3144.	102-1	AMPHI	17-21
3145.	102-1	AMPHI	33-36
3146.	102-1	AMPHI	44-46
3147.	102-1	AMPHI	54-61
3148.	102-1	AMPHI	101-125
3149.	102-1	Antigenic Index	35-45

3150.	102-1	Antigenic Index	47-49
3151.	102-1	Antigenic Index	58-61
3152.	102-1	Antigenic Index	79-82
3153.	102-1	Antigenic Index	106-118
3154.	102-1	Hydrophilicity	35-45
3155.	102-1	Hydrophilicity	106-109
3156.	103-1	AMPHI	10-13
3157.	103-1	AMPHI	17-29
3158.	103-1	AMPHI	38-40
3159.	103-1	AMPHI	53-58
3160.	103-1	AMPHI	62-69
3161.	103-1	AMPHI	76-85
3162.	103-1	AMPHI	99-125
3163.	103-1	AMPHI	131-137
3164.	103-1	AMPHI	176-185
3165.	103-1	AMPHI	196-205
3166.	103-1	Antigenic Index	1-3
3167.	103-1	Antigenic Index	18-20
3168.	103-1	Antigenic Index	26-28
3169.	103-1	Antigenic Index	37-40
3170.	103-1	Antigenic Index	50-56
3171.	103-1	Antigenic Index	73-79
3172.	103-1	Antigenic Index	107-116
3173.	103-1	Antigenic Index	128-132
3174.	103-1	Antigenic Index	146-148
3175.	103-1	Antigenic Index	161-165
3176.	103-1	Antigenic Index	191-200
3177.	103-1	Hydrophilicity	75-78
3178.	103-1	Hydrophilicity	107-113
3179.	103-1	Hydrophilicity	194-197
3180.	104-1	AMPHI	15-19
3181.	104-1	AMPHI	29-37
3182.	104-1	AMPHI	93-96
3183.	104-1	AMPHI	147-156
3184.	104-1	AMPHI	206-215
3185.	104-1	AMPHI	232-234
3186.	104-1	AMPHI	236-249
3187.	104-1	AMPHI	251-266
3188.	104-1	Antigenic Index	1-6
3189.	104-1	Antigenic Index	58-69
3190.	104-1	Antigenic Index	98-100
3191.	104-1	Antigenic Index	120-126
3192.	104-1	Antigenic Index	145-152
3193.	104-1	Antigenic Index	211-216

3194.	104-1	Antigenic Index	234-239
3195.	104-1	Antigenic Index	243-247
3196.	104-1	Hydrophilicity	1-5
3197.	104-1	Hydrophilicity	60-67
3198.	104-1	Hydrophilicity	120-126
3199.	104-1	Hydrophilicity	146-149
3200.	104-1	Hydrophilicity	243-247
3201.	105-1	AMPHI	6-8
3202.	105-1	AMPHI	13-15
3203.	105-1	AMPHI	17-21
3204.	105-1	AMPHI	29-31
3205.	105-1	AMPHI	33-36
3206.	105-1	AMPHI	46-60
3207.	105-1	AMPHI	74-81
3208.	105-1	AMPHI	93-100
3209.	105-1	AMPHI	105-107
3210.	105-1	AMPHI	123-128
3211.	105-1	AMPHI	132-139
3212.	105-1	AMPHI	152-167
3213.	105-1	AMPHI	169-171
3214.	105-1	AMPHI	180-183
3215.	105-1	AMPHI	199-213
3216.	105-1	AMPHI	239-243
3217.	105-1	AMPHI	245-247
3218.	105-1	AMPHI	249-253
3219.	105-1	AMPHI	267-269
3220.	105-1	Antigenic Index	5-15
3221.	105-1	Antigenic Index	23-32
3222.	105-1	Antigenic Index	40-43
3223.	105-1	Antigenic Index	45-68
3224.	105-1	Antigenic Index	71-81
3225.	105-1	Antigenic Index	95-113
3226.	105-1	Antigenic Index	117-120
3227.	105-1	Antigenic Index	132-142
3228.	105-1	Antigenic Index	148-193
3229.	105-1	Antigenic Index	204-214
3230.	105-1	Antigenic Index	229-246
3231.	105-1	Hydrophilicity	5-15
3232.	105-1	Hydrophilicity	49-66
3233.	105-1	Hydrophilicity	74-76
3234.	105-1	Hydrophilicity	78-80
3235.	105-1	Hydrophilicity	101-110
3236.	105-1	Hydrophilicity	117-120
3237.	105-1	Hydrophilicity	137-141

3238.	105-1	Hydrophilicity	149-163
3239.	105-1	Hydrophilicity	170-176
3240.	105-1	Hydrophilicity	178-193
3241.	105-1	Hydrophilicity	207-211
3242.	105-1	Hydrophilicity	232-243
3243.	106-1	AMPHI	23-27
3244.	106-1	AMPHI	41-45
3245.	106-1	AMPHI	52-64
3246.	106-1	AMPHI	138-145
3247.	106-1	AMPHI	168-175
3248.	106-1	Antigenic Index	7-13
3249.	106-1	Antigenic Index	29-68
3250.	106-1	Antigenic Index	93-102
3251.	106-1	Antigenic Index	108-115
3252.	106-1	Antigenic Index	120-131
3253.	106-1	Antigenic Index	144-160
3254.	106-1	Antigenic Index	165-174
3255.	106-1	Antigenic Index	179-191
3256.	106-1	Antigenic Index	196-198
3257.	106-1	Hydrophilicity	29-42
3258.	106-1	Hydrophilicity	52-58
3259.	106-1	Hydrophilicity	63-68
3260.	106-1	Hydrophilicity	94-102
3261.	106-1	Hydrophilicity	111-115
3262.	106-1	Hydrophilicity	122-131
3263.	106-1	Hydrophilicity	147-149
3264.	106-1	Hydrophilicity	151-160
3265.	106-1	Hydrophilicity	168-171
3266.	106-1	Hydrophilicity	187-189
3267.	108-1	AMPHI	6-8
3268.	108-1	AMPHI	21-37
3269.	108-1	AMPHI	46-49
3270.	108-1	AMPHI	72-75
3271.	108-1	AMPHI	79-93
3272.	108-1	AMPHI	119-135
3273.	108-1	AMPHI	137-140
3274.	108-1	AMPHI	148-151
3275.	108-1	Antigenic Index	18-40
3276.	108-1	Antigenic Index	43-46
3277.	108-1	Antigenic Index	55-70
3278.	108-1	Antigenic Index	73-82
3279.	108-1	Antigenic Index	86-114
3280.	108-1	Antigenic Index	129-137
3281.	108-1	Antigenic Index	149-156

3282.	108-1	Antigenic Index	160-162
3283.	108-1	Antigenic Index	168-172
3284.	108-1	Antigenic Index	175-181
3285.	108-1	Hydrophilicity	19-29
3286.	108-1	Hydrophilicity	34-36
3287.	108-1	Hydrophilicity	38-40
3288.	108-1	Hydrophilicity	43-46
3289.	108-1	Hydrophilicity	56-70
3290.	108-1	Hydrophilicity	79-79
3291.	108-1	Hydrophilicity	89-97
3292.	108-1	Hydrophilicity	99-109
3293.	108-1	Hydrophilicity	129-136
3294.	108-1	Hydrophilicity	150-155
3295.	108-1	Hydrophilicity	168-172
3296.	108-1	Hydrophilicity	176-181
3297.	109-1	AMPHI	14-25
3298.	109-1	AMPHI	36-38
3299.	109-1	AMPHI	41-43
3300.	109-1	AMPHI	84-88
3301.	109-1	AMPHI	124-126
3302.	109-1	AMPHI	143-149
3303.	109-1	AMPHI	151-155
3304.	109-1	AMPHI	171-181
3305.	109-1	AMPHI	229-231
3306.	109-1	Antigenic Index	24-28
3307.	109-1	Antigenic Index	49-52
3308.	109-1	Antigenic Index	64-77
3309.	109-1	Antigenic Index	96-100
3310.	109-1	Antigenic Index	119-131
3311.	109-1	Antigenic Index	154-156
3312.	109-1	Antigenic Index	226-231
3313.	109-1	Antigenic Index	247-254
3314.	109-1	Hydrophilicity	50-52
3315.	109-1	Hydrophilicity	64-66
3316.	109-1	Hydrophilicity	68-74
3317.	109-1	Hydrophilicity	120-131
3318.	109-1	Hydrophilicity	226-231
3319.	109-1	Hydrophilicity	247-253
3320.	111-1	AMPHI	6-13
3321.	111-1	AMPHI	27-30
3322.	111-1	AMPHI	45-48
3323.	111-1	AMPHI	58-79
3324.	111-1	AMPHI	90-96
3325.	111-1	AMPHI	99-102

3326.	111-1	AMPHI	114-116
3327.	111-1	AMPHI	128-134
3328.	111-1	AMPHI	146-149
3329.	111-1	AMPHI	151-159
3330.	111-1	AMPHI	170-174
3331.	111-1	AMPHI	176-179
3332.	111-1	AMPHI	183-190
3333.	111-1	AMPHI	198-200
3334.	111-1	AMPHI	209-215
3335.	111-1	AMPHI	237-240
3336.	111-1	AMPHI	273-276
3337.	111-1	AMPHI	292-294
3338.	111-1	AMPHI	314-318
3339.	111-1	AMPHI	320-322
3340.	111-1	Antigenic index	1-10
3341.	111-1	Antigenic index	26-31
3342.	111-1	Antigenic index	37-42
3343.	111-1	Antigenic index	49-105
3344.	111-1	Antigenic index	111-117
3345.	111-1	Antigenic index	135-153
3346.	111-1	Antigenic index	163-181
3347.	111-1	Antigenic index	192-205
3348.	111-1	Antigenic index	213-238
3349.	111-1	Antigenic index	240-243
3350.	111-1	Antigenic index	250-262
3351.	111-1	Antigenic index	264-274
3352.	111-1	Antigenic index	277-286
3353.	111-1	Antigenic index	299-306
3354.	111-1	Antigenic index	314-326
3355.	111-1	Antigenic index	332-339
3356.	111-1	Antigenic index	342-351
3357.	111-1	Hydrophilicity	1-7
3358.	111-1	Hydrophilicity	26-31
3359.	111-1	Hydrophilicity	51-59
3360.	111-1	Hydrophilicity	61-77
3361.	111-1	Hydrophilicity	82-89
3362.	111-1	Hydrophilicity	97-103
3363.	111-1	Hydrophilicity	111-117
3364.	111-1	Hydrophilicity	137-153
3365.	111-1	Hydrophilicity	163-173
3366.	111-1	Hydrophilicity	175-179
3367.	111-1	Hydrophilicity	192-194
3368.	111-1	Hydrophilicity	196-205
3369.	111-1	Hydrophilicity	213-215

3370.	111-1	Hydrophilicity	217-229
3371.	111-1	Hydrophilicity	254-257
3372.	111-1	Hydrophilicity	267-274
3373.	111-1	Hydrophilicity	279-285
3374.	111-1	Hydrophilicity	299-301
3375.	111-1	Hydrophilicity	314-326
3376.	111-1	Hydrophilicity	332-338
3377.	111-1	Hydrophilicity	344-351
3378.	115-1	AMPHI	13-17
3379.	115-1	AMPHI	30-32
3380.	115-1	AMPHI	40-42
3381.	115-1	AMPHI	46-48
3382.	115-1	AMPHI	86-89
3383.	115-1	AMPHI	108-116
3384.	115-1	AMPHI	124-140
3385.	115-1	AMPHI	146-150
3386.	115-1	AMPHI	171-175
3387.	115-1	AMPHI	231-234
3388.	115-1	AMPHI	249-255
3389.	115-1	AMPHI	266-277
3390.	115-1	AMPHI	289-291
3391.	115-1	Antigenic Index	1-20
3392.	115-1	Antigenic Index	27-33
3393.	115-1	Antigenic Index	36-50
3394.	115-1	Antigenic Index	55-58
3395.	115-1	Antigenic Index	62-65
3396.	115-1	Antigenic Index	73-75
3397.	115-1	Antigenic Index	77-87
3398.	115-1	Antigenic Index	90-93
3399.	115-1	Antigenic Index	101-123
3400.	115-1	Antigenic Index	125-127
3401.	115-1	Antigenic Index	130-161
3402.	115-1	Antigenic Index	185-194
3403.	115-1	Antigenic Index	205-215
3404.	115-1	Antigenic Index	220-223
3405.	115-1	Antigenic Index	229-242
3406.	115-1	Antigenic Index	246-255
3407.	115-1	Antigenic Index	257-263
3408.	115-1	Antigenic Index	272-275
3409.	115-1	Antigenic Index	287-310
3410.	115-1	Antigenic Index	312-314
3411.	115-1	Antigenic Index	319-325
3412.	115-1	Hydrophilicity	3-7
3413.	115-1	Hydrophilicity	13-17

3414.	115-1	Hydrophilicity	27-33
3415.	115-1	Hydrophilicity	40-46
3416.	115-1	Hydrophilicity	81-87
3417.	115-1	Hydrophilicity	101-105
3418.	115-1	Hydrophilicity	107-113
3419.	115-1	Hydrophilicity	120-123
3420.	115-1	Hydrophilicity	125-127
3421.	115-1	Hydrophilicity	130-149
3422.	115-1	Hydrophilicity	152-157
3423.	115-1	Hydrophilicity	185-194
3424.	115-1	Hydrophilicity	206-215
3425.	115-1	Hydrophilicity	229-233
3426.	115-1	Hydrophilicity	248-251
3427.	115-1	Hydrophilicity	257-263
3428.	115-1	Hydrophilicity	301-305
3429.	115-1	Hydrophilicity	312-314
3430.	115-1	Hydrophilicity	320-325
3431.	117-1	AMPHI	38-47
3432.	117-1	AMPHI	62-66
3433.	117-1	AMPHI	101-106
3434.	117-1	AMPHI	116-122
3435.	117-1	AMPHI	155-158
3436.	117-1	AMPHI	171-180
3437.	117-1	Antigenic Index	1-17
3438.	117-1	Antigenic Index	23-29
3439.	117-1	Antigenic Index	36-56
3440.	117-1	Antigenic Index	58-76
3441.	117-1	Antigenic Index	80-86
3442.	117-1	Antigenic Index	92-102
3443.	117-1	Antigenic Index	109-128
3444.	117-1	Antigenic Index	138-167
3445.	117-1	Antigenic Index	169-176
3446.	117-1	Antigenic Index	180-187
3447.	117-1	Antigenic Index	198-215
3448.	117-1	Antigenic Index	227-229
3449.	117-1	Hydrophilicity	5-14
3450.	117-1	Hydrophilicity	37-51
3451.	117-1	Hydrophilicity	58-68
3452.	117-1	Hydrophilicity	70-76
3453.	117-1	Hydrophilicity	82-84
3454.	117-1	Hydrophilicity	92-94
3455.	117-1	Hydrophilicity	96-98
3456.	117-1	Hydrophilicity	114-119
3457.	117-1	Hydrophilicity	123-125

3458.	117-1	Hydrophilicity	139-155
3459.	117-1	Hydrophilicity	161-165
3460.	117-1	Hydrophilicity	171-174
3461.	117-1	Hydrophilicity	181-186
3462.	117-1	Hydrophilicity	198-205
3463.	117-1	Hydrophilicity	211-215
3464.	119-1	AMPHI	10-12
3465.	119-1	AMPHI	25-33
3466.	119-1	AMPHI	48-51
3467.	119-1	AMPHI	68-73
3468.	119-1	AMPHI	79-84
3469.	119-1	AMPHI	120-127
3470.	119-1	AMPHI	132-141
3471.	119-1	AMPHI	146-150
3472.	119-1	AMPHI	154-160
3473.	119-1	AMPHI	173-176
3474.	119-1	AMPHI	180-192
3475.	119-1	AMPHI	210-213
3476.	119-1	AMPHI	215-217
3477.	119-1	AMPHI	237-255
3478.	119-1	AMPHI	261-279
3479.	119-1	AMPHI	289-292
3480.	119-1	AMPHI	349-357
3481.	119-1	AMPHI	363-371
3482.	119-1	AMPHI	388-400
3483.	119-1	Antigenic Index	20-57
3484.	119-1	Antigenic Index	60-87
3485.	119-1	Antigenic Index	91-114
3486.	119-1	Antigenic Index	121-151
3487.	119-1	Antigenic Index	156-161
3488.	119-1	Antigenic Index	179-186
3489.	119-1	Antigenic Index	188-196
3490.	119-1	Antigenic Index	202-208
3491.	119-1	Antigenic Index	212-214
3492.	119-1	Antigenic Index	229-241
3493.	119-1	Antigenic Index	244-247
3494.	119-1	Antigenic Index	252-255
3495.	119-1	Antigenic Index	278-281
3496.	119-1	Antigenic Index	290-292
3497.	119-1	Antigenic Index	296-300
3498.	119-1	Antigenic Index	309-314
3499.	119-1	Antigenic Index	318-324
3500.	119-1	Antigenic Index	331-337
3501.	119-1	Antigenic Index	341-348

3502.	119-1	Antigenic Index	356-366
3503.	119-1	Antigenic Index	379-378
3504.	119-1	Antigenic Index	385-393
3505.	119-1	Antigenic Index	398-401
3506.	119-1	Antigenic Index	407-412
3507.	119-1	Antigenic Index	415-423
3508.	119-1	Hydrophilicity	23-42
3509.	119-1	Hydrophilicity	45-56
3510.	119-1	Hydrophilicity	63-79
3511.	119-1	Hydrophilicity	81-87
3512.	119-1	Hydrophilicity	91-97
3513.	119-1	Hydrophilicity	99-113
3514.	119-1	Hydrophilicity	121-127
3515.	119-1	Hydrophilicity	130-143
3516.	119-1	Hydrophilicity	147-149
3517.	119-1	Hydrophilicity	156-161
3518.	119-1	Hydrophilicity	179-186
3519.	119-1	Hydrophilicity	190-195
3520.	119-1	Hydrophilicity	202-208
3521.	119-1	Hydrophilicity	232-241
3522.	119-1	Hydrophilicity	244-247
3523.	119-1	Hydrophilicity	278-281
3524.	119-1	Hydrophilicity	296-300
3525.	119-1	Hydrophilicity	309-314
3526.	119-1	Hydrophilicity	320-322
3527.	119-1	Hydrophilicity	359-366
3528.	119-1	Hydrophilicity	385-393
3529.	119-1	Hydrophilicity	398-401
3530.	119-1	Hydrophilicity	407-412
3531.	119-1	Hydrophilicity	418-423
3532.	120-1	AMPHI	6-11
3533.	120-1	AMPHI	49-60
3534.	120-1	AMPHI	77-89
3535.	120-1	AMPHI	118-121
3536.	120-1	AMPHI	142-158
3537.	120-1	AMPHI	189-196
3538.	120-1	Antigenic Index	3-6
3539.	120-1	Antigenic Index	35-39
3540.	120-1	Antigenic Index	45-54
3541.	120-1	Antigenic Index	68-75
3542.	120-1	Antigenic Index	80-83
3543.	120-1	Antigenic Index	85-95
3544.	120-1	Antigenic Index	97-119
3545.	120-1	Antigenic Index	131-150

3546.	120-1	Antigenic Index	153-183
3547.	120-1	Antigenic Index	189-192
3548.	120-1	Antigenic Index	199-207
3549.	120-1	Antigenic Index	210-213
3550.	120-1	Antigenic Index	218-223
3551.	120-1	Hydrophilicity	3-5
3552.	120-1	Hydrophilicity	45-51
3553.	120-1	Hydrophilicity	68-70
3554.	120-1	Hydrophilicity	85-94
3555.	120-1	Hydrophilicity	97-100
3556.	120-1	Hydrophilicity	107-119
3557.	120-1	Hydrophilicity	131-136
3558.	120-1	Hydrophilicity	143-149
3559.	120-1	Hydrophilicity	155-160
3560.	120-1	Hydrophilicity	167-182
3561.	120-1	Hydrophilicity	200-207
3562.	120-1	Hydrophilicity	210-213
3563.	120-1	Hydrophilicity	219-223
3564.	121-1	AMPHI	11-14
3565.	121-1	AMPHI	31-34
3566.	121-1	AMPHI	36-40
3567.	121-1	AMPHI	42-54
3568.	121-1	AMPHI	89-103
3569.	121-1	AMPHI	114-117
3570.	121-1	AMPHI	119-121
3571.	121-1	AMPHI	123-127
3572.	121-1	AMPHI	134-147
3573.	121-1	AMPHI	154-164
3574.	121-1	AMPHI	188-211
3575.	121-1	AMPHI	243-261
3576.	121-1	AMPHI	263-285
3577.	121-1	AMPHI	287-291
3578.	121-1	AMPHI	314-330
3579.	121-1	Antigenic Index	1-10
3580.	121-1	Antigenic Index	31-33
3581.	121-1	Antigenic Index	53-63
3582.	121-1	Antigenic Index	95-97
3583.	121-1	Antigenic Index	115-118
3584.	121-1	Antigenic Index	120-124
3585.	121-1	Antigenic Index	134-141
3586.	121-1	Antigenic Index	150-156
3587.	121-1	Antigenic Index	179-184
3588.	121-1	Antigenic Index	187-189
3589.	121-1	Antigenic Index	191-193

-122-

3590.	121-1	Antigenic Index	198-204
3591.	121-1	Antigenic Index	234-236
3592.	121-1	Antigenic Index	271-273
3593.	121-1	Antigenic Index	297-306
3594.	121-1	Antigenic Index	342-344
3595.	121-1	Antigenic Index	352-356
3596.	121-1	Hydrophilicity	1-9
3597.	121-1	Hydrophilicity	56-63
3598.	121-1	Hydrophilicity	120-124
3599.	121-1	Hydrophilicity	136-138
3600.	121-1	Hydrophilicity	152-154
3601.	121-1	Hydrophilicity	187-189
3602.	121-1	Hydrophilicity	191-193
3603.	121-1	Hydrophilicity	298-304
3604.	121-1	Hydrophilicity	342-344
3605.	121-1	Hydrophilicity	353-356
3606.	122-1	AMPHI	29-34
3607.	122-1	AMPHI	71-77
3608.	122-1	AMPHI	82-86
3609.	122-1	AMPHI	94-102
3610.	122-1	AMPHI	108-116
3611.	122-1	AMPHI	128-132
3612.	122-1	AMPHI	136-144
3613.	122-1	AMPHI	158-162
3614.	122-1	AMPHI	169-172
3615.	122-1	AMPHI	177-199
3616.	122-1	AMPHI	202-208
3617.	122-1	AMPHI	234-245
3618.	122-1	Antigenic Index	5-13
3619.	122-1	Antigenic Index	28-34
3620.	122-1	Antigenic Index	46-50
3621.	122-1	Antigenic Index	59-61
3622.	122-1	Antigenic Index	69-77
3623.	122-1	Antigenic Index	85-94
3624.	122-1	Antigenic Index	96-102
3625.	122-1	Antigenic Index	107-111
3626.	122-1	Antigenic Index	122-126
3627.	122-1	Antigenic Index	134-137
3628.	122-1	Antigenic Index	140-147
3629.	122-1	Antigenic Index	150-162
3630.	122-1	Antigenic Index	167-177
3631.	122-1	Antigenic Index	184-187
3632.	122-1	Antigenic Index	190-192
3633.	122-1	Antigenic Index	198-210

3634.	122-1	Antigenic Index	216-218
3635.	122-1	Antigenic Index	224-232
3636.	122-1	Antigenic Index	246-256
3637.	122-1	Hydrophilicity	10-13
3638.	122-1	Hydrophilicity	28-34
3639.	122-1	Hydrophilicity	88-94
3640.	122-1	Hydrophilicity	99-102
3641.	122-1	Hydrophilicity	122-126
3642.	122-1	Hydrophilicity	140-146
3643.	122-1	Hydrophilicity	153-162
3644.	122-1	Hydrophilicity	167-177
3645.	122-1	Hydrophilicity	190-192
3646.	122-1	Hydrophilicity	198-206
3647.	122-1	Hydrophilicity	208-210
3648.	122-1	Hydrophilicity	226-228
3649.	122-1	Hydrophilicity	246-254
3650.	125-1	AMPHI	8-10
3651.	125-1	AMPHI	29-34
3652.	125-1	AMPHI	39-45
3653.	125-1	AMPHI	62-65
3654.	125-1	AMPHI	89-100
3655.	125-1	AMPHI	109-115
3656.	125-1	AMPHI	145-152
3657.	125-1	AMPHI	175-182
3658.	125-1	AMPHI	191-196
3659.	125-1	AMPHI	205-218
3660.	125-1	AMPHI	224-229
3661.	125-1	AMPHI	262-277
3662.	125-1	AMPHI	286-290
3663.	125-1	AMPHI	300-306
3664.	125-1	AMPHI	325-332
3665.	125-1	Antigenic Index	1-11
3666.	125-1	Antigenic Index	37-39
3667.	125-1	Antigenic Index	66-85
3668.	125-1	Antigenic Index	118-122
3669.	125-1	Antigenic Index	141-148
3670.	125-1	Antigenic Index	171-173
3671.	125-1	Antigenic Index	177-183
3672.	125-1	Antigenic Index	204-213
3673.	125-1	Antigenic Index	242-247
3674.	125-1	Antigenic Index	281-285
3675.	125-1	Antigenic Index	288-291
3676.	125-1	Antigenic Index	312-314
3677.	125-1	Antigenic Index	338-347

3678.	125-1	Antigenic Index	368-373
3679.	125-1	Antigenic Index	395-407
3680.	125-1	Hydrophilicity	5-10
3681.	125-1	Hydrophilicity	67-76
3682.	125-1	Hydrophilicity	78-84
3683.	125-1	Hydrophilicity	142-147
3684.	125-1	Hydrophilicity	177-180
3685.	125-1	Hydrophilicity	204-213
3686.	125-1	Hydrophilicity	242-247
3687.	125-1	Hydrophilicity	288-291
3688.	125-1	Hydrophilicity	338-347
3689.	125-1	Hydrophilicity	398-407
3690.	126-1	AMPHI	10-12
3691.	126-1	AMPHI	34-38
3692.	126-1	AMPHI	52-64
3693.	126-1	AMPHI	72-74
3694.	126-1	AMPHI	104-112
3695.	126-1	AMPHI	138-140
3696.	126-1	AMPHI	157-168
3697.	126-1	AMPHI	180-182
3698.	126-1	AMPHI	201-214
3699.	126-1	AMPHI	228-235
3700.	126-1	AMPHI	264-266
3701.	126-1	AMPHI	271-283
3702.	126-1	AMPHI	287-290
3703.	126-1	AMPHI	293-295
3704.	126-1	AMPHI	312-317
3705.	126-1	AMPHI	319-321
3706.	126-1	Antigenic Index	8-14
3707.	126-1	Antigenic Index	22-25
3708.	126-1	Antigenic Index	29-39
3709.	126-1	Antigenic Index	54-92
3710.	126-1	Antigenic Index	96-155
3711.	126-1	Antigenic Index	162-169
3712.	126-1	Antigenic Index	175-182
3713.	126-1	Antigenic Index	190-219
3714.	126-1	Antigenic Index	226-239
3715.	126-1	Antigenic Index	244-249
3716.	126-1	Antigenic Index	256-272
3717.	126-1	Antigenic Index	283-287
3718.	126-1	Antigenic Index	295-318
3719.	126-1	Antigenic Index	325-327
3720.	126-1	Antigenic Index	346-358
3721.	126-1	Antigenic Index	362-366

3722.	126-1	Hydrophilicity	31-39
3723.	126-1	Hydrophilicity	54-67
3724.	126-1	Hydrophilicity	76-80
3725.	126-1	Hydrophilicity	87-90
3726.	126-1	Hydrophilicity	97-103
3727.	126-1	Hydrophilicity	105-135
3728.	126-1	Hydrophilicity	138-140
3729.	126-1	Hydrophilicity	149-155
3730.	126-1	Hydrophilicity	162-168
3731.	126-1	Hydrophilicity	177-179
3732.	126-1	Hydrophilicity	193-196
3733.	126-1	Hydrophilicity	205-210
3734.	126-1	Hydrophilicity	212-219
3735.	126-1	Hydrophilicity	230-233
3736.	126-1	Hydrophilicity	245-249
3737.	126-1	Hydrophilicity	257-264
3738.	126-1	Hydrophilicity	266-268
3739.	126-1	Hydrophilicity	270-272
3740.	126-1	Hydrophilicity	304-318
3741.	126-1	Hydrophilicity	346-358
3742.	126-1	Hydrophilicity	363-366
3743.	127-1	AMPHI	9-16
3744.	127-1	AMPHI	21-25
3745.	127-1	AMPHI	85-90
3746.	127-1	AMPHI	128-138
3747.	127-1	Antigenic Index	1-8
3748.	127-1	Antigenic Index	28-41
3749.	127-1	Antigenic Index	57-81
3750.	127-1	Antigenic Index	91-98
3751.	127-1	Antigenic Index	103-111
3752.	127-1	Antigenic Index	115-118
3753.	127-1	Antigenic Index	123-149
3754.	127-1	Hydrophilicity	1-6
3755.	127-1	Hydrophilicity	32-41
3756.	127-1	Hydrophilicity	61-67
3757.	127-1	Hydrophilicity	74-81
3758.	127-1	Hydrophilicity	91-95
3759.	127-1	Hydrophilicity	103-111
3760.	127-1	Hydrophilicity	115-117
3761.	127-1	Hydrophilicity	124-134
3762.	127-1	Hydrophilicity	139-149
3763.	128-1	AMPHI	13-18
3764.	128-1	AMPHI	53-56
3765.	128-1	AMPHI	68-79

3766.	128-1	AMPHI	81-86
3767.	128-1	AMPHI	97-107
3768.	128-1	AMPHI	162-170
3769.	128-1	AMPHI	187-196
3770.	128-1	AMPHI	204-208
3771.	128-1	AMPHI	210-213
3772.	128-1	AMPHI	241-246
3773.	128-1	AMPHI	283-285
3774.	128-1	AMPHI	327-333
3775.	128-1	AMPHI	335-338
3776.	128-1	AMPHI	385-387
3777.	128-1	AMPHI	389-392
3778.	128-1	AMPHI	403-405
3779.	128-1	AMPHI	412-422
3780.	128-1	AMPHI	454-460
3781.	128-1	AMPHI	470-472
3782.	128-1	AMPHI	496-512
3783.	128-1	AMPHI	529-551
3784.	128-1	AMPHI	556-566
3785.	128-1	AMPHI	580-585
3786.	128-1	AMPHI	596-599
3787.	128-1	AMPHI	606-621
3788.	128-1	Antigenic Index	4-14
3789.	128-1	Antigenic Index	27-34
3790.	128-1	Antigenic Index	57-75
3791.	128-1	Antigenic Index	98-107
3792.	128-1	Antigenic Index	128-133
3793.	128-1	Antigenic Index	142-144
3794.	128-1	Antigenic Index	157-166
3795.	128-1	Antigenic Index	184-187
3796.	128-1	Antigenic Index	194-198
3797.	128-1	Antigenic Index	221-235
3798.	128-1	Antigenic Index	252-258
3799.	128-1	Antigenic Index	277-280
3800.	128-1	Antigenic Index	315-322
3801.	128-1	Antigenic Index	347-356
3802.	128-1	Antigenic Index	380-393
3803.	128-1	Antigenic Index	410-414
3804.	128-1	Antigenic Index	423-430
3805.	128-1	Antigenic Index	433-440
3806.	128-1	Antigenic Index	444-465
3807.	128-1	Antigenic Index	475-487
3808.	128-1	Antigenic Index	497-508
3809.	128-1	Antigenic Index	517-535

3810.	128-1	Antigenic Index	538-541
3811.	128-1	Antigenic Index	547-555
3812.	128-1	Antigenic Index	559-564
3813.	128-1	Antigenic Index	572-580
3814.	128-1	Antigenic Index	582-584
3815.	128-1	Antigenic Index	587-594
3816.	128-1	Antigenic Index	605-620
3817.	128-1	Hydrophilicity	4-14
3818.	128-1	Hydrophilicity	67-74
3819.	128-1	Hydrophilicity	99-107
3820.	128-1	Hydrophilicity	128-133
3821.	128-1	Hydrophilicity	159-166
3822.	128-1	Hydrophilicity	222-235
3823.	128-1	Hydrophilicity	253-255
3824.	128-1	Hydrophilicity	317-322
3825.	128-1	Hydrophilicity	347-356
3826.	128-1	Hydrophilicity	381-388
3827.	128-1	Hydrophilicity	410-414
3828.	128-1	Hydrophilicity	423-430
3829.	128-1	Hydrophilicity	433-439
3830.	128-1	Hydrophilicity	444-450
3831.	128-1	Hydrophilicity	452-465
3832.	128-1	Hydrophilicity	476-479
3833.	128-1	Hydrophilicity	483-487
3834.	128-1	Hydrophilicity	497-508
3835.	128-1	Hydrophilicity	520-535
3836.	128-1	Hydrophilicity	548-553
3837.	128-1	Hydrophilicity	559-564
3838.	128-1	Hydrophilicity	572-576
3839.	128-1	Hydrophilicity	578-580
3840.	128-1	Hydrophilicity	590-593
3841.	128-1	Hydrophilicity	605-614
3842.	129-1	AMPHI	38-49
3843.	129-1	AMPHI	52-55
3844.	129-1	AMPHI	132-137
3845.	129-1	AMPHI	150-154
3846.	129-1	AMPHI	157-160
3847.	129-1	AMPHI	170-183
3848.	129-1	AMPHI	194-201
3849.	129-1	AMPHI	221-223
3850.	129-1	AMPHI	230-234
3851.	129-1	Antigenic Index	3-5
3852.	129-1	Antigenic Index	49-53
3853.	129-1	Antigenic Index	95-99

3854.	129-1	Antigenic Index	102-106
3855.	129-1	Antigenic Index	108-116
3856.	129-1	Antigenic Index	127-130
3857.	129-1	Antigenic Index	140-152
3858.	129-1	Antigenic Index	170-176
3859.	129-1	Antigenic Index	186-191
3860.	129-1	Antigenic Index	207-210
3861.	129-1	Antigenic Index	212-217
3862.	129-1	Antigenic Index	238-248
3863.	129-1	Hydrophilicity	3-5
3864.	129-1	Hydrophilicity	49-53
3865.	129-1	Hydrophilicity	108-110
3866.	129-1	Hydrophilicity	112-114
3867.	129-1	Hydrophilicity	142-152
3868.	129-1	Hydrophilicity	170-175
3869.	129-1	Hydrophilicity	186-190
3870.	129-1	Hydrophilicity	212-215
3871.	129-1	Hydrophilicity	238-248
3872.	130-1	AMPHI	12-17
3873.	130-1	AMPHI	42-45
3874.	130-1	AMPHI	58-68
3875.	130-1	AMPHI	121-127
3876.	130-1	AMPHI	164-169
3877.	130-1	AMPHI	204-206
3878.	130-1	AMPHI	218-224
3879.	130-1	AMPHI	230-232
3880.	130-1	AMPHI	236-238
3881.	130-1	AMPHI	240-243
3882.	130-1	AMPHI	252-262
3883.	130-1	AMPHI	267-276
3884.	130-1	AMPHI	286-288
3885.	130-1	AMPHI	292-300
3886.	130-1	Antigenic Index	22-24
3887.	130-1	Antigenic Index	56-62
3888.	130-1	Antigenic Index	81-84
3889.	130-1	Antigenic Index	105-112
3890.	130-1	Antigenic Index	163-174
3891.	130-1	Antigenic Index	218-224
3892.	130-1	Antigenic Index	226-229
3893.	130-1	Antigenic Index	287-300
3894.	130-1	Antigenic Index	319-321
3895.	130-1	Antigenic Index	351-357
3896.	130-1	Hydrophilicity	108-111
3897.	130-1	Hydrophilicity	163-172

3898.	130-1	Hydrophilicity	218-224
3899.	130-1	Hydrophilicity	226-229
3900.	130-1	Hydrophilicity	351-357
3901.	131-1	AMPHI	7-17
3902.	131-1	AMPHI	23-45
3903.	131-1	AMPHI	56-58
3904.	131-1	AMPHI	69-73
3905.	131-1	AMPHI	77-79
3906.	131-1	AMPHI	86-92
3907.	131-1	AMPHI	106-112
3908.	131-1	AMPHI	118-121
3909.	131-1	Antigenic Index	1-5
3910.	131-1	Antigenic Index	29-44
3911.	131-1	Antigenic Index	49-83
3912.	131-1	Antigenic Index	88-107
3913.	131-1	Antigenic Index	110-135
3914.	131-1	Hydrophilicity	1-5
3915.	131-1	Hydrophilicity	37-44
3916.	131-1	Hydrophilicity	51-57
3917.	131-1	Hydrophilicity	59-65
3918.	131-1	Hydrophilicity	67-81
3919.	131-1	Hydrophilicity	88-95
3920.	131-1	Hydrophilicity	99-107
3921.	131-1	Hydrophilicity	117-135
3922.	132-1	AMPHI	10-20
3923.	132-1	AMPHI	49-59
3924.	132-1	AMPHI	72-82
3925.	132-1	AMPHI	91-93
3926.	132-1	AMPHI	138-144
3927.	132-1	AMPHI	151-155
3928.	132-1	AMPHI	203-210
3929.	132-1	AMPHI	214-220
3930.	132-1	AMPHI	236-244
3931.	132-1	AMPHI	248-252
3932.	132-1	AMPHI	291-297
3933.	132-1	AMPHI	311-322
3934.	132-1	AMPHI	335-344
3935.	132-1	AMPHI	361-366
3936.	132-1	AMPHI	406-411
3937.	132-1	AMPHI	417-428
3938.	132-1	AMPHI	430-432
3939.	132-1	Antigenic Index	8-11
3940.	132-1	Antigenic Index	20-26
3941.	132-1	Antigenic Index	28-39

3942.	132-1	Antigenic Index	57-64
3943.	132-1	Antigenic Index	72-79
3944.	132-1	Antigenic Index	93-97
3945.	132-1	Antigenic Index	111-119
3946.	132-1	Antigenic Index	140-146
3947.	132-1	Antigenic Index	149-164
3948.	132-1	Antigenic Index	169-174
3949.	132-1	Antigenic Index	177-193
3950.	132-1	Antigenic Index	197-201
3951.	132-1	Antigenic Index	221-226
3952.	132-1	Antigenic Index	231-245
3953.	132-1	Antigenic Index	248-257
3954.	132-1	Antigenic Index	261-269
3955.	132-1	Antigenic Index	273-283
3956.	132-1	Antigenic Index	287-293
3957.	132-1	Antigenic Index	319-333
3958.	132-1	Antigenic Index	337-341
3959.	132-1	Antigenic Index	343-346
3960.	132-1	Antigenic Index	353-362
3961.	132-1	Antigenic Index	367-381
3962.	132-1	Antigenic Index	386-392
3963.	132-1	Antigenic Index	396-400
3964.	132-1	Antigenic Index	411-423
3965.	132-1	Antigenic Index	428-436
3966.	132-1	Antigenic Index	442-445
3967.	132-1	Antigenic Index	452-458
3968.	132-1	Hydrophilicity	20-26
3969.	132-1	Hydrophilicity	29-35
3970.	132-1	Hydrophilicity	57-64
3971.	132-1	Hydrophilicity	72-79
3972.	132-1	Hydrophilicity	113-119
3973.	132-1	Hydrophilicity	151-161
3974.	132-1	Hydrophilicity	169-174
3975.	132-1	Hydrophilicity	177-183
3976.	132-1	Hydrophilicity	188-191
3977.	132-1	Hydrophilicity	197-201
3978.	132-1	Hydrophilicity	232-237
3979.	132-1	Hydrophilicity	239-242
3980.	132-1	Hydrophilicity	250-254
3981.	132-1	Hydrophilicity	262-265
3982.	132-1	Hydrophilicity	267-269
3983.	132-1	Hydrophilicity	273-283
3984.	132-1	Hydrophilicity	287-291
3985.	132-1	Hydrophilicity	319-331

-131-

3986.	132-1	Hydrophilicity	354-360
3987.	132-1	Hydrophilicity	367-373
3988.	132-1	Hydrophilicity	386-392
3989.	132-1	Hydrophilicity	416-422
3990.	132-1	Hydrophilicity	428-436
3991.	132-1	Hydrophilicity	452-458
3992.	133-1	AMPHI	6-9
3993.	133-1	AMPHI	39-53
3994.	133-1	AMPHI	75-90
3995.	133-1	AMPHI	97-102
3996.	133-1	AMPHI	111-117
3997.	133-1	AMPHI	126-137
3998.	133-1	AMPHI	155-158
3999.	133-1	AMPHI	161-164
4000.	133-1	AMPHI	180-183
4001.	133-1	AMPHI	207-216
4002.	133-1	AMPHI	241-246
4003.	133-1	AMPHI	256-274
4004.	133-1	AMPHI	293-299
4005.	133-1	AMPHI	309-316
4006.	133-1	AMPHI	359-398
4007.	133-1	AMPHI	437-443
4008.	133-1	AMPHI	460-463
4009.	133-1	AMPHI	473-475
4010.	133-1	AMPHI	505-509
4011.	133-1	AMPHI	523-525
4012.	133-1	AMPHI	527-532
4013.	133-1	AMPHI	535-538
4014.	133-1	AMPHI	549-555
4015.	133-1	AMPHI	561-569
4016.	133-1	AMPHI	574-582
4017.	133-1	AMPHI	589-592
4018.	133-1	AMPHI	623-637
4019.	133-1	AMPHI	644-647
4020.	133-1	AMPHI	659-664
4021.	133-1	AMPHI	677-685
4022.	133-1	AMPHI	691-706
4023.	133-1	AMPHI	708-710
4024.	133-1	AMPHI	715-728
4025.	133-1	AMPHI	747-760
4026.	133-1	AMPHI	765-789
4027.	133-1	AMPHI	797-801
4028.	133-1	AMPHI	814-817
4029.	133-1	AMPHI	821-830

4030.	133-1	AMPHI	836-838
4031.	133-1	AMPHI	868-876
4032.	133-1	Antigenic Index	10-47
4033.	133-1	Antigenic Index	50-52
4034.	133-1	Antigenic Index	55-62
4035.	133-1	Antigenic Index	67-75
4036.	133-1	Antigenic Index	90-104
4037.	133-1	Antigenic Index	106-112
4038.	133-1	Antigenic Index	117-128
4039.	133-1	Antigenic Index	133-138
4040.	133-1	Antigenic Index	141-143
4041.	133-1	Antigenic Index	145-152
4042.	133-1	Antigenic Index	160-170
4043.	133-1	Antigenic Index	178-184
4044.	133-1	Antigenic Index	190-201
4045.	133-1	Antigenic Index	203-209
4046.	133-1	Antigenic Index	212-214
4047.	133-1	Antigenic Index	217-226
4048.	133-1	Antigenic Index	230-282
4049.	133-1	Antigenic Index	286-299
4050.	133-1	Antigenic Index	301-308
4051.	133-1	Antigenic Index	312-333
4052.	133-1	Antigenic Index	343-345
4053.	133-1	Antigenic Index	353-365
4054.	133-1	Antigenic Index	373-400
4055.	133-1	Antigenic Index	409-420
4056.	133-1	Antigenic Index	427-434
4057.	133-1	Antigenic Index	441-454
4058.	133-1	Antigenic Index	459-461
4059.	133-1	Antigenic Index	472-478
4060.	133-1	Antigenic Index	482-484
4061.	133-1	Antigenic Index	491-525
4062.	133-1	Antigenic Index	530-543
4063.	133-1	Antigenic Index	548-553
4064.	133-1	Antigenic Index	557-569
4065.	133-1	Antigenic Index	576-582
4066.	133-1	Antigenic Index	586-595
4067.	133-1	Antigenic Index	598-613
4068.	133-1	Antigenic Index	618-625
4069.	133-1	Antigenic Index	636-644
4070.	133-1	Antigenic Index	655-670
4071.	133-1	Antigenic Index	672-676
4072.	133-1	Antigenic Index	686-716
4073.	133-1	Antigenic Index	723-743

4074.	133-1	Antigenic Index	750-790
4075.	133-1	Antigenic Index	800-808
4076.	133-1	Antigenic Index	812-834
4077.	133-1	Antigenic Index	839-870
4078.	133-1	Antigenic Index	874-879
4079.	133-1	Antigenic Index	885-888
4080.	133-1	Hydrophilicity	10-47
4081.	133-1	Hydrophilicity	55-62
4082.	133-1	Hydrophilicity	68-74
4083.	133-1	Hydrophilicity	93-100
4084.	133-1	Hydrophilicity	117-120
4085.	133-1	Hydrophilicity	141-143
4086.	133-1	Hydrophilicity	145-148
4087.	133-1	Hydrophilicity	164-170
4088.	133-1	Hydrophilicity	178-181
4089.	133-1	Hydrophilicity	192-197
4090.	133-1	Hydrophilicity	217-226
4091.	133-1	Hydrophilicity	230-232
4092.	133-1	Hydrophilicity	234-251
4093.	133-1	Hydrophilicity	262-278
4094.	133-1	Hydrophilicity	288-296
4095.	133-1	Hydrophilicity	303-305
4096.	133-1	Hydrophilicity	314-321
4097.	133-1	Hydrophilicity	323-330
4098.	133-1	Hydrophilicity	354-365
4099.	133-1	Hydrophilicity	373-377
4100.	133-1	Hydrophilicity	382-385
4101.	133-1	Hydrophilicity	393-400
4102.	133-1	Hydrophilicity	412-420
4103.	133-1	Hydrophilicity	428-433
4104.	133-1	Hydrophilicity	442-449
4105.	133-1	Hydrophilicity	472-478
4106.	133-1	Hydrophilicity	500-522
4107.	133-1	Hydrophilicity	530-541
4108.	133-1	Hydrophilicity	562-565
4109.	133-1	Hydrophilicity	586-592
4110.	133-1	Hydrophilicity	600-602
4111.	133-1	Hydrophilicity	604-613
4112.	133-1	Hydrophilicity	618-624
4113.	133-1	Hydrophilicity	657-668
4114.	133-1	Hydrophilicity	689-692
4115.	133-1	Hydrophilicity	695-713
4116.	133-1	Hydrophilicity	723-733
4117.	133-1	Hydrophilicity	754-765

4118.	133-1	Hydrophilicity	777-790
4119.	133-1	Hydrophilicity	802-808
4120.	133-1	Hydrophilicity	812-814
4121.	133-1	Hydrophilicity	816-824
4122.	133-1	Hydrophilicity	826-834
4123.	133-1	Hydrophilicity	841-859
4124.	133-1	Hydrophilicity	862-867
4125.	133-1	Hydrophilicity	875-879
4126.	134-1	AMPHI	12-19
4127.	134-1	AMPHI	21-33
4128.	134-1	AMPHI	37-48
4129.	134-1	AMPHI	109-112
4130.	134-1	AMPHI	196-205
4131.	134-1	AMPHI	227-235
4132.	134-1	AMPHI	248-259
4133.	134-1	AMPHI	262-264
4134.	134-1	AMPHI	268-271
4135.	134-1	AMPHI	335-337
4136.	134-1	AMPHI	339-344
4137.	134-1	AMPHI	351-357
4138.	134-1	Antigenic Index	9-13
4139.	134-1	Antigenic Index	34-47
4140.	134-1	Antigenic Index	49-51
4141.	134-1	Antigenic Index	57-70
4142.	134-1	Antigenic Index	73-85
4143.	134-1	Antigenic Index	91-97
4144.	134-1	Antigenic Index	99-107
4145.	134-1	Antigenic Index	118-141
4146.	134-1	Antigenic Index	147-161
4147.	134-1	Antigenic Index	165-172
4148.	134-1	Antigenic Index	177-188
4149.	134-1	Antigenic Index	194-197
4150.	134-1	Antigenic Index	204-212
4151.	134-1	Antigenic Index	214-231
4152.	134-1	Antigenic Index	233-240
4153.	134-1	Antigenic Index	243-261
4154.	134-1	Antigenic Index	288-297
4155.	134-1	Antigenic Index	301-308
4156.	134-1	Antigenic Index	345-349
4157.	134-1	Antigenic Index	372-378
4158.	134-1	Antigenic Index	385-388
4159.	134-1	Hydrophilicity	9-13
4160.	134-1	Hydrophilicity	36-46
4161.	134-1	Hydrophilicity	60-70

4162.	134-1	Hydrophilicity	73-81
4163.	134-1	Hydrophilicity	102-106
4164.	134-1	Hydrophilicity	121-127
4165.	134-1	Hydrophilicity	129-141
4166.	134-1	Hydrophilicity	147-161
4167.	134-1	Hydrophilicity	165-171
4168.	134-1	Hydrophilicity	177-185
4169.	134-1	Hydrophilicity	204-209
4170.	134-1	Hydrophilicity	214-224
4171.	134-1	Hydrophilicity	223-231
4172.	134-1	Hydrophilicity	233-240
4173.	134-1	Hydrophilicity	246-254
4174.	134-1	Hydrophilicity	257-259
4175.	134-1	Hydrophilicity	288-297
4176.	134-1	Hydrophilicity	301-308
4177.	134-1	Hydrophilicity	345-347
4178.	134-1	Hydrophilicity	374-378
4179.	134-1	Hydrophilicity	385-388
4180.	135-1	AMPHI	20-25
4181.	135-1	AMPHI	27-31
4182.	135-1	AMPHI	47-49
4183.	135-1	AMPHI	72-76
4184.	135-1	AMPHI	152-165
4185.	135-1	AMPHI	167-169
4186.	135-1	AMPHI	196-214
4187.	135-1	AMPHI	218-220
4188.	135-1	AMPHI	229-236
4189.	135-1	AMPHI	249-254
4190.	135-1	AMPHI	268-271
4191.	135-1	AMPHI	280-285
4192.	135-1	Antigenic Index	1-9
4193.	135-1	Antigenic Index	28-33
4194.	135-1	Antigenic Index	38-41
4195.	135-1	Antigenic Index	59-79
4196.	135-1	Antigenic Index	118-123
4197.	135-1	Antigenic Index	143-151
4198.	135-1	Antigenic Index	169-182
4199.	135-1	Antigenic Index	209-211
4200.	135-1	Antigenic Index	231-240
4201.	135-1	Antigenic Index	284-293
4202.	135-1	Antigenic Index	297-300
4203.	135-1	Hydrophilicity	1-9
4204.	135-1	Hydrophilicity	28-33
4205.	135-1	Hydrophilicity	59-66

-136-

4206.	135-1	Hydrophilicity	73-75
4207.	135-1	Hydrophilicity	118-123
4208.	135-1	Hydrophilicity	145-151
4209.	135-1	Hydrophilicity	169-175
4210.	135-1	Hydrophilicity	231-240
4211.	135-1	Hydrophilicity	287-293
4212.	135-1	Hydrophilicity	297-300
4213.	136-1	AMPHI	15-30
4214.	136-1	AMPHI	35-43
4215.	136-1	AMPHI	52-60
4216.	136-1	AMPHI	63-65
4217.	136-1	AMPHI	70-76
4218.	136-1	AMPHI	95-102
4219.	136-1	AMPHI	106-119
4220.	136-1	AMPHI	135-144
4221.	136-1	AMPHI	157-160
4222.	136-1	AMPHI	168-192
4223.	136-1	AMPHI	214-218
4224.	136-1	Antigenic Index	1-6
4225.	136-1	Antigenic Index	56-63
4226.	136-1	Antigenic Index	98-103
4227.	136-1	Antigenic Index	126-129
4228.	136-1	Antigenic Index	147-162
4229.	136-1	Antigenic Index	166-171
4230.	136-1	Antigenic Index	197-201
4231.	136-1	Antigenic Index	203-210
4232.	136-1	Antigenic Index	222-235
4233.	136-1	Hydrophilicity	1-6
4234.	136-1	Hydrophilicity	56-60
4235.	136-1	Hydrophilicity	98-103
4236.	136-1	Hydrophilicity	126-129
4237.	136-1	Hydrophilicity	147-159
4238.	136-1	Hydrophilicity	166-171
4239.	136-1	Hydrophilicity	205-209
4240.	136-1	Hydrophilicity	223-235
4241.	137-1	AMPHI	6-13
4242.	137-1	AMPHI	21-25
4243.	137-1	AMPHI	29-38
4244.	137-1	AMPHI	40-45
4245.	137-1	AMPHI	54-58
4246.	137-1	AMPHI	60-69
4247.	137-1	AMPHI	78-80
4248.	137-1	AMPHI	82-85
4249.	137-1	AMPHI	87-91

-137-

4250.	137-1	AMPHI	123-132
4251.	137-1	AMPHI	141-143
4252.	137-1	AMPHI	155-160
4253.	137-1	AMPHI	166-183
4254.	137-1	AMPHI	194-196
4255.	137-1	AMPHI	199-201
4256.	137-1	AMPHI	221-238
4257.	137-1	AMPHI	241-243
4258.	137-1	AMPHI	264-269
4259.	137-1	AMPHI	283-286
4260.	137-1	Antigenic Index	8-12
4261.	137-1	Antigenic Index	27-42
4262.	137-1	Antigenic Index	51-58
4263.	137-1	Antigenic Index	66-73
4264.	137-1	Antigenic Index	80-82
4265.	137-1	Antigenic Index	91-112
4266.	137-1	Antigenic Index	122-141
4267.	137-1	Antigenic Index	152-158
4268.	137-1	Antigenic Index	164-172
4269.	137-1	Antigenic Index	190-200
4270.	137-1	Antigenic Index	204-212
4271.	137-1	Antigenic Index	218-227
4272.	137-1	Antigenic Index	249-252
4273.	137-1	Antigenic Index	255-257
4274.	137-1	Antigenic Index	268-285
4275.	137-1	Antigenic Index	287-296
4276.	137-1	Hydrophilicity	8-12
4277.	137-1	Hydrophilicity	31-41
4278.	137-1	Hydrophilicity	53-55
4279.	137-1	Hydrophilicity	66-72
4280.	137-1	Hydrophilicity	94-112
4281.	137-1	Hydrophilicity	122-128
4282.	137-1	Hydrophilicity	131-139
4283.	137-1	Hydrophilicity	152-158
4284.	137-1	Hydrophilicity	169-172
4285.	137-1	Hydrophilicity	204-209
4286.	137-1	Hydrophilicity	218-226
4287.	137-1	Hydrophilicity	250-252
4288.	137-1	Hydrophilicity	255-257
4289.	137-1	Hydrophilicity	270-285
4290.	137-1	Hydrophilicity	287-296
4291.	138-1	AMPHI	20-35
4292.	138-1	AMPHI	37-41
4293.	138-1	AMPHI	75-78

-138-

4294.	138-1	AMPHI	89-116
4295.	138-1	AMPHI	135-138
4296.	138-1	AMPHI	148-165
4297.	138-1	AMPHI	178-189
4298.	138-1	AMPHI	202-204
4299.	138-1	AMPHI	210-219
4300.	138-1	AMPHI	231-234
4301.	138-1	AMPHI	247-249
4302.	138-1	AMPHI	264-266
4303.	138-1	AMPHI	282-285
4304.	138-1	Antigenic Index	10-13
4305.	138-1	Antigenic Index	39-43
4306.	138-1	Antigenic Index	50-57
4307.	138-1	Antigenic Index	64-74
4308.	138-1	Antigenic Index	79-85
4309.	138-1	Antigenic Index	92-100
4310.	138-1	Antigenic Index	114-119
4311.	138-1	Antigenic Index	131-139
4312.	138-1	Antigenic Index	150-163
4313.	138-1	Antigenic Index	165-177
4314.	138-1	Antigenic Index	183-194
4315.	138-1	Antigenic Index	199-211
4316.	138-1	Antigenic Index	219-221
4317.	138-1	Antigenic Index	233-235
4318.	138-1	Antigenic Index	243-250
4319.	138-1	Antigenic Index	258-269
4320.	138-1	Antigenic Index	274-277
4321.	138-1	Antigenic Index	293-298
4322.	138-1	Hydrophilicity	50-57
4323.	138-1	Hydrophilicity	65-73
4324.	138-1	Hydrophilicity	79-85
4325.	138-1	Hydrophilicity	92-100
4326.	138-1	Hydrophilicity	114-119
4327.	138-1	Hydrophilicity	151-163
4328.	138-1	Hydrophilicity	165-175
4329.	138-1	Hydrophilicity	183-192
4330.	138-1	Hydrophilicity	201-209
4331.	138-1	Hydrophilicity	233-235
4332.	138-1	Hydrophilicity	244-247
4333.	138-1	Hydrophilicity	258-269
4334.	138-1	Hydrophilicity	275-277
4335.	138-1	Hydrophilicity	295-297
4336.	139-1	AMPHI	7-14
4337.	139-1	AMPHI	17-23

4338.	139-1	AMPHI	102-108
4339.	139-1	AMPHI	143-151
4340.	139-1	AMPHI	157-172
4341.	139-1	AMPHI	262-270
4342.	139-1	AMPHI	294-297
4343.	139-1	AMPHI	300-309
4344.	139-1	AMPHI	314-318
4345.	139-1	AMPHI	331-337
4346.	139-1	AMPHI	384-389
4347.	139-1	AMPHI	396-402
4348.	139-1	AMPHI	405-408
4349.	139-1	AMPHI	410-413
4350.	139-1	AMPHI	447-452
4351.	139-1	AMPHI	464-471
4352.	139-1	AMPHI	475-480
4353.	139-1	Antigenic Index	1-6
4354.	139-1	Antigenic Index	82-84
4355.	139-1	Antigenic Index	117-124
4356.	139-1	Antigenic Index	157-160
4357.	139-1	Antigenic Index	163-166
4358.	139-1	Antigenic Index	175-177
4359.	139-1	Antigenic Index	181-184
4360.	139-1	Antigenic Index	194-196
4361.	139-1	Antigenic Index	204-210
4362.	139-1	Antigenic Index	252-259
4363.	139-1	Antigenic Index	263-270
4364.	139-1	Antigenic Index	303-305
4365.	139-1	Antigenic Index	309-314
4366.	139-1	Antigenic Index	341-347
4367.	139-1	Antigenic Index	404-410
4368.	139-1	Antigenic Index	416-419
4369.	139-1	Antigenic Index	433-439
4370.	139-1	Antigenic Index	457-463
4371.	139-1	Antigenic Index	473-481
4372.	139-1	Antigenic Index	502-513
4373.	139-1	Hydrophilicity	1-5
4374.	139-1	Hydrophilicity	120-124
4375.	139-1	Hydrophilicity	252-259
4376.	139-1	Hydrophilicity	341-347
4377.	139-1	Hydrophilicity	407-410
4378.	139-1	Hydrophilicity	433-439
4379.	139-1	Hydrophilicity	459-461
4380.	139-1	Hydrophilicity	474-481
4381.	139-1	Hydrophilicity	502-513

-140-

4382.	140-1	AMPHI	6-8
4383.	140-1	AMPHI	11-13
4384.	140-1	AMPHI	36-50
4385.	140-1	AMPHI	62-69
4386.	140-1	AMPHI	73-90
4387.	140-1	AMPHI	92-102
4388.	140-1	AMPHI	155-162
4389.	140-1	AMPHI	186-188
4390.	140-1	AMPHI	192-194
4391.	140-1	AMPHI	205-216
4392.	140-1	AMPHI	221-223
4393.	140-1	AMPHI	230-234
4394.	140-1	AMPHI	286-292
4395.	140-1	AMPHI	306-321
4396.	140-1	AMPHI	330-335
4397.	140-1	AMPHI	342-348
4398.	140-1	AMPHI	428-432
4399.	140-1	AMPHI	434-436
4400.	140-1	Antigenic Index	1-4
4401.	140-1	Antigenic Index	65-68
4402.	140-1	Antigenic Index	86-96
4403.	140-1	Antigenic Index	104-110
4404.	140-1	Antigenic Index	140-148
4405.	140-1	Antigenic Index	169-172
4406.	140-1	Antigenic Index	179-182
4407.	140-1	Antigenic Index	200-203
4408.	140-1	Antigenic Index	208-210
4409.	140-1	Antigenic Index	219-237
4410.	140-1	Antigenic Index	264-272
4411.	140-1	Antigenic Index	297-314
4412.	140-1	Antigenic Index	328-330
4413.	140-1	Antigenic Index	337-341
4414.	140-1	Antigenic Index	344-346
4415.	140-1	Antigenic Index	348-350
4416.	140-1	Antigenic Index	370-373
4417.	140-1	Antigenic Index	409-412
4418.	140-1	Antigenic Index	415-421
4419.	140-1	Hydrophilicity	104-110
4420.	140-1	Hydrophilicity	140-148
4421.	140-1	Hydrophilicity	208-210
4422.	140-1	Hydrophilicity	224-237
4423.	140-1	Hydrophilicity	264-272
4424.	140-1	Hydrophilicity	298-313
4425.	140-1	Hydrophilicity	344-346

4426.	140-1	Hydrophilicity	348-350
4427.	141-1	AMPHI	13-15
4428.	141-1	AMPHI	35-37
4429.	141-1	AMPHI	49-58
4430.	141-1	AMPHI	82-92
4431.	141-1	AMPHI	97-100
4432.	141-1	AMPHI	103-106
4433.	141-1	AMPHI	108-110
4434.	141-1	AMPHI	119-126
4435.	141-1	AMPHI	137-151
4436.	141-1	AMPHI	188-191
4437.	141-1	AMPHI	245-263
4438.	141-1	AMPHI	336-350
4439.	141-1	AMPHI	352-367
4440.	141-1	AMPHI	381-385
4441.	141-1	AMPHI	429-433
4442.	141-1	AMPHI	458-464
4443.	141-1	AMPHI	471-482
4444.	141-1	AMPHI	500-504
4445.	141-1	AMPHI	523-531
4446.	141-1	Antigenic Index	4-18
4447.	141-1	Antigenic Index	31-34
4448.	141-1	Antigenic Index	39-47
4449.	141-1	Antigenic Index	57-59
4450.	141-1	Antigenic Index	69-72
4451.	141-1	Antigenic Index	94-98
4452.	141-1	Antigenic Index	123-129
4453.	141-1	Antigenic Index	165-172
4454.	141-1	Antigenic Index	179-181
4455.	141-1	Antigenic Index	208-216
4456.	141-1	Antigenic Index	239-241
4457.	141-1	Antigenic Index	255-258
4458.	141-1	Antigenic Index	295-301
4459.	141-1	Antigenic Index	319-327
4460.	141-1	Antigenic Index	343-349
4461.	141-1	Antigenic Index	376-379
4462.	141-1	Antigenic Index	383-386
4463.	141-1	Antigenic Index	396-401
4464.	141-1	Antigenic Index	417-427
4465.	141-1	Antigenic Index	452-456
4466.	141-1	Antigenic Index	461-465
4467.	141-1	Antigenic Index	467-480
4468.	141-1	Antigenic Index	485-491
4469.	141-1	Antigenic Index	497-499

4470.	141-1	Antigenic Index	501-510
4471.	141-1	Antigenic Index	518-526
4472.	141-1	Antigenic Index	533-542
4473.	141-1	Antigenic Index	547-551
4474.	141-1	Hydrophilicity	7-17
4475.	141-1	Hydrophilicity	40-46
4476.	141-1	Hydrophilicity	95-98
4477.	141-1	Hydrophilicity	125-127
4478.	141-1	Hydrophilicity	166-172
4479.	141-1	Hydrophilicity	210-212
4480.	141-1	Hydrophilicity	214-216
4481.	141-1	Hydrophilicity	295-297
4482.	141-1	Hydrophilicity	322-325
4483.	141-1	Hydrophilicity	343-349
4484.	141-1	Hydrophilicity	383-386
4485.	141-1	Hydrophilicity	397-400
4486.	141-1	Hydrophilicity	418-427
4487.	141-1	Hydrophilicity	452-456
4488.	141-1	Hydrophilicity	461-465
4489.	141-1	Hydrophilicity	469-480
4490.	141-1	Hydrophilicity	488-490
4491.	141-1	Hydrophilicity	504-510
4492.	141-1	Hydrophilicity	520-523
4493.	141-1	Hydrophilicity	534-542
4494.	141-1	Hydrophilicity	547-551
4495.	142-1	AMPHI	6-8
4496.	142-1	AMPHI	27-31
4497.	142-1	AMPHI	35-43
4498.	142-1	AMPHI	64-66
4499.	142-1	AMPHI	80-93
4500.	142-1	AMPHI	109-112
4501.	142-1	AMPHI	129-131
4502.	142-1	AMPHI	147-151
4503.	142-1	AMPHI	158-160
4504.	142-1	AMPHI	170-172
4505.	142-1	AMPHI	174-188
4506.	142-1	AMPHI	204-206
4507.	142-1	AMPHI	219-224
4508.	142-1	AMPHI	238-241
4509.	142-1	AMPHI	284-286
4510.	142-1	AMPHI	311-314
4511.	142-1	AMPHI	322-324
4512.	142-1	Antigenic Index	1-15
4513.	142-1	Antigenic Index	20-26

4514.	142-1	Antigenic Index	34-57
4515.	142-1	Antigenic Index	66-68
4516.	142-1	Antigenic Index	76-80
4517.	142-1	Antigenic Index	90-105
4518.	142-1	Antigenic Index	109-119
4519.	142-1	Antigenic Index	124-145
4520.	142-1	Antigenic Index	151-153
4521.	142-1	Antigenic Index	155-191
4522.	142-1	Antigenic Index	198-204
4523.	142-1	Antigenic Index	221-234
4524.	142-1	Antigenic Index	239-248
4525.	142-1	Antigenic Index	250-270
4526.	142-1	Antigenic Index	282-287
4527.	142-1	Antigenic Index	303-305
4528.	142-1	Antigenic Index	307-309
4529.	142-1	Antigenic Index	319-335
4530.	142-1	Hydrophilicity	1-12
4531.	142-1	Hydrophilicity	38-56
4532.	142-1	Hydrophilicity	92-96
4533.	142-1	Hydrophilicity	89-100
4534.	142-1	Hydrophilicity	109-119
4535.	142-1	Hydrophilicity	124-144
4536.	142-1	Hydrophilicity	151-153
4537.	142-1	Hydrophilicity	155-158
4538.	142-1	Hydrophilicity	160-186
4539.	142-1	Hydrophilicity	188-191
4540.	142-1	Hydrophilicity	199-201
4541.	142-1	Hydrophilicity	226-234
4542.	142-1	Hydrophilicity	242-248
4543.	142-1	Hydrophilicity	250-254
4544.	142-1	Hydrophilicity	303-305
4545.	142-1	Hydrophilicity	319-328
4546.	142-1	Hydrophilicity	330-332
4547.	143-1	AMPHI	34-38
4548.	143-1	AMPHI	40-44
4549.	143-1	AMPHI	56-61
4550.	143-1	AMPHI	69-71
4551.	143-1	AMPHI	162-164
4552.	143-1	AMPHI	190-198
4553.	143-1	Antigenic Index	13-17
4554.	143-1	Antigenic Index	25-33
4555.	143-1	Antigenic Index	40-52
4556.	143-1	Antigenic Index	60-64
4557.	143-1	Antigenic Index	79-96

4558.	143-1	Antigenic Index	102-117
4559.	143-1	Antigenic Index	127-133
4560.	143-1	Antigenic Index	140-148
4561.	143-1	Antigenic Index	157-161
4562.	143-1	Antigenic Index	164-171
4563.	143-1	Antigenic Index	190-198
4564.	143-1	Antigenic Index	206-214
4565.	143-1	Hydrophilicity	26-32
4566.	143-1	Hydrophilicity	40-52
4567.	143-1	Hydrophilicity	60-64
4568.	143-1	Hydrophilicity	81-87
4569.	143-1	Hydrophilicity	89-96
4570.	143-1	Hydrophilicity	103-107
4571.	143-1	Hydrophilicity	110-116
4572.	143-1	Hydrophilicity	127-133
4573.	143-1	Hydrophilicity	140-148
4574.	143-1	Hydrophilicity	165-170
4575.	143-1	Hydrophilicity	193-196
4576.	143-1	Hydrophilicity	209-212
4577.	144-1	AMPHI	6-11
4578.	144-1	AMPHI	27-30
4579.	144-1	AMPHI	41-75
4580.	144-1	AMPHI	84-106
4581.	144-1	AMPHI	115-130
4582.	144-1	AMPHI	175-177
4583.	144-1	AMPHI	179-185
4584.	144-1	AMPHI	191-198
4585.	144-1	AMPHI	200-202
4586.	144-1	AMPHI	213-217
4587.	144-1	AMPHI	235-246
4588.	144-1	AMPHI	258-261
4589.	144-1	AMPHI	270-272
4590.	144-1	AMPHI	280-284
4591.	144-1	AMPHI	287-297
4592.	144-1	AMPHI	312-318
4593.	144-1	AMPHI	325-335
4594.	144-1	AMPHI	355-365
4595.	144-1	AMPHI	376-389
4596.	144-1	Antigenic Index	8-15
4597.	144-1	Antigenic Index	24-33
4598.	144-1	Antigenic Index	62-70
4599.	144-1	Antigenic Index	81-83
4600.	144-1	Antigenic Index	93-99
4601.	144-1	Antigenic Index	118-125

4602.	144-1	Antigenic Index	127-135
4603.	144-1	Antigenic Index	149-151
4604.	144-1	Antigenic Index	163-165
4605.	144-1	Antigenic Index	178-180
4606.	144-1	Antigenic Index	200-203
4607.	144-1	Antigenic Index	205-209
4608.	144-1	Antigenic Index	223-225
4609.	144-1	Antigenic Index	233-240
4610.	144-1	Antigenic Index	274-276
4611.	144-1	Antigenic Index	278-294
4612.	144-1	Antigenic Index	302-309
4613.	144-1	Antigenic Index	314-335
4614.	144-1	Antigenic Index	342-346
4615.	144-1	Antigenic Index	349-357
4616.	144-1	Antigenic Index	369-376
4617.	144-1	Antigenic Index	397-406
4618.	144-1	Hydrophilicity	11-15
4619.	144-1	Hydrophilicity	24-33
4620.	144-1	Hydrophilicity	65-67
4621.	144-1	Hydrophilicity	93-99
4622.	144-1	Hydrophilicity	118-120
4623.	144-1	Hydrophilicity	223-225
4624.	144-1	Hydrophilicity	279-294
4625.	144-1	Hydrophilicity	302-309
4626.	144-1	Hydrophilicity	313-319
4627.	144-1	Hydrophilicity	322-335
4628.	144-1	Hydrophilicity	350-357
4629.	144-1	Hydrophilicity	369-376
4630.	144-1	Hydrophilicity	397-406
4631.	146-1	AMPHI	9-17
4632.	146-1	AMPHI	19-21
4633.	146-1	AMPHI	24-30
4634.	146-1	AMPHI	51-53
4635.	146-1	AMPHI	70-84
4636.	146-1	AMPHI	111-120
4637.	146-1	AMPHI	132-135
4638.	146-1	AMPHI	149-151
4639.	146-1	AMPHI	153-158
4640.	146-1	AMPHI	183-201
4641.	146-1	AMPHI	204-211
4642.	146-1	AMPHI	213-215
4643.	146-1	AMPHI	243-254
4644.	146-1	AMPHI	277-280
4645.	146-1	AMPHI	301-303

-146-

4646.	146-1	AMPHI	318-324
4647.	146-1	AMPHI	352-355
4648.	146-1	Antigenic Index	1-9
4649.	146-1	Antigenic Index	11-24
4650.	146-1	Antigenic Index	73-79
4651.	146-1	Antigenic Index	86-89
4652.	146-1	Antigenic Index	97-103
4653.	146-1	Antigenic Index	122-127
4654.	146-1	Antigenic Index	140-148
4655.	146-1	Antigenic Index	186-219
4656.	146-1	Antigenic Index	221-239
4657.	146-1	Antigenic Index	249-255
4658.	146-1	Antigenic Index	266-281
4659.	146-1	Antigenic Index	289-292
4660.	146-1	Antigenic Index	300-320
4661.	146-1	Antigenic Index	334-341
4662.	146-1	Antigenic Index	349-364
4663.	146-1	Antigenic Index	367-375
4664.	146-1	Hydrophilicity	3-9
4665.	146-1	Hydrophilicity	17-24
4666.	146-1	Hydrophilicity	73-79
4667.	146-1	Hydrophilicity	142-147
4668.	146-1	Hydrophilicity	186-195
4669.	146-1	Hydrophilicity	198-219
4670.	146-1	Hydrophilicity	221-228
4671.	146-1	Hydrophilicity	232-238
4672.	146-1	Hydrophilicity	249-255
4673.	146-1	Hydrophilicity	266-281
4674.	146-1	Hydrophilicity	301-308
4675.	146-1	Hydrophilicity	314-320
4676.	146-1	Hydrophilicity	336-341
4677.	146-1	Hydrophilicity	349-364
4678.	146-1	Hydrophilicity	367-375
4679.	147-1	AMPHI	6-13
4680.	147-1	AMPHI	21-29
4681.	147-1	AMPHI	36-38
4682.	147-1	AMPHI	54-56
4683.	147-1	AMPHI	79-87
4684.	147-1	AMPHI	99-102
4685.	147-1	AMPHI	106-114
4686.	147-1	AMPHI	132-134
4687.	147-1	AMPHI	159-166
4688.	147-1	AMPHI	175-188
4689.	147-1	AMPHI	200-218

-147-

4690.	147-1	AMPHI	245-259
4691.	147-1	AMPHI	263-265
4692.	147-1	AMPHI	267-269
4693.	147-1	Antigenic Index	5-14
4694.	147-1	Antigenic Index	40-52
4695.	147-1	Antigenic Index	67-80
4696.	147-1	Antigenic Index	85-87
4697.	147-1	Antigenic Index	94-101
4698.	147-1	Antigenic Index	103-118
4699.	147-1	Antigenic Index	138-142
4700.	147-1	Antigenic Index	147-160
4701.	147-1	Antigenic Index	175-180
4702.	147-1	Antigenic Index	190-197
4703.	147-1	Antigenic Index	199-205
4704.	147-1	Antigenic Index	209-214
4705.	147-1	Antigenic Index	220-230
4706.	147-1	Antigenic Index	238-252
4707.	147-1	Antigenic Index	261-267
4708.	147-1	Antigenic Index	269-271
4709.	147-1	Antigenic Index	273-281
4710.	147-1	Antigenic Index	288-291
4711.	147-1	Hydrophilicity	5-13
4712.	147-1	Hydrophilicity	40-52
4713.	147-1	Hydrophilicity	67-80
4714.	147-1	Hydrophilicity	95-99
4715.	147-1	Hydrophilicity	105-118
4716.	147-1	Hydrophilicity	152-160
4717.	147-1	Hydrophilicity	175-177
4718.	147-1	Hydrophilicity	190-197
4719.	147-1	Hydrophilicity	199-204
4720.	147-1	Hydrophilicity	220-230
4721.	147-1	Hydrophilicity	238-252
4722.	147-1	Hydrophilicity	261-263
4723.	147-1	Hydrophilicity	265-267
4724.	147-1	Hydrophilicity	269-271
4725.	147-1	Hydrophilicity	273-281
4726.	147-1	Hydrophilicity	288-291
4727.	1a-1	AMPHI	9-17
4728.	1a-1	AMPHI	53-56
4729.	1a-1	AMPHI	83-85
4730.	1a-1	AMPHI	160-168
4731.	1a-1	AMPHI	226-239
4732.	1a-1	AMPHI	242-247
4733.	1a-1	AMPHI	337-341

4734.	1a-1	AMPHI	352-362
4735.	1a-1	AMPHI	382-389
4736.	1a-1	AMPHI	402-405
4737.	1a-1	AMPHI	446-455
4738.	1a-1	AMPHI	536-542
4739.	1a-1	AMPHI	566-580
4740.	1a-1	AMPHI	642-658
4741.	1a-1	AMPHI	669-671
4742.	1a-1	AMPHI	691-696
4743.	1a-1	AMPHI	702-705
4744.	1a-1	AMPHI	724-733
4745.	1a-1	AMPHI	742-744
4746.	1a-1	AMPHI	746-749
4747.	1a-1	AMPHI	759-763
4748.	1a-1	AMPHI	888-892
4749.	1a-1	AMPHI	918-928
4750.	1a-1	AMPHI	937-939
4751.	1a-1	AMPHI	958-965
4752.	1a-1	AMPHI	996-1004
4753.	1a-1	AMPHI	1045-1050
4754.	1a-1	AMPHI	1055-1063
4755.	1a-1	AMPHI	1074-1077
4756.	1a-1	AMPHI	1084-1099
4757.	1a-1	AMPHI	1165-1172
4758.	1a-1	AMPHI	1176-1185
4759.	1a-1	AMPHI	1187-1193
4760.	1a-1	AMPHI	1206-1220
4761.	1a-1	AMPHI	1225-1228
4762.	1a-1	AMPHI	1231-1233
4763.	1a-1	AMPHI	1252-1264
4764.	1a-1	AMPHI	1293-1303
4765.	1a-1	AMPHI	1370-1384
4766.	1a-1	AMPHI	1405-1408
4767.	1a-1	Antigenic Index	1-23
4768.	1a-1	Antigenic Index	55-64
4769.	1a-1	Antigenic Index	66-87
4770.	1a-1	Antigenic Index	95-101
4771.	1a-1	Antigenic Index	115-120
4772.	1a-1	Antigenic Index	124-136
4773.	1a-1	Antigenic Index	140-162
4774.	1a-1	Antigenic Index	167-200
4775.	1a-1	Antigenic Index	202-215
4776.	1a-1	Antigenic Index	222-226
4777.	1a-1	Antigenic Index	229-250

4778.	1a-1	Antigenic Index	257-263
4779.	1a-1	Antigenic Index	267-274
4780.	1a-1	Antigenic Index	285-293
4781.	1a-1	Antigenic Index	295-311
4782.	1a-1	Antigenic Index	314-321
4783.	1a-1	Antigenic Index	327-334
4784.	1a-1	Antigenic Index	336-351
4785.	1a-1	Antigenic Index	353-367
4786.	1a-1	Antigenic Index	374-385
4787.	1a-1	Antigenic Index	390-396
4788.	1a-1	Antigenic Index	401-406
4789.	1a-1	Antigenic Index	414-426
4790.	1a-1	Antigenic Index	432-439
4791.	1a-1	Antigenic Index	446-458
4792.	1a-1	Antigenic Index	462-477
4793.	1a-1	Antigenic Index	481-492
4794.	1a-1	Antigenic Index	496-503
4795.	1a-1	Antigenic Index	507-516
4796.	1a-1	Antigenic Index	521-532
4797.	1a-1	Antigenic Index	537-545
4798.	1a-1	Antigenic Index	551-554
4799.	1a-1	Antigenic Index	561-584
4800.	1a-1	Antigenic Index	586-601
4801.	1a-1	Antigenic Index	608-615
4802.	1a-1	Antigenic Index	618-622
4803.	1a-1	Antigenic Index	625-633
4804.	1a-1	Antigenic Index	635-643
4805.	1a-1	Antigenic Index	648-653
4806.	1a-1	Antigenic Index	655-661
4807.	1a-1	Antigenic Index	664-669
4808.	1a-1	Antigenic Index	672-677
4809.	1a-1	Antigenic Index	681-683
4810.	1a-1	Antigenic Index	688-703
4811.	1a-1	Antigenic Index	712-715
4812.	1a-1	Antigenic Index	720-731
4813.	1a-1	Antigenic Index	734-741
4814.	1a-1	Antigenic Index	744-752
4815.	1a-1	Antigenic Index	762-765
4816.	1a-1	Antigenic Index	767-769
4817.	1a-1	Antigenic Index	773-783
4818.	1a-1	Antigenic Index	786-792
4819.	1a-1	Antigenic Index	808-819
4820.	1a-1	Antigenic Index	822-830
4821.	1a-1	Antigenic Index	835-842

4822.	1a-1	Antigenic Index	847-849
4823.	1a-1	Antigenic Index	853-855
4824.	1a-1	Antigenic Index	862-876
4825.	1a-1	Antigenic Index	879-897
4826.	1a-1	Antigenic Index	907-934
4827.	1a-1	Antigenic Index	938-947
4828.	1a-1	Antigenic Index	951-960
4829.	1a-1	Antigenic Index	970-984
4830.	1a-1	Antigenic Index	990-998
4831.	1a-1	Antigenic Index	1003-1017
4832.	1a-1	Antigenic Index	1024-1027
4833.	1a-1	Antigenic Index	1035-1044
4834.	1a-1	Antigenic Index	1046-1073
4835.	1a-1	Antigenic Index	1080-1102
4836.	1a-1	Antigenic Index	1107-1175
4837.	1a-1	Antigenic Index	1189-1202
4838.	1a-1	Antigenic Index	1208-1230
4839.	1a-1	Antigenic Index	1232-1242
4840.	1a-1	Antigenic Index	1248-1265
4841.	1a-1	Antigenic Index	1285-1290
4842.	1a-1	Antigenic Index	1293-1306
4843.	1a-1	Antigenic Index	1313-1321
4844.	1a-1	Antigenic Index	1337-1344
4845.	1a-1	Antigenic Index	1355-1371
4846.	1a-1	Antigenic Index	1383-1395
4847.	1a-1	Antigenic Index	1402-1411
4848.	1a-1	Antigenic Index	1416-1419
4849.	1a-1	Antigenic Index	1428-1442
4850.	1a-1	Hydrophilicity	1-23
4851.	1a-1	Hydrophilicity	56-64
4852.	1a-1	Hydrophilicity	66-82
4853.	1a-1	Hydrophilicity	84-86
4854.	1a-1	Hydrophilicity	124-135
4855.	1a-1	Hydrophilicity	140-152
4856.	1a-1	Hydrophilicity	154-156
4857.	1a-1	Hydrophilicity	158-160
4858.	1a-1	Hydrophilicity	167-181
4859.	1a-1	Hydrophilicity	183-196
4860.	1a-1	Hydrophilicity	204-212
4861.	1a-1	Hydrophilicity	238-246
4862.	1a-1	Hydrophilicity	257-261
4863.	1a-1	Hydrophilicity	269-272
4864.	1a-1	Hydrophilicity	287-292
4865.	1a-1	Hydrophilicity	295-297

-151-

4866.	1a-1	Hydrophilicity	304-311
4867.	1a-1	Hydrophilicity	315-321
4868.	1a-1	Hydrophilicity	336-351
4869.	1a-1	Hydrophilicity	353-367
4870.	1a-1	Hydrophilicity	376-384
4871.	1a-1	Hydrophilicity	419-423
4872.	1a-1	Hydrophilicity	432-438
4873.	1a-1	Hydrophilicity	446-455
4874.	1a-1	Hydrophilicity	462-468
4875.	1a-1	Hydrophilicity	481-492
4876.	1a-1	Hydrophilicity	499-502
4877.	1a-1	Hydrophilicity	510-514
4878.	1a-1	Hydrophilicity	522-528
4879.	1a-1	Hydrophilicity	539-545
4880.	1a-1	Hydrophilicity	564-567
4881.	1a-1	Hydrophilicity	569-575
4882.	1a-1	Hydrophilicity	578-581
4883.	1a-1	Hydrophilicity	589-599
4884.	1a-1	Hydrophilicity	608-614
4885.	1a-1	Hydrophilicity	638-640
4886.	1a-1	Hydrophilicity	655-658
4887.	1a-1	Hydrophilicity	672-677
4888.	1a-1	Hydrophilicity	690-700
4889.	1a-1	Hydrophilicity	722-724
4890.	1a-1	Hydrophilicity	734-741
4891.	1a-1	Hydrophilicity	745-751
4892.	1a-1	Hydrophilicity	775-781
4893.	1a-1	Hydrophilicity	812-816
4894.	1a-1	Hydrophilicity	836-842
4895.	1a-1	Hydrophilicity	853-855
4896.	1a-1	Hydrophilicity	862-866
4897.	1a-1	Hydrophilicity	871-876
4898.	1a-1	Hydrophilicity	879-885
4899.	1a-1	Hydrophilicity	909-915
4900.	1a-1	Hydrophilicity	920-933
4901.	1a-1	Hydrophilicity	940-946
4902.	1a-1	Hydrophilicity	954-959
4903.	1a-1	Hydrophilicity	971-983
4904.	1a-1	Hydrophilicity	992-998
4905.	1a-1	Hydrophilicity	1005-1015
4906.	1a-1	Hydrophilicity	1024-1027
4907.	1a-1	Hydrophilicity	1035-1044
4908.	1a-1	Hydrophilicity	1046-1073
4909.	1a-1	Hydrophilicity	1080-1101

-152-

4910.	1a-1	Hydrophilicity	1107-1134
4911.	1a-1	Hydrophilicity	1139-1150
4912.	1a-1	Hydrophilicity	1152-1167
4913.	1a-1	Hydrophilicity	1189-1202
4914.	1a-1	Hydrophilicity	1208-1230
4915.	1a-1	Hydrophilicity	1235-1241
4916.	1a-1	Hydrophilicity	1249-1261
4917.	1a-1	Hydrophilicity	1263-1265
4918.	1a-1	Hydrophilicity	1298-1306
4919.	1a-1	Hydrophilicity	1313-1317
4920.	1a-1	Hydrophilicity	1338-1344
4921.	1a-1	Hydrophilicity	1356-1363
4922.	1a-1	Hydrophilicity	1365-1367
4923.	1a-1	Hydrophilicity	1387-1395
4924.	1a-1	Hydrophilicity	1403-1411
4925.	1a-1	Hydrophilicity	1416-1419
4926.	1a-1	Hydrophilicity	1428-1439
4927.	2a-1	AMPHI	10-17
4928.	2a-1	AMPHI	24-47
4929.	2a-1	AMPHI	58-62
4930.	2a-1	AMPHI	72-80
4931.	2a-1	AMPHI	88-103
4932.	2a-1	AMPHI	121-132
4933.	2a-1	AMPHI	146-158
4934.	2a-1	AMPHI	163-172
4935.	2a-1	AMPHI	178-180
4936.	2a-1	AMPHI	190-194
4937.	2a-1	Antigenic Index	21-41
4938.	2a-1	Antigenic Index	44-52
4939.	2a-1	Antigenic Index	54-68
4940.	2a-1	Antigenic Index	72-88
4941.	2a-1	Antigenic Index	90-123
4942.	2a-1	Antigenic Index	126-141
4943.	2a-1	Antigenic Index	144-168
4944.	2a-1	Antigenic Index	200-228
4945.	2a-1	Hydrophilicity	21-33
4946.	2a-1	Hydrophilicity	35-41
4947.	2a-1	Hydrophilicity	46-52
4948.	2a-1	Hydrophilicity	54-68
4949.	2a-1	Hydrophilicity	72-88
4950.	2a-1	Hydrophilicity	90-108
4951.	2a-1	Hydrophilicity	110-119
4952.	2a-1	Hydrophilicity	129-131
4953.	2a-1	Hydrophilicity	134-141

4954.	2a-1	Hydrophilicity	144-151
4955.	2a-1	Hydrophilicity	154-168
4956.	2a-1	Hydrophilicity	200-228
4957.	3a-1	AMPHI	6-14
4958.	3a-1	AMPHI	49-66
4959.	3a-1	AMPHI	82-87
4960.	3a-1	AMPHI	89-102
4961.	3a-1	AMPHI	137-140
4962.	3a-1	AMPHI	159-161
4963.	3a-1	AMPHI	210-226
4964.	3a-1	AMPHI	234-237
4965.	3a-1	AMPHI	240-242
4966.	3a-1	AMPHI	269-274
4967.	3a-1	AMPHI	338-342
4968.	3a-1	AMPHI	386-393
4969.	3a-1	AMPHI	396-401
4970.	3a-1	Antigenic Index	32-39
4971.	3a-1	Antigenic Index	43-55
4972.	3a-1	Antigenic Index	60-95
4973.	3a-1	Antigenic Index	101-107
4974.	3a-1	Antigenic Index	109-112
4975.	3a-1	Antigenic Index	122-135
4976.	3a-1	Antigenic Index	141-154
4977.	3a-1	Antigenic Index	179-181
4978.	3a-1	Antigenic Index	183-192
4979.	3a-1	Antigenic Index	196-203
4980.	3a-1	Antigenic Index	207-215
4981.	3a-1	Antigenic Index	229-239
4982.	3a-1	Antigenic Index	252-259
4983.	3a-1	Antigenic Index	266-279
4984.	3a-1	Antigenic Index	290-302
4985.	3a-1	Antigenic Index	313-323
4986.	3a-1	Antigenic Index	331-336
4987.	3a-1	Antigenic Index	344-357
4988.	3a-1	Antigenic Index	359-380
4989.	3a-1	Antigenic Index	387-393
4990.	3a-1	Antigenic Index	397-413
4991.	3a-1	Hydrophilicity	34-37
4992.	3a-1	Hydrophilicity	45-55
4993.	3a-1	Hydrophilicity	60-70
4994.	3a-1	Hydrophilicity	74-95
4995.	3a-1	Hydrophilicity	102-105
4996.	3a-1	Hydrophilicity	124-133
4997.	3a-1	Hydrophilicity	147-154

4998.	3a-1	Hydrophilicity	179-181
4999.	3a-1	Hydrophilicity	183-192
5000.	3a-1	Hydrophilicity	197-203
5001.	3a-1	Hydrophilicity	213-215
5002.	3a-1	Hydrophilicity	229-236
5003.	3a-1	Hydrophilicity	253-255
5004.	3a-1	Hydrophilicity	257-259
5005.	3a-1	Hydrophilicity	268-279
5006.	3a-1	Hydrophilicity	293-295
5007.	3a-1	Hydrophilicity	317-320
5008.	3a-1	Hydrophilicity	331-333
5009.	3a-1	Hydrophilicity	353-357
5010.	3a-1	Hydrophilicity	365-375
5011.	3a-1	Hydrophilicity	387-391
5012.	3a-1	Hydrophilicity	398-413
5013.	4a-1	AMPHI	6-9
5014.	4a-1	AMPHI	15-17
5015.	4a-1	AMPHI	51-61
5016.	4a-1	AMPHI	76-82
5017.	4a-1	AMPHI	104-109
5018.	4a-1	AMPHI	114-122
5019.	4a-1	AMPHI	133-144
5020.	4a-1	AMPHI	146-160
5021.	4a-1	AMPHI	163-167
5022.	4a-1	AMPHI	169-171
5023.	4a-1	AMPHI	184-192
5024.	4a-1	AMPHI	221-228
5025.	4a-1	AMPHI	241-243
5026.	4a-1	AMPHI	253-262
5027.	4a-1	AMPHI	266-286
5028.	4a-1	Antigenic Index	20-28
5029.	4a-1	Antigenic Index	34-45
5030.	4a-1	Antigenic Index	50-71
5031.	4a-1	Antigenic Index	80-83
5032.	4a-1	Antigenic Index	89-94
5033.	4a-1	Antigenic Index	101-115
5034.	4a-1	Antigenic Index	124-127
5035.	4a-1	Antigenic Index	131-145
5036.	4a-1	Antigenic Index	147-154
5037.	4a-1	Antigenic Index	168-175
5038.	4a-1	Antigenic Index	177-189
5039.	4a-1	Antigenic Index	199-207
5040.	4a-1	Antigenic Index	213-216
5041.	4a-1	Antigenic Index	220-225

5042.	4a-1	Antigenic Index	228-233
5043.	4a-1	Antigenic Index	243-251
5044.	4a-1	Antigenic Index	254-257
5045.	4a-1	Antigenic Index	259-264
5046.	4a-1	Antigenic Index	268-277
5047.	4a-1	Antigenic Index	282-287
5048.	4a-1	Hydrophilicity	21-28
5049.	4a-1	Hydrophilicity	34-45
5050.	4a-1	Hydrophilicity	53-71
5051.	4a-1	Hydrophilicity	89-94
5052.	4a-1	Hydrophilicity	102-115
5053.	4a-1	Hydrophilicity	131-144
5054.	4a-1	Hydrophilicity	147-153
5055.	4a-1	Hydrophilicity	168-173
5056.	4a-1	Hydrophilicity	177-189
5057.	4a-1	Hydrophilicity	199-207
5058.	4a-1	Hydrophilicity	222-225
5059.	4a-1	Hydrophilicity	243-251
5060.	4a-1	Hydrophilicity	254-257
5061.	4a-1	Hydrophilicity	262-264
5062.	4a-1	Hydrophilicity	270-276
5063.	4a-1	Hydrophilicity	284-287
5064.	5a-1	AMPHI	13-25
5065.	5a-1	AMPHI	44-55
5066.	5a-1	AMPHI	77-85
5067.	5a-1	AMPHI	112-117
5068.	5a-1	AMPHI	143-151
5069.	5a-1	AMPHI	166-169
5070.	5a-1	AMPHI	171-184
5071.	5a-1	AMPHI	208-217
5072.	5a-1	AMPHI	229-241
5073.	5a-1	AMPHI	274-277
5074.	5a-1	Antigenic Index	1-10
5075.	5a-1	Antigenic Index	18-27
5076.	5a-1	Antigenic Index	34-45
5077.	5a-1	Antigenic Index	47-54
5078.	5a-1	Antigenic Index	56-81
5079.	5a-1	Antigenic Index	90-92
5080.	5a-1	Antigenic Index	96-104
5081.	5a-1	Antigenic Index	112-114
5082.	5a-1	Antigenic Index	118-124
5083.	5a-1	Antigenic Index	127-129
5084.	5a-1	Antigenic Index	136-140
5085.	5a-1	Antigenic Index	146-154

5086.	5a-1	Antigenic Index	159-167
5087.	5a-1	Antigenic Index	173-175
5088.	5a-1	Antigenic Index	178-194
5089.	5a-1	Antigenic Index	199-204
5090.	5a-1	Antigenic Index	209-213
5091.	5a-1	Antigenic Index	219-277
5092.	5a-1	Antigenic Index	294-300
5093.	5a-1	Hydrophilicity	1-10
5094.	5a-1	Hydrophilicity	18-27
5095.	5a-1	Hydrophilicity	34-42
5096.	5a-1	Hydrophilicity	47-54
5097.	5a-1	Hydrophilicity	56-81
5098.	5a-1	Hydrophilicity	96-
5099.	5a-1	Hydrophilicity	104
5100.	5a-1	Hydrophilicity	112-114
5101.	5a-1	Hydrophilicity	127-129
5102.	5a-1	Hydrophilicity	136-140
5103.	5a-1	Hydrophilicity	146-153
5104.	5a-1	Hydrophilicity	161-164
5105.	5a-1	Hydrophilicity	173-175
5106.	5a-1	Hydrophilicity	178-194
5107.	5a-1	Hydrophilicity	1999-204
5108.	5a-1	Hydrophilicity	209-213
5109.	5a-1	Hydrophilicity	222-231
5110.	5a-1	Hydrophilicity	242-263
5111.	5a-1	Hydrophilicity	268-277
5112.	5a-1	Hydrophilicity	295-300
5113.	6a-1	AMPHI	33-36
5114.	6a-1	AMPHI	41-45
5115.	6a-1	AMPHI	66-74
5116.	6a-1	AMPHI	76-79
5117.	6a-1	AMPHI	104-116
5118.	6a-1	AMPHI	134-141
5119.	6a-1	AMPHI	150-154
5120.	6a-1	AMPHI	158-165
5121.	6a-1	AMPHI	180-185
5122.	6a-1	Antigenic Index	1-6
5123.	6a-1	Antigenic Index	8-30
5124.	6a-1	Antigenic Index	41-51
5125.	6a-1	Antigenic Index	58-62
5126.	6a-1	Antigenic Index	69-72
5127.	6a-1	Antigenic Index	75-85
5128.	6a-1	Antigenic Index	101-105
5129.	6a-1	Antigenic Index	108-112

5130.	6a-1	Antigenic Index	149-155
5131.	6a-1	Antigenic Index	164-169
5132.	6a-1	Antigenic Index	181-197
5133.	6a-1	Hydrophilicity	1-6
5134.	6a-1	Hydrophilicity	8-16
5135.	6a-1	Hydrophilicity	23-30
5136.	6a-1	Hydrophilicity	48-50
5137.	6a-1	Hydrophilicity	58-62
5138.	6a-1	Hydrophilicity	69-72
5139.	6a-1	Hydrophilicity	78-85
5140.	6a-1	Hydrophilicity	102-105
5141.	6a-1	Hydrophilicity	108-110
5142.	6a-1	Hydrophilicity	181-197
5143.	7a-1	AMPHI	6-8
5144.	7a-1	AMPHI	40-44
5145.	7a-1	AMPHI	46-49
5146.	7a-1	AMPHI	82-86
5147.	7a-1	AMPHI	88-96
5148.	7a-1	AMPHI	109-124
5149.	7a-1	AMPHI	142-147
5150.	7a-1	AMPHI	149-151
5151.	7a-1	AMPHI	177-189
5152.	7a-1	AMPHI	225-227
5153.	7a-1	AMPHI	246-248
5154.	7a-1	AMPHI	267-270
5155.	7a-1	AMPHI	312-315
5156.	7a-1	Antigenic Index	4-6
5157.	7a-1	Antigenic Index	26-35
5158.	7a-1	Antigenic Index	37-58
5159.	7a-1	Antigenic Index	77-88
5160.	7a-1	Antigenic Index	93-105
5161.	7a-1	Antigenic Index	109-141
5162.	7a-1	Antigenic Index	143-145
5163.	7a-1	Antigenic Index	148-171
5164.	7a-1	Antigenic Index	179-201
5165.	7a-1	Antigenic Index	209-223
5166.	7a-1	Antigenic Index	231-233
5167.	7a-1	Antigenic Index	237-243
5168.	7a-1	Antigenic Index	251-277
5169.	7a-1	Antigenic Index	281-287
5170.	7a-1	Antigenic Index	291-297
5171.	7a-1	Antigenic Index	303-311
5172.	7a-1	Antigenic Index	316-319
5173.	7a-1	Antigenic Index	322-324

5174.	7a-1	Antigenic Index	327-331
5175.	7a-1	Hydrophilicity	4-6
5176.	7a-1	Hydrophilicity	27-35
5177.	7a-1	Hydrophilicity	37-40
5178.	7a-1	Hydrophilicity	46-58
5179.	7a-1	Hydrophilicity	83-85
5180.	7a-1	Hydrophilicity	94-104
5181.	7a-1	Hydrophilicity	110-113
5182.	7a-1	Hydrophilicity	115-136
5183.	7a-1	Hydrophilicity	138-141
5184.	7a-1	Hydrophilicity	143-145
5185.	7a-1	Hydrophilicity	148-153
5186.	7a-1	Hydrophilicity	161-171
5187.	7a-1	Hydrophilicity	179-196
5188.	7a-1	Hydrophilicity	199-201
5189.	7a-1	Hydrophilicity	209-223
5190.	7a-1	Hydrophilicity	231-233
5191.	7a-1	Hydrophilicity	237-239
5192.	7a-1	Hydrophilicity	251-265
5193.	7a-1	Hydrophilicity	285-287
5194.	7a-1	Hydrophilicity	293-296
5195.	7a-1	Hydrophilicity	304-307
5196.	7a-1	Hydrophilicity	316-319
5197.	7a-1	Hydrophilicity	322-324
5198.	7a-1	Hydrophilicity	327-331
5199.	9a-1	AMPHI	7-14
5200.	9a-1	AMPHI	28-45
5201.	9a-1	AMPHI	60-65
5202.	9a-1	AMPHI	67-69
5203.	9a-1	AMPHI	97-100
5204.	9a-1	AMPHI	114-117
5205.	9a-1	AMPHI	125-134
5206.	9a-1	AMPHI	149-151
5207.	9a-1	AMPHI	153-162
5208.	9a-1	AMPHI	187-196
5209.	9a-1	AMPHI	202-208
5210.	9a-1	AMPHI	226-234
5211.	9a-1	AMPHI	252-262
5212.	9a-1	AMPHI	264-267
5213.	9a-1	AMPHI	269-272
5214.	9a-1	AMPHI	276-290
5215.	9a-1	AMPHI	323-330
5216.	9a-1	AMPHI	332-334
5217.	9a-1	AMPHI	356-358

5218.	9a-l	AMPHI	360-365
5219.	9a-l	AMPHI	393-407
5220.	9a-l	AMPHI	414-419
5221.	9a-l	AMPHI	421-425
5222.	9a-l	AMPHI	432-443
5223.	9a-l	AMPHI	475-482
5224.	9a-l	AMPHI	489-491
5225.	9a-l	AMPHI	493-497
5226.	9a-l	AMPHI	501-505
5227.	9a-l	AMPHI	561-565
5228.	9a-l	AMPHI	577-582
5229.	9a-l	AMPHI	592-596
5230.	9a-l	Antigenic Index	26-57
5231.	9a-l	Antigenic Index	59-65
5232.	9a-l	Antigenic Index	75-82
5233.	9a-l	Antigenic Index	94-107
5234.	9a-l	Antigenic Index	116-119
5235.	9a-l	Antigenic Index	124-171
5236.	9a-l	Antigenic Index	181-200
5237.	9a-l	Antigenic Index	203-205
5238.	9a-l	Antigenic Index	217-225
5239.	9a-l	Antigenic Index	230-240
5240.	9a-l	Antigenic Index	248-268
5241.	9a-l	Antigenic Index	285-292
5242.	9a-l	Antigenic Index	298-305
5243.	9a-l	Antigenic Index	315-322
5244.	9a-l	Antigenic Index	326-343
5245.	9a-l	Antigenic Index	352-370
5246.	9a-l	Antigenic Index	373-378
5247.	9a-l	Antigenic Index	385-394
5248.	9a-l	Antigenic Index	396-412
5249.	9a-l	Antigenic Index	414-417
5250.	9a-l	Antigenic Index	426-454
5251.	9a-l	Antigenic Index	466-487
5252.	9a-l	Antigenic Index	493-496
5253.	9a-l	Antigenic Index	499-509
5254.	9a-l	Antigenic Index	518-529
5255.	9a-l	Antigenic Index	537-542
5256.	9a-l	Antigenic Index	547-558
5257.	9a-l	Antigenic Index	570-575
5258.	9a-l	Antigenic Index	584-612
5259.	9a-l	Hydrophilicity	26-57
5260.	9a-l	Hydrophilicity	59-65
5261.	9a-l	Hydrophilicity	75-82

5262.	9a-1	Hydrophilicity	94-107
5263.	9a-1	Hydrophilicity	116-119
5264.	9a-1	Hydrophilicity	131-141
5265.	9a-1	Hydrophilicity	145-153
5266.	9a-1	Hydrophilicity	155-171
5267.	9a-1	Hydrophilicity	185-200
5268.	9a-1	Hydrophilicity	203-205
5269.	9a-1	Hydrophilicity	217-225
5270.	9a-1	Hydrophilicity	230-238
5271.	9a-1	Hydrophilicity	248-256
5272.	9a-1	Hydrophilicity	261-268
5273.	9a-1	Hydrophilicity	285-292
5274.	9a-1	Hydrophilicity	298-303
5275.	9a-1	Hydrophilicity	315-322
5276.	9a-1	Hydrophilicity	327-333
5277.	9a-1	Hydrophilicity	335-343
5278.	9a-1	Hydrophilicity	352-359
5279.	9a-1	Hydrophilicity	362-364
5280.	9a-1	Hydrophilicity	367-369
5281.	9a-1	Hydrophilicity	385-394
5282.	9a-1	Hydrophilicity	396-408
5283.	9a-1	Hydrophilicity	415-417
5284.	9a-1	Hydrophilicity	426-446
5285.	9a-1	Hydrophilicity	448-454
5286.	9a-1	Hydrophilicity	466-487
5287.	9a-1	Hydrophilicity	500-507
5288.	9a-1	Hydrophilicity	519-525
5289.	9a-1	Hydrophilicity	537-541
5290.	9a-1	Hydrophilicity	550-558
5291.	9a-1	Hydrophilicity	570-575
5292.	9a-1	Hydrophilicity	586-600
5293.	9a-1	Hydrophilicity	605-612
5294.	10a-1	AMPHI	16-18
5295.	10a-1	AMPHI	38-40
5296.	10a-1	AMPHI	175-181
5297.	10a-1	AMPHI	209-213
5298.	10a-1	AMPHI	223-227
5299.	10a-1	AMPHI	241-247
5300.	10a-1	AMPHI	263-280
5301.	10a-1	AMPHI	287-289
5302.	10a-1	AMPHI	305-313
5303.	10a-1	AMPHI	339-340
5304.	10a-1	AMPHI	347-353
5305.	10a-1	AMPHI	358-365

5306.	10a-1	AMPHI	401-412
5307.	10a-1	AMPHI	430-434
5308.	10a-1	AMPHI	442-449
5309.	10a-1	AMPHI	457-465
5310.	10a-1	Antigenic Index	1-5
5311.	10a-1	Antigenic Index	32-38
5312.	10a-1	Antigenic Index	69-74
5313.	10a-1	Antigenic Index	95-103
5314.	10a-1	Antigenic Index	108-111
5315.	10a-1	Antigenic Index	135-139
5316.	10a-1	Antigenic Index	192-206
5317.	10a-1	Antigenic Index	231-237
5318.	10a-1	Antigenic Index	278-287
5319.	10a-1	Antigenic Index	289-293
5320.	10a-1	Antigenic Index	317-321
5321.	10a-1	Antigenic Index	349-357
5322.	10a-1	Antigenic Index	376-382
5323.	10a-1	Antigenic Index	398-405
5324.	10a-1	Antigenic Index	408-411
5325.	10a-1	Antigenic Index	434-436
5326.	10a-1	Antigenic Index	453-460
5327.	10a-1	Antigenic Index	467-470
5328.	10a-1	Hydrophilicity	1-5
5329.	10a-1	Hydrophilicity	34-37
5330.	10a-1	Hydrophilicity	69-74
5331.	10a-1	Hydrophilicity	97-100
5332.	10a-1	Hydrophilicity	108-111
5333.	10a-1	Hydrophilicity	135-139
5334.	10a-1	Hydrophilicity	192-204
5335.	10a-1	Hydrophilicity	231-233
5336.	10a-1	Hydrophilicity	235-237
5337.	10a-1	Hydrophilicity	281-287
5338.	10a-1	Hydrophilicity	289-293
5339.	10a-1	Hydrophilicity	349-355
5340.	10a-1	Hydrophilicity	378-382
5341.	10a-1	Hydrophilicity	399-403
5342.	10a-1	Hydrophilicity	453-460
5343.	11a-1	AMPHI	6-8
5344.	11a-1	AMPHI	31-33
5345.	11a-1	AMPHI	60-65
5346.	11a-1	AMPHI	73-79
5347.	11a-1	AMPHI	110-118
5348.	11a-1	AMPHI	120-123
5349.	11a-1	AMPHI	150-156

5350.	11a-1	AMPHI	186-190
5351.	11a-1	AMPHI	201-206
5352.	11a-1	AMPHI	234-236
5353.	11a-1	AMPHI	239-242
5354.	11a-1	AMPHI	244-252
5355.	11a-1	AMPHI	296-299
5356.	11a-1	AMPHI	315-323
5357.	11a-1	AMPHI	347-352
5358.	11a-1	AMPHI	364-367
5359.	11a-1	AMPHI	375-383
5360.	11a-1	AMPHI	418-432
5361.	11a-1	AMPHI	441-444
5362.	11a-1	AMPHI	449-451
5363.	11a-1	AMPHI	453-458
5364.	11a-1	AMPHI	478-486
5365.	11a-1	AMPHI	507-509
5366.	11a-1	AMPHI	522-525
5367.	11a-1	Antigenic Index	1-6
5368.	11a-1	Antigenic Index	25-38
5369.	11a-1	Antigenic Index	44-46
5370.	11a-1	Antigenic Index	52-54
5371.	11a-1	Antigenic Index	66-76
5372.	11a-1	Antigenic Index	82-90
5373.	11a-1	Antigenic Index	96-102
5374.	11a-1	Antigenic Index	108-111
5375.	11a-1	Antigenic Index	124-153
5376.	11a-1	Antigenic Index	158-161
5377.	11a-1	Antigenic Index	172-178
5378.	11a-1	Antigenic Index	180-198
5379.	11a-1	Antigenic Index	210-216
5380.	11a-1	Antigenic Index	219-244
5381.	11a-1	Antigenic Index	259-265
5382.	11a-1	Antigenic Index	269-287
5383.	11a-1	Antigenic Index	295-303
5384.	11a-1	Antigenic Index	310-313
5385.	11a-1	Antigenic Index	325-332
5386.	11a-1	Antigenic Index	338-340
5387.	11a-1	Antigenic Index	352-354
5388.	11a-1	Antigenic Index	375-377
5389.	11a-1	Antigenic Index	379-387
5390.	11a-1	Antigenic Index	391-404
5391.	11a-1	Antigenic Index	412-422
5392.	11a-1	Antigenic Index	444-448
5393.	11a-1	Antigenic Index	457-464

5394.	11a-1	Antigenic Index	481-490
5395.	11a-1	Antigenic Index	509-511
5396.	11a-1	Antigenic Index	529-545
5397.	11a-1	Hydrophilicity	1-5
5398.	11a-1	Hydrophilicity	28-31
5399.	11a-1	Hydrophilicity	44-46
5400.	11a-1	Hydrophilicity	66-76
5401.	11a-1	Hydrophilicity	83-90
5402.	11a-1	Hydrophilicity	97-100
5403.	11a-1	Hydrophilicity	
5404.	11a-1	Hydrophilicity	108-111
5405.	11a-1	Hydrophilicity	125-153
5406.	11a-1	Hydrophilicity	184-195
5407.	11a-1	Hydrophilicity	213-215
5408.	11a-1	Hydrophilicity	219-241
5409.	11a-1	Hydrophilicity	261-264
5410.	11a-1	Hydrophilicity	270-284
5411.	11a-1	Hydrophilicity	297-303
5412.	11a-1	Hydrophilicity	325-331
5413.	11a-1	Hydrophilicity	379-387
5414.	11a-1	Hydrophilicity	391-404
5415.	11a-1	Hydrophilicity	412-418
5416.	11a-1	Hydrophilicity	444-448
5417.	11a-1	Hydrophilicity	458-462
5418.	11a-1	Hydrophilicity	484-490
5419.	11a-1	Hydrophilicity	532-545
5420.	12a-1	AMPHI	9-26
5421.	12a-1	AMPHI	70-103
5422.	12a-1	AMPHI	116-120
5423.	12a-1	AMPHI	123-125
5424.	12a-1	AMPHI	127-129
5425.	12a-1	AMPHI	141-144
5426.	12a-1	AMPHI	160-163
5427.	12a-1	AMPHI	165-181
5428.	12a-1	AMPHI	190-203
5429.	12a-1	AMPHI	228-233
5430.	12a-1	AMPHI	241-243
5431.	12a-1	AMPHI	260-265
5432.	12a-1	AMPHI	283-289
5433.	12a-1	AMPHI	297-304
5434.	12a-1	AMPHI	325-327
5435.	12a-1	AMPHI	330-352
5436.	12a-1	AMPHI	367-380
5437.	12a-1	AMPHI	408-410

5438.	12a-1	AMPHI	437-467
5439.	12a-1	AMPHI	480-483
5440.	12a-1	AMPHI	494-502
5441.	12a-1	Antigenic Index	1-12
5442.	12a-1	Antigenic Index	23-25
5443.	12a-1	Antigenic Index	50-67
5444.	12a-1	Antigenic Index	74-79
5445.	12a-1	Antigenic Index	108-113
5446.	12a-1	Antigenic Index	123-131
5447.	12a-1	Antigenic Index	141-147
5448.	12a-1	Antigenic Index	164-169
5449.	12a-1	Antigenic Index	180-183
5450.	12a-1	Antigenic Index	239-271
5451.	12a-1	Antigenic Index	293-307
5452.	12a-1	Antigenic Index	309-311
5453.	12a-1	Antigenic Index	332-343
5454.	12a-1	Antigenic Index	350-352
5455.	12a-1	Antigenic Index	375-377
5456.	12a-1	Antigenic Index	391-395
5457.	12a-1	Antigenic Index	446-449
5458.	12a-1	Antigenic Index	471-478
5459.	12a-1	Antigenic Index	512-514
5460.	12a-1	Hydrophilicity	2-12
5461.	12a-1	Hydrophilicity	52-67
5462.	12a-1	Hydrophilicity	74-79
5463.	12a-1	Hydrophilicity	108-113
5464.	12a-1	Hydrophilicity	125-130
5465.	12a-1	Hydrophilicity	144-146
5466.	12a-1	Hydrophilicity	239-242
5467.	12a-1	Hydrophilicity	252-264
5468.	12a-1	Hydrophilicity	296-302
5469.	12a-1	Hydrophilicity	332-343
5470.	12a-1	Hydrophilicity	446-449
5471.	12a-1	Hydrophilicity	471-477
5472.	13a-1	AMPHI	14-19
5473.	13a-1	AMPHI	50-56
5474.	13a-1	AMPHI	72-91
5475.	13a-1	Antigenic Index	66-82
5476.	13a-1	Antigenic Index	87-97
5477.	13a-1	Antigenic Index	100-104
5478.	13a-1	Antigenic Index	106-118
5479.	13a-1	Antigenic Index	121-128
5480.	13a-1	Hydrophilicity	66-80
5481.	13a-1	Hydrophilicity	109-118

5482.	13a-1	Hydrophilicity	121-128
5483.	15a-1	AMPHI	18-26
5484.	15a-1	AMPHI	84-86
5485.	15a-1	AMPHI	113-133
5486.	15a-1	AMPHI	153-156
5487.	15a-1	AMPHI	173-176
5488.	15a-1	AMPHI	181-190
5489.	15a-1	AMPHI	201-207
5490.	15a-1	AMPHI	218-220
5491.	15a-1	AMPHI	250-252
5492.	15a-1	AMPHI	264-277
5493.	15a-1	AMPHI	281-292
5494.	15a-1	Antigenic Index	18-20
5495.	15a-1	Antigenic Index	26-36
5496.	15a-1	Antigenic Index	38-40
5497.	15a-1	Antigenic Index	47-54
5498.	15a-1	Antigenic Index	58-61
5499.	15a-1	Antigenic Index	69-80
5500.	15a-1	Antigenic Index	86-88
5501.	15a-1	Antigenic Index	91-117
5502.	15a-1	Antigenic Index	132-147
5503.	15a-1	Antigenic Index	153-171
5504.	15a-1	Antigenic Index	184-186
5505.	15a-1	Antigenic Index	191-195
5506.	15a-1	Antigenic Index	207-212
5507.	15a-1	Antigenic Index	219-226
5508.	15a-1	Antigenic Index	233-247
5509.	15a-1	Antigenic Index	251-256
5510.	15a-1	Antigenic Index	263-275
5511.	15a-1	Antigenic Index	283-320
5512.	15a-1	Hydrophilicity	29-36
5513.	15a-1	Hydrophilicity	38-40
5514.	15a-1	Hydrophilicity	47-54
5515.	15a-1	Hydrophilicity	58-61
5516.	15a-1	Hydrophilicity	70-74
5517.	15a-1	Hydrophilicity	86-88
5518.	15a-1	Hydrophilicity	97-100
5519.	15a-1	Hydrophilicity	106-115
5520.	15a-1	Hydrophilicity	132-147
5521.	15a-1	Hydrophilicity	155-170
5522.	15a-1	Hydrophilicity	191-195
5523.	15a-1	Hydrophilicity	207-212
5524.	15a-1	Hydrophilicity	219-226
5525.	15a-1	Hydrophilicity	233-247

5526.	15a-1	Hydrophilicity	251-254
5527.	15a-1	Hydrophilicity	264-273
5528.	15a-1	Hydrophilicity	294-303
5529.	15a-1	Hydrophilicity	306-320
5530.	16a-1	AMPHI	41-50
5531.	16a-1	AMPHI	67-79
5532.	16a-1	AMPHI	98-104
5533.	16a-1	AMPHI	148-150
5534.	16a-1	AMPHI	162-166
5535.	16a-1	AMPHI	200-204
5536.	16a-1	AMPHI	220-223
5537.	16a-1	AMPHI	231-234
5538.	16a-1	AMPHI	248-259
5539.	16a-1	AMPHI	262-264
5540.	16a-1	AMPHI	29-314
5541.	16a-1	AMPHI	316-318
5542.	16a-1	AMPHI	320-326
5543.	16a-1	AMPHI	328-331
5544.	16a-1	AMPHI	333-335
5545.	16a-1	AMPHI	339-341
5546.	16a-1	AMPHI	343-348
5547.	16a-1	AMPHI	372-37
5548.	16a-1	AMPHI	380-382
5549.	16a-1	AMPHI	388-390
5550.	16a-1	AMPHI	392-396
5551.	16a-1	AMPHI	405-422
5552.	16a-1	Antigenic Index	1-12
5553.	16a-1	Antigenic Index	38-43
5554.	16a-1	Antigenic Index	50-57
5555.	16a-1	Antigenic Index	77-91
5556.	16a-1	Antigenic Index	110-113
5557.	16a-1	Antigenic Index	152-161
5558.	16a-1	Antigenic Index	190-196
5559.	16a-1	Antigenic Index	222-232
5560.	16a-1	Antigenic Index	241-247
5561.	16a-1	Antigenic Index	253-256
5562.	16a-1	Antigenic Index	280-283
5563.	16a-1	Antigenic Index	291-298
5564.	16a-1	Antigenic Index	300-305
5565.	16a-1	Antigenic Index	327-333
5566.	16a-1	Antigenic Index	385-392
5567.	16a-1	Antigenic Index	397-400
5568.	16a-1	Antigenic Index	444-451
5569.	16a-1	Hydrophilicity	8-12

5570.	16a-1	Hydrophilicity	52-54
5571.	16a-1	Hydrophilicity	80-91
5572.	16a-1	Hydrophilicity	152-159
5573.	16a-1	Hydrophilicity	190-196
5574.	16a-1	Hydrophilicity	222-228
5575.	16a-1	Hydrophilicity	230-232
5576.	16a-1	Hydrophilicity	241-247
5577.	16a-1	Hydrophilicity	253-256
5578.	16a-1	Hydrophilicity	293-295
5579.	16a-1	Hydrophilicity	327-333
5580.	16a-1	Hydrophilicity	446-449
5581.	17a-1	AMPHI	17-25
5582.	17a-1	AMPHI	46-50
5583.	17a-1	AMPHI	65-72
5584.	17a-1	AMPHI	87-98
5585.	17a-1	AMPHI	104-107
5586.	17a-1	AMPHI	136-160
5587.	17a-1	AMPHI	197-201
5588.	17a-1	AMPHI	204-212
5589.	17a-1	AMPHI	224-226
5590.	17a-1	Antigenic Index	26-29
5591.	17a-1	Antigenic Index	73-81
5592.	17a-1	Antigenic Index	127-140
5593.	17a-1	Antigenic Index	161-164
5594.	17a-1	Antigenic Index	181-186
5595.	17a-1	Antigenic Index	209-212
5596.	17a-1	Antigenic Index	239-252
5597.	17a-1	Hydrophilicity	74-81
5598.	17a-1	Hydrophilicity	127-137
5599.	17a-1	Hydrophilicity	239-252
5600.	18a-1	AMPHI	10-12
5601.	18a-1	AMPHI	46-54
5602.	18a-1	AMPHI	101-103
5603.	18a-1	AMPHI	113-120
5604.	18a-1	AMPHI	122-125
5605.	18a-1	AMPHI	132-140
5606.	18a-1	AMPHI	184-186
5607.	18a-1	Antigenic Index	78-96
5608.	18a-1	Antigenic Index	162-173
5609.	18a-1	Antigenic Index	175-177
5610.	18a-1	Antigenic Index	198-201
5611.	18a-1	Hydrophilicity	80-86
5612.	18a-1	Hydrophilicity	91-95
5613.	18a-1	Hydrophilicity	162-169

5614.	18a-1	Hydrophilicity	198-201
5615.	19a-1	AMPHI	15-19
5616.	19a-1	AMPHI	43-46
5617.	19a-1	AMPHI	49-53
5618.	19a-1	AMPHI	56-63
5619.	19a-1	AMPHI	66-72
5620.	19a-1	AMPHI	100-102
5621.	19a-1	AMPHI	117-122
5622.	19a-1	AMPHI	161-175
5623.	19a-1	AMPHI	204-211
5624.	19a-1	AMPHI	213-215
5625.	19a-1	AMPHI	227-236
5626.	19a-1	AMPHI	242-247
5627.	19a-1	AMPHI	257-259
5628.	19a-1	AMPHI	267-275
5629.	19a-1	AMPHI	279-289
5630.	19a-1	AMPHI	298-311
5631.	19a-1	AMPHI	322-340
5632.	19a-1	AMPHI	342-344
5633.	19a-1	AMPHI	366-371
5634.	19a-1	AMPHI	400-404
5635.	19a-1	AMPHI	439-451
5636.	19a-1	AMPHI	487-493
5637.	19a-1	AMPHI	499-502
5638.	19a-1	AMPHI	504-513
5639.	19a-1	AMPHI	549-561
5640.	19a-1	AMPHI	578-599
5641.	19a-1	AMPHI	610-620
5642.	19a-1	AMPHI	647-655
5643.	19a-1	AMPHI	660-665
5644.	19a-1	AMPHI	674-677
5645.	19a-1	AMPHI	693-715
5646.	19a-1	Antigenic Index	1-8
5647.	19a-1	Antigenic Index	31-35
5648.	19a-1	Antigenic Index	49-61
5649.	19a-1	Antigenic Index	81-83
5650.	19a-1	Antigenic Index	125-129
5651.	19a-1	Antigenic Index	156-162
5652.	19a-1	Antigenic Index	176-192
5653.	19a-1	Antigenic Index	194-197
5654.	19a-1	Antigenic Index	210-213
5655.	19a-1	Antigenic Index	219-232
5656.	19a-1	Antigenic Index	241-248
5657.	19a-1	Antigenic Index	251-265

5658.	19a-1	Antigenic Index	276-285
5659.	19a-1	Antigenic Index	287-310
5660.	19a-1	Antigenic Index	312-340
5661.	19a-1	Antigenic Index	343-372
5662.	19a-1	Antigenic Index	376-384
5663.	19a-1	Antigenic Index	423-436
5664.	19a-1	Antigenic Index	455-457
5665.	19a-1	Antigenic Index	474-479
5666.	19a-1	Antigenic Index	526-529
5667.	19a-1	Antigenic Index	535-538
5668.	19a-1	Antigenic Index	551-577
5669.	19a-1	Antigenic Index	584-602
5670.	19a-1	Antigenic Index	620-634
5671.	19a-1	Antigenic Index	652-663
5672.	19a-1	Antigenic Index	665-683
5673.	19a-1	Antigenic Index	695-716
5674.	19a-1	Hydrophilicity	31-35
5675.	19a-1	Hydrophilicity	49-61
5676.	19a-1	Hydrophilicity	160-162
5677.	19a-1	Hydrophilicity	176-192
5678.	19a-1	Hydrophilicity	194-197
5679.	19a-1	Hydrophilicity	220-231
5680.	19a-1	Hydrophilicity	241-247
5681.	19a-1	Hydrophilicity	252-262
5682.	19a-1	Hydrophilicity	277-285
5683.	19a-1	Hydrophilicity	287-291
5684.	19a-1	Hydrophilicity	293-295
5685.	19a-1	Hydrophilicity	297-310
5686.	19a-1	Hydrophilicity	312-330
5687.	19a-1	Hydrophilicity	333-335
5688.	19a-1	Hydrophilicity	337-339
5689.	19a-1	Hydrophilicity	347-361
5690.	19a-1	Hydrophilicity	365-367
5691.	19a-1	Hydrophilicity	378-380
5692.	19a-1	Hydrophilicity	428-436
5693.	19a-1	Hydrophilicity	535-538
5694.	19a-1	Hydrophilicity	551-577
5695.	19a-1	Hydrophilicity	585-597
5696.	19a-1	Hydrophilicity	622-632
5697.	19a-1	Hydrophilicity	653-662
5698.	19a-1	Hydrophilicity	665-678
5699.	19a-1	Hydrophilicity	695-697
5700.	19a-1	Hydrophilicity	707-713
5701.	20a-1	AMPHI	6-22

5702.	20a-1	AMPHI	30-36
5703.	20a-1	AMPHI	45-54
5704.	20a-1	AMPHI	62-66
5705.	20a-1	AMPHI	75-77
5706.	20a-1	AMPHI	80-89
5707.	20a-1	AMPHI	100-103
5708.	20a-1	AMPHI	143-157
5709.	20a-1	AMPHI	194-196
5710.	20a-1	AMPHI	210-216
5711.	20a-1	AMPHI	225-235
5712.	20a-1	AMPHI	250-255
5713.	20a-1	AMPHI	270-286
5714.	20a-1	AMPHI	303-306
5715.	20a-1	AMPHI	314-316
5716.	20a-1	AMPHI	364-367
5717.	20a-1	AMPHI	391-406
5718.	20a-1	AMPHI	437-447
5719.	20a-1	AMPHI	472-478
5720.	20a-1	AMPHI	495-497
5721.	20a-1	Antigenic Index	26-28
5722.	20a-1	Antigenic Index	49-51
5723.	20a-1	Antigenic Index	54-56
5724.	20a-1	Antigenic Index	70-83
5725.	20a-1	Antigenic Index	114-126
5726.	20a-1	Antigenic Index	153-155
5727.	20a-1	Antigenic Index	180-186
5728.	20a-1	Antigenic Index	217-226
5729.	20a-1	Antigenic Index	228-231
5730.	20a-1	Antigenic Index	258-261
5731.	20a-1	Antigenic Index	268-276
5732.	20a-1	Antigenic Index	291-302
5733.	20a-1	Antigenic Index	376-384
5734.	20a-1	Antigenic Index	430-440
5735.	20a-1	Antigenic Index	474-480
5736.	20a-1	Antigenic Index	489-491
5737.	20a-1	Antigenic Index	502-512
5738.	20a-1	Hydrophilicity	26-28
5739.	20a-1	Hydrophilicity	49-51
5740.	20a-1	Hydrophilicity	54-56
5741.	20a-1	Hydrophilicity	70-83
5742.	20a-1	Hydrophilicity	117-126
5743.	20a-1	Hydrophilicity	217-226
5744.	20a-1	Hydrophilicity	228-231
5745.	20a-1	Hydrophilicity	270-273

-171-

5746.	20a-1	Hydrophilicity	292-302
5747.	20a-1	Hydrophilicity	378-380
5748.	20a-1	Hydrophilicity	382-384
5749.	20a-1	Hydrophilicity	475-480
5750.	20a-1	Hydrophilicity	502-512
5751.	22a-1	AMPHI	47-50
5752.	22a-1	AMPHI	76-79
5753.	22a-1	AMPHI	106-115
5754.	22a-1	AMPHI	119-122
5755.	22a-1	AMPHI	132-140
5756.	22a-1	AMPHI	149-151
5757.	22a-1	AMPHI	171-173
5758.	22a-1	AMPHI	226-232
5759.	22a-1	AMPHI	244-249
5760.	22a-1	AMPHI	251-255
5761.	22a-1	AMPHI	271-174
5762.	22a-1	AMPHI	277-281
5763.	22a-1	AMPHI	286-292
5764.	22a-1	AMPHI	305-307
5765.	22a-1	AMPHI	309-324
5766.	22a-1	AMPHI	352-359
5767.	22a-1	AMPHI	364-366
5768.	22a-1	AMPHI	382-385
5769.	22a-1	AMPHI	388-393
5770.	22a-1	Antigenic Index	2-8
5771.	22a-1	Antigenic Index	12-21
5772.	22a-1	Antigenic Index	23-25
5773.	22a-1	Antigenic Index	35-38
5774.	22a-1	Antigenic Index	40-65
5775.	22a-1	Antigenic Index	72-75
5776.	22a-1	Antigenic Index	80-87
5777.	22a-1	Antigenic Index	95-107
5778.	22a-1	Antigenic Index	114-122
5779.	22a-1	Antigenic Index	131-138
5780.	22a-1	Antigenic Index	140-146
5781.	22a-1	Antigenic Index	154-160
5782.	22a-1	Antigenic Index	168-178
5783.	22a-1	Antigenic Index	183-191
5784.	22a-1	Antigenic Index	198-206
5785.	22a-1	Antigenic Index	208-214
5786.	22a-1	Antigenic Index	216-222
5787.	22a-1	Antigenic Index	230-236
5788.	22a-1	Antigenic Index	253-263
5789.	22a-1	Antigenic Index	266-276

5790.	22a-1	Antigenic Index	291-301
5791.	22a-1	Antigenic Index	315-318
5792.	22a-1	Antigenic Index	320-322
5793.	22a-1	Antigenic Index	326-334
5794.	22a-1	Antigenic Index	341-349
5795.	22a-1	Antigenic Index	368-375
5796.	22a-1	Antigenic Index	379-385
5797.	22a-1	Antigenic Index	399-407
5798.	22a-1	Antigenic Index	413-420
5799.	22a-1	Antigenic Index	426-436
5800.	22a-1	Antigenic Index	438-447
5801.	22a-1	Hydrophilicity	2-8
5802.	22a-1	Hydrophilicity	14-20
5803.	22a-1	Hydrophilicity	35-38
5804.	22a-1	Hydrophilicity	41-64
5805.	22a-1	Hydrophilicity	80-87
5806.	22a-1	Hydrophilicity	95-107
5807.	22a-1	Hydrophilicity	114-119
5808.	22a-1	Hydrophilicity	132-137
5809.	22a-1	Hydrophilicity	140-146
5810.	22a-1	Hydrophilicity	168-178
5811.	22a-1	Hydrophilicity	183-191
5812.	22a-1	Hydrophilicity	198-206
5813.	22a-1	Hydrophilicity	208-211
5814.	22a-1	Hydrophilicity	256-261
5815.	22a-1	Hydrophilicity	269-276
5816.	22a-1	Hydrophilicity	291-300
5817.	22a-1	Hydrophilicity	326-334
5818.	22a-1	Hydrophilicity	342-348
5819.	22a-1	Hydrophilicity	369-375
5820.	22a-1	Hydrophilicity	399-407
5821.	22a-1	Hydrophilicity	413-420
5822.	22a-1	Hydrophilicity	428-432
5823.	22a-1	Hydrophilicity	434-436
5824.	22a-1	Hydrophilicity	438-447
5825.	23a1	AMPHI	27-35
5826.	23a1	AMPHI	66-75
5827.	23a1	AMPHI	88-94
5828.	23a1	AMPHI	131-133
5829.	23a1	AMPHI	137-141
5830.	23a1	AMPHI	146-164
5831.	23a1	AMPHI	169-171
5832.	23a1	AMPHI	215-223
5833.	23a1	AMPHI	238-241

5834.	23a1	AMPHI	288-290
5835.	23a1	AMPHI	301-307
5836.	23a1	AMPHI	330-336
5837.	23a1	AMPHI	346-352
5838.	23a1	AMPHI	367-369
5839.	23a1	AMPHI	378-386
5840.	23a1	AMPHI	401-426
5841.	23a1	AMPHI	434-437
5842.	23a1	AMPHI	443-446
5843.	23a1	AMPHI	474-481
5844.	23a1	AMPHI	515-523
5845.	23a1	AMPHI	562-572
5846.	23a1	AMPHI	601-603
5847.	23a1	AMPHI	613-622
5848.	23a1	AMPHI	628-630
5849.	23a1	AMPHI	652-654
5850.	23a1	AMPHI	663-667
5851.	23a1	AMPHI	697-704
5852.	23a1	Antigenic Index	22-35
5853.	23a1	Antigenic Index	42-53
5854.	23a1	Antigenic Index	67-73
5855.	23a1	Antigenic Index	81-92
5856.	23a1	Antigenic Index	99-114
5857.	23a1	Antigenic Index	118-124
5858.	23a1	Antigenic Index	136-144
5859.	23a1	Antigenic Index	146-155
5860.	23a1	Antigenic Index	160-169
5861.	23a1	Antigenic Index	173-196
5862.	23a1	Antigenic Index	202-216
5863.	23a1	Antigenic Index	220-237
5864.	23a1	Antigenic Index	245-251
5865.	23a1	Antigenic Index	253-266
5866.	23a1	Antigenic Index	274-277
5867.	23a1	Antigenic Index	282-291
5868.	23a1	Antigenic Index	293-299
5869.	23a1	Antigenic Index	306-332
5870.	23a1	Antigenic Index	340-344
5871.	23a1	Antigenic Index	354-361
5872.	23a1	Antigenic Index	368-379
5873.	23a1	Antigenic Index	387-399
5874.	23a1	Antigenic Index	401-405
5875.	23a1	Antigenic Index	407-420
5876.	23a1	Antigenic Index	426-435
5877.	23a1	Antigenic Index	441-446

-174-

5878.	23a1	Antigenic Index	454-470
5879.	23a1	Antigenic Index	477-483
5880.	23a1	Antigenic Index	506-516
5881.	23a1	Antigenic Index	519-524
5882.	23a1	Antigenic Index	526-529
5883.	23a1	Antigenic Index	531-534
5884.	23a1	Antigenic Index	536-539
5885.	23a1	Antigenic Index	544-552
5886.	23a1	Antigenic Index	555-565
5887.	23a1	Antigenic Index	569-590
5888.	23a1	Antigenic Index	593-617
5889.	23a1	Antigenic Index	627-632
5890.	23a1	Antigenic Index	637-639
5891.	23a1	Antigenic Index	641-651
5892.	23a1	Antigenic Index	654-671
5893.	23a1	Antigenic Index	681-689
5894.	23a1	Antigenic Index	691-693
5895.	23a1	Antigenic Index	695-711
5896.	23a1	Hydrophilicity	22-35
5897.	23a1	Hydrophilicity	42-51
5898.	23a1	Hydrophilicity	67-73
5899.	23a1	Hydrophilicity	81-92
5900.	23a1	Hydrophilicity	100-102
5901.	23a1	Hydrophilicity	106-112
5902.	23a1	Hydrophilicity	119-122
5903.	23a1	Hydrophilicity	136-142
5904.	23a1	Hydrophilicity	147-155
5905.	23a1	Hydrophilicity	163-169
5906.	23a1	Hydrophilicity	173-184
5907.	23a1	Hydrophilicity	186-196
5908.	23a1	Hydrophilicity	206-208
5909.	23a1	Hydrophilicity	210-216
5910.	23a1	Hydrophilicity	221-236
5911.	23a1	Hydrophilicity	249-251
5912.	23a1	Hydrophilicity	258-266
5913.	23a1	Hydrophilicity	283-288
5914.	23a1	Hydrophilicity	295-299
5915.	23a1	Hydrophilicity	306-312
5916.	23a1	Hydrophilicity	314-329
5917.	23a1	Hydrophilicity	356-361
5918.	23a1	Hydrophilicity	372-379
5919.	23a1	Hydrophilicity	392-398
5920.	23a1	Hydrophilicity	408-411
5921.	23a1	Hydrophilicity	429-434

5922.	23a1	Hydrophilicity	441-446
5923.	23a1	Hydrophilicity	455-469
5924.	23a1	Hydrophilicity	507-514
5925.	23a1	Hydrophilicity	526-529
5926.	23a1	Hydrophilicity	531-534
5927.	23a1	Hydrophilicity	536-539
5928.	23a1	Hydrophilicity	544-551
5929.	23a1	Hydrophilicity	555-561
5930.	23a1	Hydrophilicity	569-572
5931.	23a1	Hydrophilicity	580-582
5932.	23a1	Hydrophilicity	584-586
5933.	23a1	Hydrophilicity	595-617
5934.	23a1	Hydrophilicity	641-643
5935.	23a1	Hydrophilicity	645-648
5936.	23a1	Hydrophilicity	656-671
5937.	23a1	Hydrophilicity	682-689
5938.	23a1	Hydrophilicity	700-709
5939.	24a-1	AMPHI	35-38
5940.	24a-1	AMPHI	46-56
5941.	24a-1	AMPHI	72-90
5942.	24a-1	AMPHI	106-108
5943.	24a-1	AMPHI	116-122
5944.	24a-1	AMPHI	134-153
5945.	24a-1	AMPHI	171-174
5946.	24a-1	AMPHI	221-229
5947.	24a-1	Antigenic Index	36-42
5948.	24a-1	Antigenic Index	49-51
5949.	24a-1	Antigenic Index	53-57
5950.	24a-1	Antigenic Index	64-79
5951.	24a-1	Antigenic Index	93-96
5952.	24a-1	Antigenic Index	105-135
5953.	24a-1	Antigenic Index	141-153
5954.	24a-1	Antigenic Index	172-175
5955.	24a-1	Antigenic Index	178-187
5956.	24a-1	Antigenic Index	193-201
5957.	24a-1	Antigenic Index	218-224
5958.	24a-1	Antigenic Index	264-277
5959.	24a-1	Antigenic Index	280-292
5960.	24a-1	Hydrophilicity	38-41
5961.	24a-1	Hydrophilicity	74-76
5962.	24a-1	Hydrophilicity	110-121
5963.	24a-1	Hydrophilicity	125-132
5964.	24a-1	Hydrophilicity	141-149
5965.	24a-1	Hydrophilicity	182-185

5966.	24a-1	Hydrophilicity	193-199
5967.	24a-1	Hydrophilicity	219-223
5968.	24a-1	Hydrophilicity	265-277
5969.	24a-1	Hydrophilicity	282-292
5970.	25a-1	AMPHI	21-38
5971.	25a-1	AMPHI	40-46
5972.	25a-1	AMPHI	48-50
5973.	25a-1	AMPHI	77-85
5974.	25a-1	AMPHI	105-107
5975.	25a-1	AMPHI	120-125
5976.	25a-1	AMPHI	11-143
5977.	25a-1	AMPHI	189-192
5978.	25a-1	AMPHI	201-204
5979.	25a-1	AMPHI	207-214
5980.	25a-1	AMPHI	228-230
5981.	25a-1	AMPHI	269-278
5982.	25a-1	AMPHI	280-282
5983.	25a-1	AMPHI	297-301
5984.	25a-1	AMPHI	312-314
5985.	25a-1	Antigenic Index	17-30
5986.	25a-1	Antigenic Index	39-59
5987.	25a-1	Antigenic Index	61-65
5988.	25a-1	Antigenic Index	75-89
5989.	25a-1	Antigenic Index	99-111
5990.	25a-1	Antigenic Index	118-120
5991.	25a-1	Antigenic Index	122-138
5992.	25a-1	Antigenic Index	146-154
5993.	25a-1	Antigenic Index	182-194
5994.	25a-1	Antigenic Index	196-215
5995.	25a-1	Antigenic Index	217-248
5996.	25a-1	Antigenic Index	250-270
5997.	25a-1	Antigenic Index	274-312
5998.	25a-1	Antigenic Index	319-331
5999.	25a-1	Hydrophilicity	17-27
6000.	25a-1	Hydrophilicity	45-59
6001.	25a-1	Hydrophilicity	75-88
6002.	25a-1	Hydrophilicity	103-110
6003.	25a-1	Hydrophilicity	122-130
6004.	25a-1	Hydrophilicity	132-136
6005.	25a-1	Hydrophilicity	147-152
6006.	25a-1	Hydrophilicity	183-194
6007.	25a-1	Hydrophilicity	196-215
6008.	25a-1	Hydrophilicity	218-248
6009.	25a-1	Hydrophilicity	252-270

6010.	25a-1	Hydrophilicity	277-312
6011.	25a-1	Hydrophilicity	319-331
6012.	26a-1	AMPHI	6-15
6013.	26a-1	AMPHI	49-59
6014.	26a-1	AMPHI	86-91
6015.	26a-1	AMPHI	98-106
6016.	26a-1	AMPHI	126-134
6017.	26a-1	AMPHI	173-185
6018.	26a-1	AMPHI	188-190
6019.	26a-1	AMPHI	193-220
6020.	26a-1	AMPHI	227-233
6021.	26a-1	AMPHI	238-243
6022.	26a-1	AMPHI	250-257
6023.	26a-1	AMPHI	265-273
6024.	26a-1	AMPHI	283-290
6025.	26a-1	AMPHI	319-327
6026.	26a-1	AMPHI	346-348
6027.	26a-1	AMPHI	356-365
6028.	26a-1	AMPHI	387-391
6029.	26a-1	AMPHI	429-433
6030.	26a-1	AMPHI	447-457
6031.	26a-1	Antigenic Index	54-52
6032.	26a-1	Antigenic Index	54-57
6033.	26a-1	Antigenic Index	66-77
6034.	26a-1	Antigenic Index	94-99
6035.	26a-1	Antigenic Index	103-115
6036.	26a-1	Antigenic Index	129-131
6037.	26a-1	Antigenic Index	138-153
6038.	26a-1	Antigenic Index	160-162
6039.	26a-1	Antigenic Index	172-175
6040.	26a-1	Antigenic Index	190-193
6041.	26a-1	Antigenic Index	195-197
6042.	26a-1	Antigenic Index	226-229
6043.	26a-1	Antigenic Index	231-235
6044.	26a-1	Antigenic Index	240-253
6045.	26a-1	Antigenic Index	279-282
6046.	26a-1	Antigenic Index	290-298
6047.	26a-1	Antigenic Index	322-325
6048.	26a-1	Antigenic Index	330-335
6049.	26a-1	Antigenic Index	352-359
6050.	26a-1	Antigenic Index	369-371
6051.	26a-1	Antigenic Index	389-394
6052.	26a-1	Antigenic Index	407-411
6053.	26a-1	Antigenic Index	428-436

6054.	26a-1	Antigenic Index	441-449
6055.	26a-1	Antigenic Index	498-506
6056.	26a-1	Hydrophilicity	54-57
6057.	26a-1	Hydrophilicity	69-77
6058.	26a-1	Hydrophilicity	103-115
6059.	26a-1	Hydrophilicity	138-153
6060.	26a-1	Hydrophilicity	231-235
6061.	26a-1	Hydrophilicity	240-248
6062.	26a-1	Hydrophilicity	291-295
6063.	26a-1	Hydrophilicity	322-324
6064.	26a-1	Hydrophilicity	407-411
6065.	26a-1	Hydrophilicity	430-435
6066.	26a-1	Hydrophilicity	443-446
6067.	26a-1	Hydrophilicity	498-506
6068.	27a-1	AMPHI	6-8
6069.	27a-1	AMPHI	43-54
6070.	27a-1	AMPHI	56-60
6071.	27a-1	AMPHI	62-67
6072.	27a-1	AMPHI	78-86
6073.	27a-1	AMPHI	102-105
6074.	27a-1	AMPHI	114-118
6075.	27a-1	AMPHI	137-146
6076.	27a-1	AMPHI	161-166
6077.	27a-1	AMPHI	186-190
6078.	27a-1	AMPHI	193-196
6079.	27a-1	Antigenic Index	1-5
6080.	27a-1	Antigenic Index	30-40
6081.	27a-1	Antigenic Index	63-70
6082.	27a-1	Antigenic Index	86-88
6083.	27a-1	Antigenic Index	96-114
6084.	27a-1	Antigenic Index	117-126
6085.	27a-1	Antigenic Index	130-162
6086.	27a-1	Antigenic Index	167-174
6087.	27a-1	Antigenic Index	178-185
6088.	27a-1	Antigenic Index	188-197
6089.	27a-1	Antigenic Index	203-209
6090.	27a-1	Antigenic Index	213-242
6091.	27a-1	Hydrophilicity	1-5
6092.	27a-1	Hydrophilicity	33-35
6093.	27a-1	Hydrophilicity	64-69
6094.	27a-1	Hydrophilicity	98-103
6095.	27a-1	Hydrophilicity	106-114
6096.	27a-1	Hydrophilicity	121-126
6097.	27a-1	Hydrophilicity	133-139

6098.	27a-1	Hydrophilicity	141-159
6099.	27a-1	Hydrophilicity	170-174
6100.	27a-1	Hydrophilicity	178-185
6101.	27a-1	Hydrophilicity	190-197
6102.	27a-1	Hydrophilicity	213-232
6103.	27a-1	Hydrophilicity	234-238
6104.	27a-1	Hydrophilicity	240-242
6105.	28a-1	AMPHI	31-33
6106.	28a-1	AMPHI	35-37
6107.	28a-1	AMPHI	78-90
6108.	28a-1	AMPHI	92-95
6109.	28a-1	AMPHI	133-140
6110.	28a-1	AMPHI	186-188
6111.	28a-1	AMPHI	200-202
6112.	28a-1	AMPHI	204-206
6113.	28a-1	AMPHI	213-219
6114.	28a-1	Antigenic Index	5-7
6115.	28a-1	Antigenic Index	27-46
6116.	28a-1	Antigenic Index	51-62
6117.	28a-1	Antigenic Index	74-81
6118.	28a-1	Antigenic Index	88-95
6119.	28a-1	Antigenic Index	97-104
6120.	28a-1	Antigenic Index	110-125
6121.	28a-1	Antigenic Index	127-144
6122.	28a-1	Antigenic Index	146-156
6123.	28a-1	Antigenic Index	160-179
6124.	28a-1	Antigenic Index	182-187
6125.	28a-1	Antigenic Index	192-202
6126.	28a-1	Antigenic Index	232-237
6127.	28a-1	Hydrophilicity	5-7
6128.	28a-1	Hydrophilicity	30-32
6129.	28a-1	Hydrophilicity	34-46
6130.	28a-1	Hydrophilicity	51-62
6131.	28a-1	Hydrophilicity	75-81
6132.	28a-1	Hydrophilicity	88-95
6133.	28a-1	Hydrophilicity	98-101
6134.	28a-1	Hydrophilicity	110-116
6135.	28a-1	Hydrophilicity	129-144
6136.	28a-1	Hydrophilicity	146-152
6137.	28a-1	Hydrophilicity	154-156
6138.	28a-1	Hydrophilicity	160-166
6139.	28a-1	Hydrophilicity	171-175
6140.	28a-1	Hydrophilicity	177-179
6141.	28a-1	Hydrophilicity	192-202

6142.	28a-1	Hydrophilicity	233-237
6143.	29a-1	AMPHI	25-27
6144.	29a-1	AMPHI	64-67
6145.	29a-1	AMPHI	87-90
6146.	29a-1	AMPHI	103-108
6147.	29a-1	AMPHI	115-122
6148.	29a-1	AMPHI	129-136
6149.	29a-1	AMPHI	141-150
6150.	29a-1	AMPHI	158-168
6151.	29a-1	AMPHI	224-236
6152.	29a-1	AMPHI	246-264
6153.	29a-1	AMPHI	269-272
6154.	29a-1	AMPHI	298-307
6155.	29a-1	AMPHI	342-346
6156.	29a-1	AMPHI	354-360
6157.	29a-1	AMPHI	367-376
6158.	29a-1	AMPHI	421-443
6159.	29a-1	Antigenic Index	3-5
6160.	29a-1	Antigenic Index	25-47
6161.	29a-1	Antigenic Index	52-62
6162.	29a-1	Antigenic Index	80-87
6163.	29a-1	Antigenic Index	94-103
6164.	29a-1	Antigenic Index	105-125
6165.	29a-1	Antigenic Index	131-161
6166.	29a-1	Antigenic Index	167-177
6167.	29a-1	Antigenic Index	181-196
6168.	29a-1	Antigenic Index	200-206
6169.	29a-1	Antigenic Index	210-219
6170.	29a-1	Antigenic Index	221-229
6171.	29a-1	Antigenic Index	260-262
6172.	29a-1	Antigenic Index	264-268
6173.	29a-1	Antigenic Index	273-280
6174.	29a-1	Antigenic Index	287-290
6175.	29a-1	Antigenic Index	292-311
6176.	29a-1	Antigenic Index	329-343
6177.	29a-1	Antigenic Index	345-349
6178.	29a-1	Antigenic Index	360-388
6179.	29a-1	Antigenic Index	401-404
6180.	29a-1	Antigenic Index	406-429
6181.	29a-1	Antigenic Index	434-454
6182.	29a-1	Antigenic Index	457-482
6183.	29a-1	Hydrophilicity	29-46
6184.	29a-1	Hydrophilicity	54-62
6185.	29a-1	Hydrophilicity	80-86

6186.	29a-1	Hydrophilicity	108-118
6187.	29a-1	Hydrophilicity	133-154
6188.	29a-1	Hydrophilicity	156-161
6189.	29a-1	Hydrophilicity	169-175
6190.	29a-1	Hydrophilicity	186-193
6191.	29a-1	Hydrophilicity	200-206
6192.	29a-1	Hydrophilicity	212-215
6193.	29a-1	Hydrophilicity	222-228
6194.	29a-1	Hydrophilicity	292-294
6195.	29a-1	Hydrophilicity	296-300
6196.	29a-1	Hydrophilicity	303-305
6197.	29a-1	Hydrophilicity	332-339
6198.	29a-1	Hydrophilicity	360-384
6199.	29a-1	Hydrophilicity	406-414
6200.	29a-1	Hydrophilicity	423-429
6201.	29a-1	Hydrophilicity	436-445
6202.	29a-1	Hydrophilicity	457-468
6203.	29a-1	Hydrophilicity	473-480
6204.	30a-1	AMPHI	15-25
6205.	30a-1	AMPHI	40-43
6206.	30a-1	AMPHI	64-69
6207.	30a-1	AMPHI	72-74
6208.	30a-1	AMPHI	80-90
6209.	30a-1	AMPHI	96-123
6210.	30a-1	AMPHI	126-128
6211.	30a-1	AMPHI	137-147
6212.	30a-1	AMPHI	149-157
6213.	30a-1	Antigenic Index	1-5
6214.	30a-1	Antigenic Index	21-29
6215.	30a-1	Antigenic Index	35-39
6216.	30a-1	Antigenic Index	46-55
6217.	30a-1	Antigenic Index	74-76
6218.	30a-1	Antigenic Index	81-93
6219.	30a-1	Antigenic Index	115-127
6220.	30a-1	Antigenic Index	129-181
6221.	30a-1	Hydrophilicity	1-5
6222.	30a-1	Hydrophilicity	26-29
6223.	30a-1	Hydrophilicity	35-39
6224.	30a-1	Hydrophilicity	46-54
6225.	30a-1	Hydrophilicity	83-92
6226.	30a-1	Hydrophilicity	115-122
6227.	30a-1	Hydrophilicity	135-138
6228.	30a-1	Hydrophilicity	144-158
6229.	30a-1	Hydrophilicity	161-181

6230.	32a-1	AMPHI	9-21
6231.	32a-1	AMPHI	47-49
6232.	32a-1	AMPHI	51-56
6233.	32a-1	AMPHI	67-69
6234.	32a-1	AMPHI	85-87
6235.	32a-1	AMPHI	93-101
6236.	32a-1	AMPHI	128-135
6237.	32a-1	AMPHI	157-161
6238.	32a-1	AMPHI	190-204
6239.	32a-1	AMPHI	215-219
6240.	32a-1	AMPHI	255-266
6241.	32a-1	AMPHI	297-304
6242.	32a-1	AMPHI	310-313
6243.	32a-1	AMPHI	316-333
6244.	32a-1	AMPHI	335-343
6245.	32a-1	AMPHI	345-362
6246.	32a-1	Antigenic Index	4-7
6247.	32a-1	Antigenic Index	15-21
6248.	32a-1	Antigenic Index	31-33
6249.	32a-1	Antigenic Index	42-48
6250.	32a-1	Antigenic Index	52-59
6251.	32a-1	Antigenic Index	70-82
6252.	32a-1	Antigenic Index	94-98
6253.	32a-1	Antigenic Index	103-109
6254.	32a-1	Antigenic Index	119-126
6255.	32a-1	Antigenic Index	128-136
6256.	32a-1	Antigenic Index	145-159
6257.	32a-1	Antigenic Index	161-182
6258.	32a-1	Antigenic Index	187-191
6259.	32a-1	Antigenic Index	200-206
6260.	32a-1	Antigenic Index	217-236
6261.	32a-1	Antigenic Index	253-257
6262.	32a-1	Antigenic Index	265-274
6263.	32a-1	Antigenic Index	278-280
6264.	32a-1	Antigenic Index	287-296
6265.	32a-1	Antigenic Index	305-336
6266.	32a-1	Antigenic Index	345-361
6267.	32a-1	Antigenic Index	364-371
6268.	32a-1	Antigenic Index	376-382
6269.	32a-1	Hydrophilicity	16-19
6270.	32a-1	Hydrophilicity	31-33
6271.	32a-1	Hydrophilicity	45-48
6272.	32a-1	Hydrophilicity	55-58
6273.	32a-1	Hydrophilicity	74-80

6274.	32a-1	Hydrophilicity	94-97
6275.	32a-1	Hydrophilicity	104-107
6276.	32a-1	Hydrophilicity	119-126
6277.	32a-1	Hydrophilicity	130-136
6278.	32a-1	Hydrophilicity	146-148
6279.	32a-1	Hydrophilicity	151-159
6280.	32a-1	Hydrophilicity	161-180
6281.	32a-1	Hydrophilicity	217-221
6282.	32a-1	Hydrophilicity	229-236
6283.	32a-1	Hydrophilicity	253-257
6284.	32a-1	Hydrophilicity	265-274
6285.	32a-1	Hydrophilicity	289-296
6286.	32a-1	Hydrophilicity	314-327
6287.	32a-1	Hydrophilicity	329-333
6288.	32a-1	Hydrophilicity	352-358
6289.	32a-1	Hydrophilicity	366-371
6290.	32a-1	Hydrophilicity	377-382
6291.	33a-1	AMPHI	6-16
6292.	33a-1	AMPHI	28-41
6293.	33a-1	AMPHI	58-65
6294.	33a-1	AMPHI	104-109
6295.	33a-1	AMPHI	114-119
6296.	33a-1	AMPHI	128-134
6297.	33a-1	AMPHI	145-150
6298.	33a-1	AMPHI	174-183
6299.	33a-1	AMPHI	206-213
6300.	33a-1	AMPHI	234-236
6301.	33a-1	AMPHI	241-244
6302.	33a-1	AMPHI	247-249
6303.	33a-1	AMPHI	258-272
6304.	33a-1	AMPHI	285-296
6305.	33a-1	AMPHI	320-323
6306.	33a-1	AMPHI	339-345
6307.	33a-1	AMPHI	384-393
6308.	33a-1	AMPHI	409-429
6309.	33a-1	Antigenic Index	3-10
6310.	33a-1	Antigenic Index	13-19
6311.	33a-1	Antigenic Index	23-29
6312.	33a-1	Antigenic Index	31-68
6313.	33a-1	Antigenic Index	92-96
6314.	33a-1	Antigenic Index	131-144
6315.	33a-1	Antigenic Index	151-162
6316.	33a-1	Antigenic Index	166-170
6317.	33a-1	Antigenic Index	200-209

6318.	33a-1	Antigenic Index	224-241
6319.	33a-1	Antigenic Index	273-286
6320.	33a-1	Antigenic Index	288-307
6321.	33a-1	Antigenic Index	310-312
6322.	33a-1	Antigenic Index	314-316
6323.	33a-1	Antigenic Index	318-321
6324.	33a-1	Antigenic Index	328-337
6325.	33a-1	Antigenic Index	339-341
6326.	33a-1	Antigenic Index	344-357
6327.	33a-1	Antigenic Index	359-367
6328.	33a-1	Antigenic Index	377-385
6329.	33a-1	Antigenic Index	389-396
6330.	33a-1	Antigenic Index	408-419
6331.	33a-1	Antigenic Index	423-427
6332.	33a-1	Antigenic Index	433-449
6333.	33a-1	Hydrophilicity	3-10
6334.	33a-1	Hydrophilicity	13-16
6335.	33a-1	Hydrophilicity	26-29
6336.	33a-1	Hydrophilicity	31-66
6337.	33a-1	Hydrophilicity	138-143
6338.	33a-1	Hydrophilicity	151-160
6339.	33a-1	Hydrophilicity	203-206
6340.	33a-1	Hydrophilicity	225-235
6341.	33a-1	Hydrophilicity	239-241
6342.	33a-1	Hydrophilicity	274-286
6343.	33a-1	Hydrophilicity	288-307
6344.	33a-1	Hydrophilicity	318-321
6345.	33a-1	Hydrophilicity	329-332
6346.	33a-1	Hydrophilicity	334-337
6347.	33a-1	Hydrophilicity	339-341
6348.	33a-1	Hydrophilicity	344-346
6349.	33a-1	Hydrophilicity	348-357
6350.	33a-1	Hydrophilicity	359-367
6351.	33a-1	Hydrophilicity	378-385
6352.	33a-1	Hydrophilicity	389-396
6353.	33a-1	Hydrophilicity	408-419
6354.	33a-1	Hydrophilicity	433-449
6355.	34a-1	AMPHI	13-15
6356.	34a-1	AMPHI	57-63
6357.	34a-1	AMPHI	83-88
6358.	34a-1	AMPHI	107-115
6359.	34a-1	AMPHI	127-130
6360.	34a-1	AMPHI	140-150
6361.	34a-1	AMPHI	160-186

6362.	34a-1	AMPHI	193-201
6363.	34a-1	AMPHI	207-219
6364.	34a-1	AMPHI	228-240
6365.	34a-1	AMPHI	258-264
6366.	34a-1	AMPHI	285-288
6367.	34a-1	AMPHI	307-316
6368.	34a-1	AMPHI	327-337
6369.	34a-1	AMPHI	352-354
6370.	34a-1	AMPHI	373-376
6371.	34a-1	AMPHI	379-381
6372.	34a-1	AMPHI	411-420
6373.	34a-1	AMPHI	429-433
6374.	34a-1	Antigenic Index	18-27
6375.	34a-1	Antigenic Index	31-33
6376.	34a-1	Antigenic Index	65-73
6377.	34a-1	Antigenic Index	90-94
6378.	34a-1	Antigenic Index	114-122
6379.	34a-1	Antigenic Index	126-129
6380.	34a-1	Antigenic Index	131-143
6381.	34a-1	Antigenic Index	148-150
6382.	34a-1	Antigenic Index	152-163
6383.	34a-1	Antigenic Index	174-177
6384.	34a-1	Antigenic Index	196-203
6385.	34a-1	Antigenic Index	226-237
6386.	34a-1	Antigenic Index	239-241
6387.	34a-1	Antigenic Index	246-260
6388.	34a-1	Antigenic Index	270-275
6389.	34a-1	Antigenic Index	282-304
6390.	34a-1	Antigenic Index	311-323
6391.	34a-1	Antigenic Index	331-334
6392.	34a-1	Antigenic Index	337-339
6393.	34a-1	Antigenic Index	346-355
6394.	34a-1	Antigenic Index	359-367
6395.	34a-1	Antigenic Index	379-388
6396.	34a-1	Antigenic Index	394-437
6397.	34a-1	Antigenic Index	449-454
6398.	34a-1	Hydrophilicity	18-25
6399.	34a-1	Hydrophilicity	68-71
6400.	34a-1	Hydrophilicity	115-119
6401.	34a-1	Hydrophilicity	131-139
6402.	34a-1	Hydrophilicity	157-160
6403.	34a-1	Hydrophilicity	199-203
6404.	34a-1	Hydrophilicity	226-237
6405.	34a-1	Hydrophilicity	239-241

6406.	34a-1	Hydrophilicity	245-250
6407.	34a-1	Hydrophilicity	256-258
6408.	34a-1	Hydrophilicity	270-274
6409.	34a-1	Hydrophilicity	283-289
6410.	34a-1	Hydrophilicity	293-301
6411.	34a-1	Hydrophilicity	312-323
6412.	34a-1	Hydrophilicity	349-355
6413.	34a-1	Hydrophilicity	361-367
6414.	34a-1	Hydrophilicity	384-388
6415.	34a-1	Hydrophilicity	396-402
6416.	34a-1	Hydrophilicity	404-436
6417.	37a-1	AMPHI	6-8
6418.	37a-1	AMPHI	24-31
6419.	37a-1	AMPHI	65-81
6420.	37a-1	Antigenic Index	1-3
6421.	37a-1	Antigenic Index	25-34
6422.	37a-1	Antigenic Index	37-40
6423.	37a-1	Antigenic Index	42-46
6424.	37a-1	Antigenic Index	51-63
6425.	37a-1	Antigenic Index	67-69
6426.	37a-1	Antigenic Index	71-90
6427.	37a-1	Hydrophilicity	1-3
6428.	37a-1	Hydrophilicity	25-34
6429.	37a-1	Hydrophilicity	51-63
6430.	37a-1	Hydrophilicity	75-88
6431.	46a-1	AMPHI	12-17
6432.	46a-1	AMPHI	33-36
6433.	46a-1	AMPHI	70-73
6434.	46a-1	AMPHI	76-78
6435.	46a-1	AMPHI	91-96
6436.	46a-1	AMPHI	98-107
6437.	46a-1	AMPHI	117-125
6438.	46a-1	AMPHI	137-148
6439.	46a-1	AMPHI	156-159
6440.	46a-1	AMPHI	183-193
6441.	46a-1	AMPHI	196-209
6442.	46a-1	AMPHI	216-241
6443.	46a-1	AMPHI	243-255
6444.	46a-1	AMPHI	258-263
6445.	46a-1	AMPHI	273-287
6446.	46a-1	AMPHI	289-292
6447.	46a-1	AMPHI	294-296
6448.	46a-1	AMPHI	301-314
6449.	46a-1	AMPHI	318-323

-187-

6450.	46a-1	AMPHI	336-338
6451.	46a-1	AMPHI	358-365
6452.	46a-1	AMPHI	367-370
6453.	46a-1	AMPHI	372-374
6454.	46a-1	AMPHI	420-422
6455.	46a-1	AMPHI	424-427
6456.	46a-1	AMPHI	442-444
6457.	46a-1	AMPHI	470-478
6458.	46a-1	AMPHI	493-516
6459.	46a-1	Antigenic Index	3-7
6460.	46a-1	Antigenic Index	23-29
6461.	46a-1	Antigenic Index	31-33
6462.	46a-1	Antigenic Index	36-48
6463.	46a-1	Antigenic Index	52-66
6464.	46a-1	Antigenic Index	83-88
6465.	46a-1	Antigenic Index	95-123
6466.	46a-1	Antigenic Index	130-158
6467.	46a-1	Antigenic Index	160-164
6468.	46a-1	Antigenic Index	173-194
6469.	46a-1	Antigenic Index	199-220
6470.	46a-1	Antigenic Index	229-231
6471.	46a-1	Antigenic Index	243-247
6472.	46a-1	Antigenic Index	249-257
6473.	46a-1	Antigenic Index	268-280
6474.	46a-1	Antigenic Index	282-288
6475.	46a-1	Antigenic Index	299-302
6476.	46a-1	Antigenic Index	325-330
6477.	46a-1	Antigenic Index	337-344
6478.	46a-1	Antigenic Index	348-361
6479.	46a-1	Antigenic Index	367-435
6480.	46a-1	Antigenic Index	443-462
6481.	46a-1	Antigenic Index	472-523
6482.	46a-1	Antigenic Index	526-545
6483.	46a-1	Antigenic Index	548-556
6484.	46a-1	Hydrophilicity	3-7
6485.	46a-1	Hydrophilicity	26-29
6486.	46a-1	Hydrophilicity	31-33
6487.	46a-1	Hydrophilicity	36-38
6488.	46a-1	Hydrophilicity	40-47
6489.	46a-1	Hydrophilicity	53-62
6490.	46a-1	Hydrophilicity	95-101
6491.	46a-1	Hydrophilicity	109-120
6492.	46a-1	Hydrophilicity	140-146
6493.	46a-1	Hydrophilicity	154-158

6494.	46a-1	Hydrophilicity	174-182
6495.	46a-1	Hydrophilicity	184-187
6496.	46a-1	Hydrophilicity	189-191
6497.	46a-1	Hydrophilicity	202-220
6498.	46a-1	Hydrophilicity	229-231
6499.	46a-1	Hydrophilicity	251-255
6500.	46a-1	Hydrophilicity	268-280
6501.	46a-1	Hydrophilicity	282-288
6502.	46a-1	Hydrophilicity	325-329
6503.	46a-1	Hydrophilicity	338-344
6504.	46a-1	Hydrophilicity	348-356
6505.	46a-1	Hydrophilicity	359-361
6506.	46a-1	Hydrophilicity	375-391
6507.	46a-1	Hydrophilicity	398-421
6508.	46a-1	Hydrophilicity	423-435
6509.	46a-1	Hydrophilicity	443-450
6510.	46a-1	Hydrophilicity	454-456
6511.	46a-1	Hydrophilicity	472-483
6512.	46a-1	Hydrophilicity	486-488
6513.	46a-1	Hydrophilicity	492-498
6514.	46a-1	Hydrophilicity	509-523
6515.	46a-1	Hydrophilicity	529-535
6516.	46a-1	Hydrophilicity	538-544
6517.	46a-1	Hydrophilicity	549-556
6518.	47a-1	AMPHI	13-25
6519.	47a-1	AMPHI	37-40
6520.	47a-1	AMPHI	65-73
6521.	47a-1	AMPHI	95-101
6522.	47a-1	AMPHI	105-108
6523.	47a-1	AMPHI	138-140
6524.	47a-1	AMPHI	158-168
6525.	47a-1	AMPHI	174-181
6526.	47a-1	AMPHI	183-185
6527.	47a-1	AMPHI	188-190
6528.	47a-1	AMPHI	194-196
6529.	47a-1	AMPHI	241-250
6530.	47a-1	AMPHI	269-271
6531.	47a-1	AMPHI	292-296
6532.	47a-1	AMPHI	337-342
6533.	47a-1	Antigenic Index	2-5
6534.	47a-1	Antigenic Index	33-35
6535.	47a-1	Antigenic Index	37-43
6536.	47a-1	Antigenic Index	71-80
6537.	47a-1	Antigenic Index	125-133

6538.	47a-1	Antigenic Index	1355-158
6539.	47a-1	Antigenic Index	189-195
6540.	47a-1	Antigenic Index	197-204
6541.	47a-1	Antigenic Index	251-253
6542.	47a-1	Antigenic Index	311-316
6543.	47a-1	Antigenic Index	318-322
6544.	47a-1	Antigenic Index	344-347
6545.	47a-1	Antigenic Index	350-356
6546.	47a-1	Antigenic Index	375-384
6547.	47a-1	Hydrophilicity	2-5
6548.	47a-1	Hydrophilicity	75-78
6549.	47a-1	Hydrophilicity	127-132
6550.	47a-1	Hydrophilicity	191-194
6551.	47a-1	Hydrophilicity	251-253
6552.	47a-1	Hydrophilicity	352-354
6553.	47a-1	Hydrophilicity	377-384
6554.	48a-1	AMPHI	45-53
6555.	48a-1	AMPHI	68-70
6556.	48a-1	AMPHI	72-106
6557.	48a-1	AMPHI	110-118
6558.	48a-1	AMPHI	141-148
6559.	48a-1	AMPHI	156-168
6560.	48a-1	AMPHI	198-200
6561.	48a-1	AMPHI	214-218
6562.	48a-1	AMPHI	220-222
6563.	48a-1	AMPHI	245-249
6564.	48a-1	AMPHI	272-277
6565.	48a-1	AMPHI	279-285
6566.	48a-1	AMPHI	287-290
6567.	48a-1	AMPHI	294-307
6568.	48a-1	AMPHI	309-311
6569.	48a-1	AMPHI	320-323
6570.	48a-1	AMPHI	338-342
6571.	48a-1	AMPHI	352-354
6572.	48a-1	AMPHI	356-358
6573.	48a-1	AMPHI	364-371
6574.	48a-1	AMPHI	385-387
6575.	48a-1	AMPHI	408-416
6576.	48a-1	AMPHI	420-431
6577.	48a-1	AMPHI	447-460
6578.	48a-1	Antigenic Index	8-12
6579.	48a-1	Antigenic Index	15-17
6580.	48a-1	Antigenic Index	134-142
6581.	48a-1	Antigenic Index	161-168

6582.	48a-1	Antigenic Index	174-178
6583.	48a-1	Antigenic Index	190-193
6584.	48a-1	Antigenic Index	208-214
6585.	48a-1	Antigenic Index	218-225
6586.	48a-1	Antigenic Index	233-235
6587.	48a-1	Antigenic Index	238-243
6588.	48a-1	Antigenic Index	251-256
6589.	48a-1	Antigenic Index	261-264
6590.	48a-1	Antigenic Index	272-278
6591.	48a-1	Antigenic Index	289-300
6592.	48a-1	Antigenic Index	302-311
6593.	48a-1	Antigenic Index	318-325
6594.	48a-1	Antigenic Index	328-342
6595.	48a-1	Antigenic Index	344-349
6596.	48a-1	Antigenic Index	355-363
6597.	48a-1	Antigenic Index	367-375
6598.	48a-1	Antigenic Index	385-394
6599.	48a-1	Antigenic Index	397-405
6600.	48a-1	Antigenic Index	407-416
6601.	48a-1	Antigenic Index	428-438
6602.	48a-1	Antigenic Index	444-463
6603.	48a-1	Antigenic Index	470-472
6604.	48a-1	Hydrophilicity	134-142
6605.	48a-1	Hydrophilicity	162-168
6606.	48a-1	Hydrophilicity	210-214
6607.	48a-1	Hydrophilicity	218-225
6608.	48a-1	Hydrophilicity	240-243
6609.	48a-1	Hydrophilicity	251-256
6610.	48a-1	Hydrophilicity	272-278
6611.	48a-1	Hydrophilicity	289-300
6612.	48a-1	Hydrophilicity	302-310
6613.	48a-1	Hydrophilicity	334-342
6614.	48a-1	Hydrophilicity	344-349
6615.	48a-1	Hydrophilicity	360-363
6616.	48a-1	Hydrophilicity	367-374
6617.	48a-1	Hydrophilicity	387-390
6618.	48a-1	Hydrophilicity	392-394
6619.	48a-1	Hydrophilicity	397-402
6620.	48a-1	Hydrophilicity	407-413
6621.	48a-1	Hydrophilicity	428-438
6622.	48a-1	Hydrophilicity	445-447
6623.	48a-1	Hydrophilicity	470-472
6624.	53a-1	AMPHI	54-58
6625.	53a-1	AMPHI	73-79

6626.	53a-1	AMPHI	144-151
6627.	53a-1	AMPHI	170-173
6628.	53a-1	AMPHI	196-199
6629.	53a-1	AMPHI	206-212
6630.	53a-1	AMPHI	240-242
6631.	53a-1	AMPHI	250-255
6632.	53a-1	AMPHI	265-276
6633.	53a-1	AMPHI	281-289
6634.	53a-1	AMPHI	292-294
6635.	53a-1	AMPHI	303-320
6636.	53a-1	AMPHI	351-370
6637.	53a-1	AMPHI	392-394
6638.	53a-1	AMPHI	396-402
6639.	53a-1	Antigenic Index	1-5
6640.	53a-1	Antigenic Index	8-15
6641.	53a-1	Antigenic Index	36-38
6642.	53a-1	Antigenic Index	65-76
6643.	53a-1	Antigenic Index	79-84
6644.	53a-1	Antigenic Index	140-151
6645.	53a-1	Antigenic Index	170-183
6646.	53a-1	Antigenic Index	216-230
6647.	53a-1	Antigenic Index	256-261
6648.	53a-1	Antigenic Index	265-268
6649.	53a-1	Antigenic Index	282-285
6650.	53a-1	Antigenic Index	297-299
6651.	53a-1	Antigenic Index	307-309
6652.	53a-1	Antigenic Index	311-328
6653.	53a-1	Antigenic Index	339-342
6654.	53a-1	Antigenic Index	377-388
6655.	53a-1	Hydrophilicity	9-13
6656.	53a-1	Hydrophilicity	70-76
6657.	53a-1	Hydrophilicity	79-84
6658.	53a-1	Hydrophilicity	142-151
6659.	53a-1	Hydrophilicity	174-176
6660.	53a-1	Hydrophilicity	179-182
6661.	53a-1	Hydrophilicity	217-230
6662.	53a-1	Hydrophilicity	307-309
6663.	53a-1	Hydrophilicity	311-327
6664.	53a-1	Hydrophilicity	377-386
6665.	58a-1	AMPHI	30-33
6666.	58a-1	AMPHI	43-57
6667.	58a-1	AMPHI	78-84
6668.	58a-1	AMPHI	109-111
6669.	58a-1	AMPHI	113-124

6670.	58a-1	AMPHI	137-140
6671.	58a-1	AMPHI	173-176
6672.	58a-1	AMPHI	183-190
6673.	58a-1	AMPHI	196-205
6674.	58a-1	AMPHI	222-228
6675.	58a-1	AMPHI	235-242
6676.	58a-1	AMPHI	263-265
6677.	58a-1	AMPHI	267-275
6678.	58a-1	AMPHI	299-303
6679.	58a-1	AMPHI	311-315
6680.	58a-1	AMPHI	324-327
6681.	58a-1	AMPHI	335-340
6682.	58a-1	AMPHI	361-370
6683.	58a-1	AMPHI	397-403
6684.	58a-1	AMPHI	419-436
6685.	58a-1	AMPHI	446-454
6686.	58a-1	AMPHI	464-468
6687.	58a-1	AMPHI	501-508
6688.	58a-1	AMPHI	570-576
6689.	58a-1	AMPHI	597-606
6690.	58a-1	AMPHI	610-616
6691.	58a-1	AMPHI	636-645
6692.	58a-1	AMPHI	666-673
6693.	58a-1	AMPHI	693-701
6694.	58a-1	AMPHI	717-719
6695.	58a-1	AMPHI	721-730
6696.	58a-1	AMPHI	749-752
6697.	58a-1	AMPHI	755-765
6698.	58a-1	AMPHI	768-785
6699.	58a-1	AMPHI	792-797
6700.	58a-1	AMPHI	806-811
6701.	58a-1	AMPHI	816-825
6702.	58a-1	AMPHI	845-853
6703.	58a-1	AMPHI	875-877
6704.	58a-1	AMPHI	897-903
6705.	58a-1	AMPHI	911-925
6706.	58a-1	AMPHI	929-939
6707.	58a-1	AMPHI	970-974
6708.	58a-1	AMPHI	982-992
6709.	58a-1	Antigenic Index	22-30
6710.	58a-1	Antigenic Index	33-57
6711.	58a-1	Antigenic Index	82-86
6712.	58a-1	Antigenic Index	88-175
6713.	58a-1	Antigenic Index	178-188

6714.	58a-l	Antigenic Index	191-222
6715.	58a-l	Antigenic Index	227-237
6716.	58a-l	Antigenic Index	241-256
6717.	58a-l	Antigenic Index	258-267
6718.	58a-l	Antigenic Index	271-330
6719.	58a-l	Antigenic Index	332-362
6720.	58a-l	Antigenic Index	375-389
6721.	58a-l	Antigenic Index	396-403
6722.	58a-l	Antigenic Index	408-417
6723.	58a-l	Antigenic Index	419-445
6724.	58a-l	Antigenic Index	447-458
6725.	58a-l	Antigenic Index	460-489
6726.	58a-l	Antigenic Index	494-523
6727.	58a-l	Antigenic Index	526-529
6728.	58a-l	Antigenic Index	537-550
6729.	58a-l	Antigenic Index	555-569
6730.	58a-l	Antigenic Index	571-574
6731.	58a-l	Antigenic Index	581-593
6732.	58a-l	Antigenic Index	596-602
6733.	58a-l	Antigenic Index	616-618
6734.	58a-l	Antigenic Index	620-622
6735.	58a-l	Antigenic Index	626-635
6736.	58a-l	Antigenic Index	641-652
6737.	58a-l	Antigenic Index	657-662
6738.	58a-l	Antigenic Index	668-671
6739.	58a-l	Antigenic Index	680-688
6740.	58a-l	Antigenic Index	700-706
6741.	58a-l	Antigenic Index	711-715
6742.	58a-l	Antigenic Index	734-736
6743.	58a-l	Antigenic Index	747-753
6744.	58a-l	Antigenic Index	764-782
6745.	58a-l	Antigenic Index	785-795
6746.	58a-l	Antigenic Index	806-808
6747.	58a-l	Antigenic Index	813-822
6748.	58a-l	Antigenic Index	825-831
6749.	58a-l	Antigenic Index	840-846
6750.	58a-l	Antigenic Index	864-874
6751.	58a-l	Antigenic Index	884-887
6752.	58a-l	Antigenic Index	892-901
6753.	58a-l	Antigenic Index	906-913
6754.	58a-l	Antigenic Index	920-958
6755.	58a-l	Antigenic Index	962-976
6756.	58a-l	Antigenic Index	979-994
6757.	58a-l	Antigenic Index	998-1006

6758.	58a-1	Antigenic Index	1010-1014
6759.	58a-1	Hydrophilicity	22-30
6760.	58a-1	Hydrophilicity	33-57
6761.	58a-1	Hydrophilicity	88-97
6762.	58a-1	Hydrophilicity	100-142
6763.	58a-1	Hydrophilicity	146-158
6764.	58a-1	Hydrophilicity	162-170
6765.	58a-1	Hydrophilicity	173-175
6766.	58a-1	Hydrophilicity	178-188
6767.	58a-1	Hydrophilicity	191-220
6768.	58a-1	Hydrophilicity	227-233
6769.	58a-1	Hydrophilicity	241-255
6770.	58a-1	Hydrophilicity	259-264
6771.	58a-1	Hydrophilicity	271-277
6772.	58a-1	Hydrophilicity	279-301
6773.	58a-1	Hydrophilicity	304-307
6774.	58a-1	Hydrophilicity	309-330
6775.	58a-1	Hydrophilicity	332-362
6776.	58a-1	Hydrophilicity	375-389
6777.	58a-1	Hydrophilicity	397-402
6778.	58a-1	Hydrophilicity	409-412
6779.	58a-1	Hydrophilicity	423-425
6780.	58a-1	Hydrophilicity	432-445
6781.	58a-1	Hydrophilicity	447-449
6782.	58a-1	Hydrophilicity	453-458
6783.	58a-1	Hydrophilicity	462-473
6784.	58a-1	Hydrophilicity	478-484
6785.	58a-1	Hydrophilicity	496-523
6786.	58a-1	Hydrophilicity	543-549
6787.	58a-1	Hydrophilicity	555-569
6788.	58a-1	Hydrophilicity	581-591
6789.	58a-1	Hydrophilicity	596-602
6790.	58a-1	Hydrophilicity	627-635
6791.	58a-1	Hydrophilicity	644-652
6792.	58a-1	Hydrophilicity	668-671
6793.	58a-1	Hydrophilicity	682-688
6794.	58a-1	Hydrophilicity	700-706
6795.	58a-1	Hydrophilicity	713-715
6796.	58a-1	Hydrophilicity	734-736
6797.	58a-1	Hydrophilicity	747-753
6798.	58a-1	Hydrophilicity	766-781
6799.	58a-1	Hydrophilicity	788-795
6800.	58a-1	Hydrophilicity	806-808
6801.	58a-1	Hydrophilicity	814-822

6802.	58a-1	Hydrophilicity	825-831
6803.	58a-1	Hydrophilicity	841-845
6804.	58a-1	Hydrophilicity	866-874
6805.	58a-1	Hydrophilicity	906-913
6806.	58a-1	Hydrophilicity	921-923
6807.	58a-1	Hydrophilicity	925-932
6808.	58a-1	Hydrophilicity	934-941
6809.	58a-1	Hydrophilicity	943-958
6810.	58a-1	Hydrophilicity	962-968
6811.	58a-1	Hydrophilicity	974-976
6812.	58a-1	Hydrophilicity	982-994
6813.	58a-1	Hydrophilicity	999-1004
6814.	58a-1	Hydrophilicity	1012-1014
6815.	62a-1	AMPHI	6-8
6816.	62a-1	AMPHI	38-57
6817.	62a-1	AMPHI	66-75
6818.	62a-1	AMPHI	155-171
6819.	62a-1	AMPHI	228-235
6820.	62a-1	AMPHI	246-249
6821.	62a-1	AMPHI	260-270
6822.	62a-1	Antigenic Index	44-59
6823.	62a-1	Antigenic Index	107-112
6824.	62a-1	Antigenic Index	132-141
6825.	62a-1	Antigenic Index	160-163
6826.	62a-1	Antigenic Index	165-167
6827.	62a-1	Antigenic Index	224-232
6828.	62a-1	Antigenic Index	258-260
6829.	62a-1	Antigenic Index	280-284
6830.	62a-1	Hydrophilicity	45-59
6831.	62a-1	Hydrophilicity	109-112
6832.	62a-1	Hydrophilicity	133-139
6833.	62a-1	Hydrophilicity	160-163
6834.	62a-1	Hydrophilicity	165-167
6835.	62a-1	Hydrophilicity	227-229
6836.	62a-1	Hydrophilicity	280-284
6837.	61a-1	AMPHI	7-31
6838.	61a-1	AMPHI	37-53
6839.	61a-1	AMPHI	55-77
6840.	61a-1	AMPHI	98-100
6841.	61a-1	AMPHI	104-107
6842.	61a-1	AMPHI	124-137
6843.	61a-1	AMPHI	155-158
6844.	61a-1	AMPHI	165-170
6845.	61a-1	AMPHI	198-200

6846.	61a-1	AMPHI	219-230
6847.	61a-1	AMPHI	245-250
6848.	61a-1	AMPHI	265-268
6849.	61a-1	AMPHI	291-303
6850.	61a-1	AMPHI	362-374
6851.	61a-1	AMPHI	376-382
6852.	61a-1	AMPHI	391-399
6853.	61a-1	AMPHI	404-406
6854.	61a-1	AMPHI	426-443
6855.	61a-1	AMPHI	493-498
6856.	61a-1	AMPHI	511-521
6857.	61a-1	AMPHI	541-543
6858.	61a-1	AMPHI	550-559
6859.	61a-1	AMPHI	567-569
6860.	61a-1	AMPHI	576-581
6861.	61a-1	Antigenic Index	6-8
6862.	61a-1	Antigenic Index	15-17
6863.	61a-1	Antigenic Index	28-36
6864.	61a-1	Antigenic Index	38-41
6865.	61a-1	Antigenic Index	50-58
6866.	61a-1	Antigenic Index	71-82
6867.	61a-1	Antigenic Index	86-99
6868.	61a-1	Antigenic Index	102-110
6869.	61a-1	Antigenic Index	116-135
6870.	61a-1	Antigenic Index	141-143
6871.	61a-1	Antigenic Index	145-154
6872.	61a-1	Antigenic Index	162-168
6873.	61a-1	Antigenic Index	170-172
6874.	61a-1	Antigenic Index	174-180
6875.	61a-1	Antigenic Index	182-190
6876.	61a-1	Antigenic Index	196-204
6877.	61a-1	Antigenic Index	215-221
6878.	61a-1	Antigenic Index	231-239
6879.	61a-1	Antigenic Index	258-264
6880.	61a-1	Antigenic Index	272-279
6881.	61a-1	Antigenic Index	284-291
6882.	61a-1	Antigenic Index	293-302
6883.	61a-1	Antigenic Index	307-339
6884.	61a-1	Antigenic Index	344-350
6885.	61a-1	Antigenic Index	356-359
6886.	61a-1	Antigenic Index	364-375
6887.	61a-1	Antigenic Index	378-388
6888.	61a-1	Antigenic Index	395-403
6889.	61a-1	Antigenic Index	405-411

6890.	61a-1	Antigenic Index	413-416
6891.	61a-1	Antigenic Index	424-437
6892.	61a-1	Antigenic Index	440-450
6893.	61a-1	Antigenic Index	464-473
6894.	61a-1	Antigenic Index	483-488
6895.	61a-1	Antigenic Index	492-503
6896.	61a-1	Antigenic Index	507-510
6897.	61a-1	Antigenic Index	529-541
6898.	61a-1	Antigenic Index	547-555
6899.	61a-1	Antigenic Index	565-571
6900.	61a-1	Antigenic Index	584-592
6901.	61a-1	Hydrophilicity	15-17
6902.	61a-1	Hydrophilicity	28-36
6903.	61a-1	Hydrophilicity	50-55
6904.	61a-1	Hydrophilicity	71-82
6905.	61a-1	Hydrophilicity	86-99
6906.	61a-1	Hydrophilicity	102-110
6907.	61a-1	Hydrophilicity	118-135
6908.	61a-1	Hydrophilicity	148-150
6909.	61a-1	Hydrophilicity	162-168
6910.	61a-1	Hydrophilicity	170-172
6911.	61a-1	Hydrophilicity	183-190
6912.	61a-1	Hydrophilicity	196-202
6913.	61a-1	Hydrophilicity	217-221
6914.	61a-1	Hydrophilicity	232-239
6915.	61a-1	Hydrophilicity	259-263
6916.	61a-1	Hydrophilicity	272-279
6917.	61a-1	Hydrophilicity	285-291
6918.	61a-1	Hydrophilicity	293-300
6919.	61a-1	Hydrophilicity	307-316
6920.	61a-1	Hydrophilicity	320-339
6921.	61a-1	Hydrophilicity	346-350
6922.	61a-1	Hydrophilicity	367-372
6923.	61a-1	Hydrophilicity	378-386
6924.	61a-1	Hydrophilicity	395-402
6925.	61a-1	Hydrophilicity	405-411
6926.	61a-1	Hydrophilicity	424-434
6927.	61a-1	Hydrophilicity	442-448
6928.	61a-1	Hydrophilicity	464-470
6929.	61a-1	Hydrophilicity	483-488
6930.	61a-1	Hydrophilicity	493-503
6931.	61a-1	Hydrophilicity	529-541
6932.	61a-1	Hydrophilicity	549-555
6933.	61a-1	Hydrophilicity	565-571

6934.	61a-1	Hydrophilicity	585-592
6935.	64a-1	AMPHI	8-12
6936.	64a-1	AMPHI	25-28
6937.	64a-1	AMPHI	69-86
6938.	64a-1	AMPHI	97-119
6939.	64a-1	AMPHI	143-146
6940.	64a-1	AMPHI	150-164
6941.	64a-1	AMPHI	167-170
6942.	64a-1	AMPHI	177-183
6943.	64a-1	AMPHI	188-190
6944.	64a-1	AMPHI	200-211
6945.	64a-1	AMPHI	214-216
6946.	64a-1	AMPHI	240-244
6947.	64a-1	AMPHI	278-288
6948.	64a-1	AMPHI	298-304
6949.	64a-1	AMPHI	307-313
6950.	64a-1	AMPHI	327-340
6951.	64a-1	AMPHI	364-373
6952.	64a-1	AMPHI	383-393
6953.	64a-1	AMPHI	395-400
6954.	64a-1	AMPHI	422-429
6955.	64a-1	AMPHI	486-498
6956.	64a-1	AMPHI	529-555
6957.	64a-1	AMPHI	564-571
6958.	64a-1	AMPHI	600-617
6959.	64a-1	AMPHI	646-658
6960.	64a-1	AMPHI	669-671
6961.	64a-1	AMPHI	675-678
6962.	64a-1	Antigenic Index	1-3
6963.	64a-1	Antigenic Index	23-30
6964.	64a-1	Antigenic Index	58-67
6965.	64a-1	Antigenic Index	71-78
6966.	64a-1	Antigenic Index	103-124
6967.	64a-1	Antigenic Index	132-134
6968.	64a-1	Antigenic Index	148-156
6969.	64a-1	Antigenic Index	160-163
6970.	64a-1	Antigenic Index	174-214
6971.	64a-1	Antigenic Index	225-232
6972.	64a-1	Antigenic Index	237-247
6973.	64a-1	Antigenic Index	252-258
6974.	64a-1	Antigenic Index	263-270
6975.	64a-1	Antigenic Index	297-299
6976.	64a-1	Antigenic Index	307-331
6977.	64a-1	Antigenic Index	344-362

6978.	64a-1	Antigenic Index	379-392
6979.	64a-1	Antigenic Index	402-409
6980.	64a-1	Antigenic Index	431-438
6981.	64a-1	Antigenic Index	442-451
6982.	64a-1	Antigenic Index	456-464
6983.	64a-1	Antigenic Index	478-484
6984.	64a-1	Antigenic Index	486-500
6985.	64a-1	Antigenic Index	505-510
6986.	64a-1	Antigenic Index	513-522
6987.	64a-1	Antigenic Index	526-533
6988.	64a-1	Antigenic Index	537-562
6989.	64a-1	Antigenic Index	576-580
6990.	64a-1	Antigenic Index	584-586
6991.	64a-1	Antigenic Index	608-633
6992.	64a-1	Antigenic Index	637-646
6993.	64a-1	Antigenic Index	656-666
6994.	64a-1	Antigenic Index	673-692
6995.	64a-1	Antigenic Index	698-705
6996.	64a-1	Hydrophilicity	1-3
6997.	64a-1	Hydrophilicity	59-66
6998.	64a-1	Hydrophilicity	71-76
6999.	64a-1	Hydrophilicity	109-120
7000.	64a-1	Hydrophilicity	151-156
7001.	64a-1	Hydrophilicity	174-183
7002.	64a-1	Hydrophilicity	185-189
7003.	64a-1	Hydrophilicity	191-193
7004.	64a-1	Hydrophilicity	195-202
7005.	64a-1	Hydrophilicity	204-212
7006.	64a-1	Hydrophilicity	227-231
7007.	64a-1	Hydrophilicity	239-241
7008.	64a-1	Hydrophilicity	243-247
7009.	64a-1	Hydrophilicity	252-258
7010.	64a-1	Hydrophilicity	263-268
7011.	64a-1	Hydrophilicity	297-299
7012.	64a-1	Hydrophilicity	307-313
7013.	64a-1	Hydrophilicity	316-319
7014.	64a-1	Hydrophilicity	322-331
7015.	64a-1	Hydrophilicity	344-362
7016.	64a-1	Hydrophilicity	379-383
7017.	64a-1	Hydrophilicity	386-392
7018.	64a-1	Hydrophilicity	431-438
7019.	64a-1	Hydrophilicity	442-451
7020.	64a-1	Hydrophilicity	456-463
7021.	64a-1	Hydrophilicity	478-484

7022.	64a-1	Hydrophilicity	486-497
7023.	64a-1	Hydrophilicity	505-510
7024.	64a-1	Hydrophilicity	515-522
7025.	64a-1	Hydrophilicity	527-533
7026.	64a-1	Hydrophilicity	537-545
7027.	64a-1	Hydrophilicity	547-561
7028.	64a-1	Hydrophilicity	584-586
7029.	64a-1	Hydrophilicity	608-633
7030.	64a-1	Hydrophilicity	639-646
7031.	64a-1	Hydrophilicity	657-663
7032.	64a-1	Hydrophilicity	673-680
7033.	64a-1	Hydrophilicity	685-692
7034.	64a-1	Hydrophilicity	700-703
7035.	65a-1	AMPHI	7-12
7036.	65a-1	AMPHI	15-21
7037.	65a-1	AMPHI	73-95
7038.	65a-1	AMPHI	103-115
7039.	65a-1	AMPHI	156-171
7040.	65a-1	AMPHI	179-184
7041.	65a-1	AMPHI	190-194
7042.	65a-1	AMPHI	196-211
7043.	65a-1	AMPHI	251-257
7044.	65a-1	AMPHI	264-274
7045.	65a-1	Antigenic Index	5-13
7046.	65a-1	Antigenic Index	35-41
7047.	65a-1	Antigenic Index	44-213
7048.	65a-1	Antigenic Index	222-234
7049.	65a-1	Antigenic Index	241-243
7050.	65a-1	Antigenic Index	249-253
7051.	65a-1	Antigenic Index	257-263
7052.	65a-1	Antigenic Index	265-279
7053.	65a-1	Antigenic Index	284-289
7054.	65a-1	Hydrophilicity	6-12
7055.	65a-1	Hydrophilicity	46-182
7056.	65a-1	Hydrophilicity	189-213
7057.	65a-1	Hydrophilicity	222-234
7058.	65a-1	Hydrophilicity	265-279
7059.	65a-1	Hydrophilicity	284-289
7060.	66a-1	AMPHI	41-43
7061.	66a-1	AMPHI	59-67
7062.	66a-1	AMPHI	81-88
7063.	66a-1	AMPHI	94-107
7064.	66a-1	AMPHI	118-137
7065.	66a-1	AMPHI	149-154

7066.	66a-1	AMPHI	177-179
7067.	66a-1	AMPHI	199-207
7068.	66a-1	Antigenic Index	8-10
7069.	66a-1	Antigenic Index	65-68
7070.	66a-1	Antigenic Index	92-95
7071.	66a-1	Antigenic Index	132-136
7072.	66a-1	Antigenic Index	166-169
7073.	66a-1	Antigenic Index	205-210
7074.	66a-1	Antigenic Index	212-228
7075.	66a-1	Hydrophilicity	8-10
7076.	66a-1	Hydrophilicity	132-136
7077.	66a-1	Hydrophilicity	208-210
7078.	66a-1	Hydrophilicity	213-223
7079.	72a-1	AMPHI	32-38
7080.	72a-1	AMPHI	41-52
7081.	72a-1	AMPHI	60-69
7082.	72a-1	AMPHI	94-102
7083.	72a-1	AMPHI	121-129
7084.	72a-1	Antigenic Index	26-30
7085.	72a-1	Antigenic Index	32-35
7086.	72a-1	Antigenic Index	40-47
7087.	72a-1	Antigenic Index	51-64
7088.	72a-1	Antigenic Index	73-81
7089.	72a-1	Antigenic Index	87-89
7090.	72a-1	Antigenic Index	95-104
7091.	72a-1	Antigenic Index	106-108
7092.	72a-1	Antigenic Index	125-147
7093.	72a-1	Hydrophilicity	32-35
7094.	72a-1	Hydrophilicity	40-47
7095.	72a-1	Hydrophilicity	51-59
7096.	72a-1	Hydrophilicity	61-64
7097.	72a-1	Hydrophilicity	75-81
7098.	72a-1	Hydrophilicity	87-89
7099.	72a-1	Hydrophilicity	98-104
7100.	72a-1	Hydrophilicity	106-108
7101.	72a-1	Hydrophilicity	125-133
7102.	72a-1	Hydrophilicity	136-147
7103.	73a-1	AMPHI	48-50
7104.	73a-1	AMPHI	90-97
7105.	73a-1	AMPHI	114-117
7106.	73a-1	Antigenic Index	25-30
7107.	73a-1	Antigenic Index	49-51
7108.	73a-1	Antigenic Index	60-68
7109.	73a-1	Antigenic Index	103-105

-202-

7110.	73a-1	Antigenic Index	110-116
7111.	73a-1	Antigenic Index	121-161
7112.	73a-1	Hydrophilicity	60-66
7113.	73a-1	Hydrophilicity	122-137
7114.	73a-1	Hydrophilicity	140-142
7115.	73a-1	Hydrophilicity	149-161
7116.	75a-1	AMPHI	6-13
7117.	75a-1	AMPHI	21-29
7118.	75a-1	AMPHI	36-38
7119.	75a-1	AMPHI	54-56
7120.	75a-1	AMPHI	79-87
7121.	75a-1	AMPHI	99-102
7122.	75a-1	AMPHI	106-114
7123.	75a-1	AMPHI	132-135
7124.	75a-1	AMPHI	159-165
7125.	75a-1	AMPHI	175-188
7126.	75a-1	AMPHI	200-219
7127.	75a-1	AMPHI	245-259
7128.	75a-1	AMPHI	263-265
7129.	75a-1	AMPHI	267-269
7130.	75a-1	Antigenic Index	5-14
7131.	75a-1	Antigenic Index	40-52
7132.	75a-1	Antigenic Index	67-80
7133.	75a-1	Antigenic Index	85-87
7134.	75a-1	Antigenic Index	94-101
7135.	75a-1	Antigenic Index	104-117
7136.	75a-1	Antigenic Index	147-160
7137.	75a-1	Antigenic Index	175-178
7138.	75a-1	Antigenic Index	190-197
7139.	75a-1	Antigenic Index	199-205
7140.	75a-1	Antigenic Index	209-213
7141.	75a-1	Antigenic Index	221-230
7142.	75a-1	Antigenic Index	238-252
7143.	75a-1	Antigenic Index	261-267
7144.	75a-1	Antigenic Index	269-271
7145.	75a-1	Antigenic Index	273-281
7146.	75a-1	Antigenic Index	288-291
7147.	75a-1	Hydrophilicity	5-13
7148.	75a-1	Hydrophilicity	40-52
7149.	75a-1	Hydrophilicity	67-80
7150.	75a-1	Hydrophilicity	95-99
7151.	75a-1	Hydrophilicity	105-117
7152.	75a-1	Hydrophilicity	152-160
7153.	75a-1	Hydrophilicity	175-177

7154.	75a-1	Hydrophilicity	190-197
7155.	75a-1	Hydrophilicity	199-204
7156.	75a-1	Hydrophilicity	223-230
7157.	75a-1	Hydrophilicity	238-252
7158.	75a-1	Hydrophilicity	261-263
7159.	75a-1	Hydrophilicity	265-267
7160.	75a-1	Hydrophilicity	269-271
7161.	75a-1	Hydrophilicity	273-281
7162.	75a-1	Hydrophilicity	288-291
7163.	76a-1	AMPHI	10-16
7164.	76a-1	AMPHI	18-22
7165.	76a-1	AMPHI	33-38
7166.	76a-1	AMPHI	44-49
7167.	76a-1	AMPHI	59-73
7168.	76a-1	AMPHI	76-81
7169.	76a-1	AMPHI	100-108
7170.	76a-1	AMPHI	114-124
7171.	76a-1	AMPHI	126-129
7172.	76a-1	AMPHI	156-160
7173.	76a-1	AMPHI	177-190
7174.	76a-1	AMPHI	196-200
7175.	76a-1	AMPHI	209-217
7176.	76a-1	AMPHI	221-225
7177.	76a-1	AMPHI	227-231
7178.	76a-1	Antigenic Index	1-7
7179.	76a-1	Antigenic Index	22-30
7180.	76a-1	Antigenic Index	41-67
7181.	76a-1	Antigenic Index	69-94
7182.	76a-1	Antigenic Index	101-113
7183.	76a-1	Antigenic Index	115-117
7184.	76a-1	Antigenic Index	123-126
7185.	76a-1	Antigenic Index	136-144
7186.	76a-1	Antigenic Index	156-168
7187.	76a-1	Antigenic Index	176-181
7188.	76a-1	Antigenic Index	188-203
7189.	76a-1	Antigenic Index	210-220
7190.	76a-1	Antigenic Index	222-241
7191.	76a-1	Antigenic Index	243-252
7192.	76a-1	Hydrophilicity	1-7
7193.	76a-1	Hydrophilicity	22-30
7194.	76a-1	Hydrophilicity	41-67
7195.	76a-1	Hydrophilicity	69-94
7196.	76a-1	Hydrophilicity	101-113
7197.	76a-1	Hydrophilicity	115-117

7198.	76a-1	Hydrophilicity	123-126
7199.	76a-1	Hydrophilicity	136-144
7200.	76a-1	Hydrophilicity	156-168
7201.	76a-1	Hydrophilicity	189-202
7202.	76a-1	Hydrophilicity	210-220
7203.	76a-1	Hydrophilicity	222-241
7204.	76a-1	Hydrophilicity	243-252
7205.	78a-1	AMPHI	81-105
7206.	78a-1	AMPHI	115-117
7207.	78a-1	AMPHI	131-133
7208.	78a-1	AMPHI	137-139
7209.	78a-1	AMPHI	143-148
7210.	78a-1	AMPHI	170-172
7211.	78a-1	AMPHI	211-226
7212.	78a-1	Antigenic Index	25-27
7213.	78a-1	Antigenic Index	30-35
7214.	78a-1	Antigenic Index	46-49
7215.	78a-1	Antigenic Index	79-81
7216.	78a-1	Antigenic Index	89-106
7217.	78a-1	Antigenic Index	115-118
7218.	78a-1	Antigenic Index	128-133
7219.	78a-1	Antigenic Index	157-160
7220.	78a-1	Antigenic Index	194-199
7221.	78a-1	Antigenic Index	205-227
7222.	78a-1	Hydrophilicity	30-35
7223.	78a-1	Hydrophilicity	79-81
7224.	78a-1	Hydrophilicity	89-103
7225.	78a-1	Hydrophilicity	128-133
7226.	78a-1	Hydrophilicity	194-198
7227.	78a-1	Hydrophilicity	205-227
7228.	79a-1	AMPHI	8-18
7229.	79a-1	AMPHI	28-32
7230.	79a-1	AMPHI	75-81
7231.	79a-1	AMPHI	84-86
7232.	79a-1	AMPHI	92-97
7233.	79a-1	AMPHI	113-117
7234.	79a-1	Antigenic Index	23-29
7235.	79a-1	Antigenic Index	31-40
7236.	79a-1	Antigenic Index	45-52
7237.	79a-1	Antigenic Index	58-68
7238.	79a-1	Antigenic Index	72-87
7239.	79a-1	Antigenic Index	89-101
7240.	79a-1	Antigenic Index	108-121
7241.	79a-1	Antigenic Index	124-131

7242.	79a-l	Antigenic Index	135-141
7243.	79a-l	Antigenic Index	145-156
7244.	79a-l	Hydrophilicity	26-29
7245.	79a-l	Hydrophilicity	32-37
7246.	79a-l	Hydrophilicity	45-52
7247.	79a-l	Hydrophilicity	61-68
7248.	79a-l	Hydrophilicity	76-85
7249.	79a-l	Hydrophilicity	89-99
7250.	79a-l	Hydrophilicity	108-121
7251.	79a-l	Hydrophilicity	124-131
7252.	79a-l	Hydrophilicity	135-139
7253.	79a-l	Hydrophilicity	149-156
7254.	81a-l	AMPHI	30-38
7255.	81a-l	AMPHI	76-101
7256.	81a-l	AMPHI	104-106
7257.	81a-l	AMPHI	113-126
7258.	81a-l	AMPHI	190-201
7259.	81a-l	AMPHI	203-205
7260.	81a-l	AMPHI	230-233
7261.	81a-l	AMPHI	256-258
7262.	81a-l	AMPHI	264-285
7263.	81a-l	AMPHI	288-296
7264.	81a-l	AMPHI	303-314
7265.	81a-l	AMPHI	358-363
7266.	81a-l	AMPHI	376-380
7267.	81a-l	Antigenic Index	1-3
7268.	81a-l	Antigenic Index	35-38
7269.	81a-l	Antigenic Index	87-89
7270.	81a-l	Antigenic Index	95-98
7271.	81a-l	Antigenic Index	100-103
7272.	81a-l	Antigenic Index	128-136
7273.	81a-l	Antigenic Index	154-174
7274.	81a-l	Antigenic Index	197-211
7275.	81a-l	Antigenic Index	220-226
7276.	81a-l	Antigenic Index	232-239
7277.	81a-l	Antigenic Index	247-249
7278.	81a-l	Antigenic Index	251-253
7279.	81a-l	Antigenic Index	255-258
7280.	81a-l	Antigenic Index	267-269
7281.	81a-l	Antigenic Index	276-301
7282.	81a-l	Antigenic Index	309-317
7283.	81a-l	Antigenic Index	323-344
7284.	81a-l	Antigenic Index	352-359
7285.	81a-l	Antigenic Index	386-388

7286.	81a-1	Antigenic Index	390-399
7287.	81a-1	Antigenic Index	407-420
7288.	81a-1	Hydrophilicity	1-3
7289.	81a-1	Hydrophilicity	35-38
7290.	81a-1	Hydrophilicity	95-98
7291.	81a-1	Hydrophilicity	128-136
7292.	81a-1	Hydrophilicity	154-164
7293.	81a-1	Hydrophilicity	166-172
7294.	81a-1	Hydrophilicity	202-208
7295.	81a-1	Hydrophilicity	220-226
7296.	81a-1	Hydrophilicity	234-238
7297.	81a-1	Hydrophilicity	247-249
7298.	81a-1	Hydrophilicity	251-253
7299.	81a-1	Hydrophilicity	287-301
7300.	81a-1	Hydrophilicity	309-315
7301.	81a-1	Hydrophilicity	353-359
7302.	81a-1	Hydrophilicity	393-399
7303.	81a-1	Hydrophilicity	407-409
7304.	81a-1	Hydrophilicity	412-418
7305.	83a-1	AMPHI	14-22
7306.	83a-1	AMPHI	68-70
7307.	83a-1	AMPHI	80-85
7308.	83a-1	AMPHI	88-97
7309.	83a-1	AMPHI	112-114
7310.	83a-1	AMPHI	116-118
7311.	83a-1	AMPHI	121-133
7312.	83a-1	AMPHI	135-139
7313.	83a-1	AMPHI	150-152
7314.	83a-1	AMPHI	168-173
7315.	83a-1	AMPHI	177-180
7316.	83a-1	AMPHI	196-202
7317.	83a-1	AMPHI	214-216
7318.	83a-1	AMPHI	246-248
7319.	83a-1	AMPHI	260-267
7320.	83a-1	AMPHI	270-275
7321.	83a-1	AMPHI	277-282
7322.	83a-1	Antigenic Index	23-32
7323.	83a-1	Antigenic Index	34-36
7324.	83a-1	Antigenic Index	40-58
7325.	83a-1	Antigenic Index	65-79
7326.	83a-1	Antigenic Index	82-84
7327.	83a-1	Antigenic Index	86-97
7328.	83a-1	Antigenic Index	104-114
7329.	83a-1	Antigenic Index	132-145

7330.	83a-1	Antigenic Index	149-167
7331.	83a-1	Antigenic Index	184-193
7332.	83a-1	Antigenic Index	201-209
7333.	83a-1	Antigenic Index	215-222
7334.	83a-1	Antigenic Index	227-237
7335.	83a-1	Antigenic Index	239-243
7336.	83a-1	Antigenic Index	245-250
7337.	83a-1	Antigenic Index	259-261
7338.	83a-1	Antigenic Index	263-272
7339.	83a-1	Antigenic Index	279-313
7340.	83a-1	Hydrophilicity	25-32
7341.	83a-1	Hydrophilicity	34-36
7342.	83a-1	Hydrophilicity	40-58
7343.	83a-1	Hydrophilicity	66-70
7344.	83a-1	Hydrophilicity	82-84
7345.	83a-1	Hydrophilicity	90-96
7346.	83a-1	Hydrophilicity	107-114
7347.	83a-1	Hydrophilicity	132-143
7348.	83a-1	Hydrophilicity	151-155
7349.	83a-1	Hydrophilicity	161-166
7350.	83a-1	Hydrophilicity	187-190
7351.	83a-1	Hydrophilicity	203-208
7352.	83a-1	Hydrophilicity	215-222
7353.	83a-1	Hydrophilicity	227-237
7354.	83a-1	Hydrophilicity	263-272
7355.	83a-1	Hydrophilicity	285-313
7356.	84a-1	AMPHI	12-20
7357.	84a-1	AMPHI	39-41
7358.	84a-1	AMPHI	43-46
7359.	84a-1	AMPHI	58-67
7360.	84a-1	AMPHI	72-83
7361.	84a-1	AMPHI	102-106
7362.	84a-1	AMPHI	108-110
7363.	84a-1	AMPHI	114-117
7364.	84a-1	AMPHI	132-142
7365.	84a-1	AMPHI	158-160
7366.	84a-1	AMPHI	165-170
7367.	84a-1	AMPHI	174-178
7368.	84a-1	AMPHI	182-201
7369.	84a-1	AMPHI	227-230
7370.	84a-1	AMPHI	256-259
7371.	84a-1	AMPHI	281-301
7372.	84a-1	AMPHI	315-329
7373.	84a-1	AMPHI	347-350

7374.	84a-l	AMPHI	365-374
7375.	84a-l	AMPHI	377-394
7376.	84a-l	Antigenic Index	9-18
7377.	84a-l	Antigenic Index	24-42
7378.	84a-l	Antigenic Index	45-48
7379.	84a-l	Antigenic Index	54-70
7380.	84a-l	Antigenic Index	76-85
7381.	84a-l	Antigenic Index	91-95
7382.	84a-l	Antigenic Index	97-109
7383.	84a-l	Antigenic Index	114-120
7384.	84a-l	Antigenic Index	128-137
7385.	84a-l	Antigenic Index	139-141
7386.	84a-l	Antigenic Index	148-154
7387.	84a-l	Antigenic Index	162-170
7388.	84a-l	Antigenic Index	180-187
7389.	84a-l	Antigenic Index	190-193
7390.	84a-l	Antigenic Index	198-205
7391.	84a-l	Antigenic Index	226-246
7392.	84a-l	Antigenic Index	251-265
7393.	84a-l	Antigenic Index	274-286
7394.	84a-l	Antigenic Index	288-291
7395.	84a-l	Antigenic Index	299-307
7396.	84a-l	Antigenic Index	311-359
7397.	84a-l	Antigenic Index	364-388
7398.	84a-l	Hydrophilicity	12-18
7399.	84a-l	Hydrophilicity	24-42
7400.	84a-l	Hydrophilicity	45-48
7401.	84a-l	Hydrophilicity	54-70
7402.	84a-l	Hydrophilicity	76-83
7403.	84a-l	Hydrophilicity	91-95
7404.	84a-l	Hydrophilicity	101-108
7405.	84a-l	Hydrophilicity	131-137
7406.	84a-l	Hydrophilicity	139-141
7407.	84a-l	Hydrophilicity	151-154
7408.	84a-l	Hydrophilicity	162-170
7409.	84a-l	Hydrophilicity	180-187
7410.	84a-l	Hydrophilicity	190-193
7411.	84a-l	Hydrophilicity	198-204
7412.	84a-l	Hydrophilicity	230-246
7413.	84a-l	Hydrophilicity	251-261
7414.	84a-l	Hydrophilicity	274-282
7415.	84a-l	Hydrophilicity	288-291
7416.	84a-l	Hydrophilicity	301-306
7417.	84a-l	Hydrophilicity	316-330

7418.	84a-1	Hydrophilicity	337-359
7419.	84a-1	Hydrophilicity	376-384
7420.	85a-1	AMPHI	6-13
7421.	85a-1	AMPHI	17-24
7422.	85a-1	AMPHI	33-36
7423.	85a-1	AMPHI	38-41
7424.	85a-1	AMPHI	45-50
7425.	85a-1	AMPHI	55-61
7426.	85a-1	AMPHI	66-75
7427.	85a-1	AMPHI	84-95
7428.	85a-1	AMPHI	97-99
7429.	85a-1	AMPHI	123-126
7430.	85a-1	AMPHI	143-149
7431.	85a-1	AMPHI	160-165
7432.	85a-1	AMPHI	183-186
7433.	85a-1	AMPHI	201-205
7434.	85a-1	AMPHI	208-215
7435.	85a-1	AMPHI	234-236
7436.	85a-1	AMPHI	273-277
7437.	85a-1	AMPHI	303-311
7438.	85a-1	AMPHI	328-336
7439.	85a-1	AMPHI	344-351
7440.	85a-1	AMPHI	362-364
7441.	85a-1	AMPHI	374-377
7442.	85a-1	Antigenic Index	20-22
7443.	85a-1	Antigenic Index	24-31
7444.	85a-1	Antigenic Index	37-45
7445.	85a-1	Antigenic Index	47-57
7446.	85a-1	Antigenic Index	65-73
7447.	85a-1	Antigenic Index	78-87
7448.	85a-1	Antigenic Index	90-109
7449.	85a-1	Antigenic Index	121-129
7450.	85a-1	Antigenic Index	133-148
7451.	85a-1	Antigenic Index	156-159
7452.	85a-1	Antigenic Index	162-169
7453.	85a-1	Antigenic Index	173-179
7454.	85a-1	Antigenic Index	185-189
7455.	85a-1	Antigenic Index	196-201
7456.	85a-1	Antigenic Index	205-208
7457.	85a-1	Antigenic Index	225-240
7458.	85a-1	Antigenic Index	245-263
7459.	85a-1	Antigenic Index	269-279
7460.	85a-1	Antigenic Index	290-298
7461.	85a-1	Antigenic Index	302-313

7462.	85a-l	Antigenic Index	322-331
7463.	85a-l	Antigenic Index	335-369
7464.	85a-l	Antigenic Index	374-392
7465.	85a-l	Hydrophilicity	26-29
7466.	85a-l	Hydrophilicity	37-45
7467.	85a-l	Hydrophilicity	47-49
7468.	85a-l	Hydrophilicity	51-55
7469.	85a-l	Hydrophilicity	67-70
7470.	85a-l	Hydrophilicity	78-87
7471.	85a-l	Hydrophilicity	98-109
7472.	85a-l	Hydrophilicity	121-129
7473.	85a-l	Hydrophilicity	133-148
7474.	85a-l	Hydrophilicity	156-159
7475.	85a-l	Hydrophilicity	162-169
7476.	85a-l	Hydrophilicity	173-179
7477.	85a-l	Hydrophilicity	196-201
7478.	85a-l	Hydrophilicity	225-238
7479.	85a-l	Hydrophilicity	246-260
7480.	85a-l	Hydrophilicity	273-279
7481.	85a-l	Hydrophilicity	293-297
7482.	85a-l	Hydrophilicity	307-313
7483.	85a-l	Hydrophilicity	323-331
7484.	85a-l	Hydrophilicity	335-369
7485.	85a-l	Hydrophilicity	374-392
7486.	88a-l	AMPHI	13-21
7487.	88a-l	AMPHI	29-40
7488.	88a-l	AMPHI	52-70
7489.	88a-l	AMPHI	72-75
7490.	88a-l	AMPHI	102-110
7491.	88a-l	AMPHI	118-123
7492.	88a-l	AMPHI	132-136
7493.	88a-l	AMPHI	164-169
7494.	88a-l	AMPHI	268-275
7495.	88a-l	AMPHI	284-294
7496.	88a-l	AMPHI	312-314
7497.	88a-l	AMPHI	324-327
7498.	88a-l	AMPHI	337-340
7499.	88a-l	AMPHI	359-362
7500.	88a-l	AMPHI	366-371
7501.	88a-l	AMPHI	373-375
7502.	88a-l	AMPHI	377-397
7503.	88a-l	AMPHI	441-443
7504.	88a-l	AMPHI	513-515
7505.	88a-l	AMPHI	527-545

7506.	88a-1	AMPHI	548-550
7507.	88a-1	AMPHI	568-576
7508.	88a-1	AMPHI	584-590
7509.	88a-1	AMPHI	596-599
7510.	88a-1	AMPHI	646-670
7511.	88a-1	Antigenic Index	1-11
7512.	88a-1	Antigenic Index	43-51
7513.	88a-1	Antigenic Index	96-116
7514.	88a-1	Antigenic Index	119-124
7515.	88a-1	Antigenic Index	127-138
7516.	88a-1	Antigenic Index	142-154
7517.	88a-1	Antigenic Index	158-166
7518.	88a-1	Antigenic Index	182-185
7519.	88a-1	Antigenic Index	199-204
7520.	88a-1	Antigenic Index	209-215
7521.	88a-1	Antigenic Index	224-236
7522.	88a-1	Antigenic Index	243-246
7523.	88a-1	Antigenic Index	252-254
7524.	88a-1	Antigenic Index	256-262
7525.	88a-1	Antigenic Index	267-294
7526.	88a-1	Antigenic Index	296-299
7527.	88a-1	Antigenic Index	311-319
7528.	88a-1	Antigenic Index	324-334
7529.	88a-1	Antigenic Index	347-356
7530.	88a-1	Antigenic Index	363-396
7531.	88a-1	Antigenic Index	404-411
7532.	88a-1	Antigenic Index	413-418
7533.	88a-1	Antigenic Index	424-427
7534.	88a-1	Antigenic Index	432-440
7535.	88a-1	Antigenic Index	448-455
7536.	88a-1	Antigenic Index	463-488
7537.	88a-1	Antigenic Index	504-508
7538.	88a-1	Antigenic Index	516-528
7539.	88a-1	Antigenic Index	540-560
7540.	88a-1	Antigenic Index	574-577
7541.	88a-1	Antigenic Index	585-603
7542.	88a-1	Antigenic Index	623-628
7543.	88a-1	Antigenic Index	631-637
7544.	88a-1	Antigenic Index	642-671
7545.	88a-1	Hydrophilicity	1-8
7546.	88a-1	Hydrophilicity	46-48
7547.	88a-1	Hydrophilicity	101-116
7548.	88a-1	Hydrophilicity	127-138
7549.	88a-1	Hydrophilicity	146-153

7550.	88a-1	Hydrophilicity	158-163
7551.	88a-1	Hydrophilicity	199-201
7552.	88a-1	Hydrophilicity	209-215
7553.	88a-1	Hydrophilicity	228-236
7554.	88a-1	Hydrophilicity	252-254
7555.	88a-1	Hydrophilicity	256-262
7556.	88a-1	Hydrophilicity	270-294
7557.	88a-1	Hydrophilicity	313-316
7558.	88a-1	Hydrophilicity	327-334
7559.	88a-1	Hydrophilicity	347-356
7560.	88a-1	Hydrophilicity	363-378
7561.	88a-1	Hydrophilicity	380-395
7562.	88a-1	Hydrophilicity	404-411
7563.	88a-1	Hydrophilicity	434-438
7564.	88a-1	Hydrophilicity	448-455
7565.	88a-1	Hydrophilicity	463-488
7566.	88a-1	Hydrophilicity	517-526
7567.	88a-1	Hydrophilicity	540-546
7568.	88a-1	Hydrophilicity	553-560
7569.	88a-1	Hydrophilicity	586-594
7570.	88a-1	Hydrophilicity	599-601
7571.	88a-1	Hydrophilicity	623-628
7572.	88a-1	Hydrophilicity	633-637
7573.	88a-1	Hydrophilicity	643-671
7574.	89a-1	AMPHI	34-48
7575.	89a-1	AMPHI	50-58
7576.	89a-1	AMPHI	108-114
7577.	89a-1	AMPHI	123-130
7578.	89a-1	AMPHI	132-139
7579.	89a-1	AMPHI	145-148
7580.	89a-1	Antigenic Index	2-10
7581.	89a-1	Antigenic Index	37-46
7582.	89a-1	Antigenic Index	55-76
7583.	89a-1	Antigenic Index	82-94
7584.	89a-1	Antigenic Index	100-107
7585.	89a-1	Antigenic Index	115-118
7586.	89a-1	Antigenic Index	128-141
7587.	89a-1	Antigenic Index	143-145
7588.	89a-1	Antigenic Index	148-154
7589.	89a-1	Antigenic Index	157-162
7590.	89a-1	Hydrophilicity	4-10
7591.	89a-1	Hydrophilicity	55-58
7592.	89a-1	Hydrophilicity	64-76
7593.	89a-1	Hydrophilicity	85-94

7594.	89a-1	Hydrophilicity	100-107
7595.	89a-1	Hydrophilicity	131-141
7596.	89a-1	Hydrophilicity	143-145
7597.	89a-1	Hydrophilicity	152-154
7598.	89a-1	Hydrophilicity	157-162
7599.	91a-1	AMPHI	24-31
7600.	91a-1	AMPHI	38-42
7601.	91a-1	AMPHI	44-46
7602.	91a-1	AMPHI	62-84
7603.	91a-1	AMPHI	89-94
7604.	91a-1	AMPHI	96-98
7605.	91a-1	AMPHI	120-122
7606.	91a-1	AMPHI	163-165
7607.	91a-1	AMPHI	169-180
7608.	91a-1	Antigenic Index	1-5
7609.	91a-1	Antigenic Index	29-37
7610.	91a-1	Antigenic Index	42-56
7611.	91a-1	Antigenic Index	74-91
7612.	91a-1	Antigenic Index	104-128
7613.	91a-1	Antigenic Index	130-141
7614.	91a-1	Antigenic Index	146-155
7615.	91a-1	Antigenic Index	169-173
7616.	91a-1	Antigenic Index	177-187
7617.	91a-1	Antigenic Index	189-196
7618.	91a-1	Hydrophilicity	1-5
7619.	91a-1	Hydrophilicity	31-35
7620.	91a-1	Hydrophilicity	43-56
7621.	91a-1	Hydrophilicity	78-91
7622.	91a-1	Hydrophilicity	104-108
7623.	91a-1	Hydrophilicity	110-119
7624.	91a-1	Hydrophilicity	121-128
7625.	91a-1	Hydrophilicity	130-132
7626.	91a-1	Hydrophilicity	134-141
7627.	91a-1	Hydrophilicity	151-154
7628.	91a-1	Hydrophilicity	177-183
7629.	91a-1	Hydrophilicity	185-187
7630.	91a-1	Hydrophilicity	189-196
7631.	97a-1	AMPHI	49-53
7632.	97a-1	AMPHI	63-67
7633.	97a-1	AMPHI	142-150
7634.	97a-1	Antigenic Index	18-33
7635.	97a-1	Antigenic Index	39-61
7636.	97a-1	Antigenic Index	68-79
7637.	97a-1	Antigenic Index	89-96

7638.	97a-1	Antigenic Index	98-104
7639.	97a-1	Antigenic Index	113-130
7640.	97a-1	Antigenic Index	134-139
7641.	97a-1	Antigenic Index	141-143
7642.	97a-1	Antigenic Index	147-154
7643.	97a-1	Antigenic Index	156-159
7644.	97a-1	Hydrophilicity	22-33
7645.	97a-1	Hydrophilicity	43-45
7646.	97a-1	Hydrophilicity	47-61
7647.	97a-1	Hydrophilicity	68-77
7648.	97a-1	Hydrophilicity	92-94
7649.	97a-1	Hydrophilicity	98-103
7650.	97a-1	Hydrophilicity	113-130
7651.	97a-1	Hydrophilicity	137-139
7652.	97a-1	Hydrophilicity	141-143
7653.	97a-1	Hydrophilicity	147-154
7654.	97a-1	Hydrophilicity	156-159
7655.	98a-1	AMPHI	6-19
7656.	98a-1	AMPHI	44-54
7657.	98a-1	AMPHI	67-73
7658.	98a-1	AMPHI	89-100
7659.	98a-1	AMPHI	107-120
7660.	98a-1	AMPHI	122-126
7661.	98a-1	AMPHI	149-156
7662.	98a-1	AMPHI	199-201
7663.	98a-1	AMPHI	214-220
7664.	98a-1	Antigenic Index	1-16
7665.	98a-1	Antigenic Index	42-45
7666.	98a-1	Antigenic Index	51-58
7667.	98a-1	Antigenic Index	111-117
7668.	98a-1	Antigenic Index	119-128
7669.	98a-1	Antigenic Index	136-139
7670.	98a-1	Antigenic Index	147-154
7671.	98a-1	Antigenic Index	157-164
7672.	98a-1	Antigenic Index	172-177
7673.	98a-1	Antigenic Index	184-199
7674.	98a-1	Antigenic Index	209-219
7675.	98a-1	Antigenic Index	222-233
7676.	98a-1	Hydrophilicity	1-16
7677.	98a-1	Hydrophilicity	53-55
7678.	98a-1	Hydrophilicity	111-116
7679.	98a-1	Hydrophilicity	119-128
7680.	98a-1	Hydrophilicity	157-164
7681.	98a-1	Hydrophilicity	184-199

7682.	98a-1	Hydrophilicity	211-215
7683.	98a-1	Hydrophilicity	222-233
7684.	100a-1	AMPHI	61-65
7685.	100a-1	AMPHI	67-79
7686.	100a-1	AMPHI	130-134
7687.	100a-1	AMPHI	143-152
7688.	100a-1	AMPHI	188-192
7689.	100a-1	AMPHI	204-206
7690.	100a-1	AMPHI	215-220
7691.	100a-1	AMPHI	228-232
7692.	100a-1	AMPHI	239-246
7693.	100a-1	AMPHI	249-260
7694.	100a-1	AMPHI	280-285
7695.	100a-1	AMPHI	298-305
7696.	100a-1	AMPHI	317-321
7697.	100a-1	AMPHI	323-328
7698.	100a-1	AMPHI	335-339
7699.	100a-1	AMPHI	374-384
7700.	100a-1	Antigenic Index	22-27
7701.	100a-1	Antigenic Index	68-85
7702.	100a-1	Antigenic Index	89-92
7703.	100a-1	Antigenic Index	98-121
7704.	100a-1	Antigenic Index	135-144
7705.	100a-1	Antigenic Index	148-157
7706.	100a-1	Antigenic Index	166-176
7707.	100a-1	Antigenic Index	185-189
7708.	100a-1	Antigenic Index	199-206
7709.	100a-1	Antigenic Index	211-232
7710.	100a-1	Antigenic Index	234-244
7711.	100a-1	Antigenic Index	250-264
7712.	100a-1	Antigenic Index	268-274
7713.	100a-1	Antigenic Index	288-297
7714.	100a-1	Antigenic Index	306-319
7715.	100a-1	Antigenic Index	323-330
7716.	100a-1	Antigenic Index	341-354
7717.	100a-1	Antigenic Index	361-364
7718.	100a-1	Antigenic Index	373-387
7719.	100a-1	Antigenic Index	394-405
7720.	100a-1	Hydrophilicity	68-74
7721.	100a-1	Hydrophilicity	76-85
7722.	100a-1	Hydrophilicity	98-109
7723.	100a-1	Hydrophilicity	111-121
7724.	100a-1	Hydrophilicity	135-144
7725.	100a-1	Hydrophilicity	148-156

7726.	100a-1	Hydrophilicity	166-176
7727.	100a-1	Hydrophilicity	200-206
7728.	100a-1	Hydrophilicity	211-229
7729.	100a-1	Hydrophilicity	237-244
7730.	100a-1	Hydrophilicity	250-264
7731.	100a-1	Hydrophilicity	268-274
7732.	100a-1	Hydrophilicity	289-297
7733.	100a-1	Hydrophilicity	306-319
7734.	100a-1	Hydrophilicity	323-329
7735.	100a-1	Hydrophilicity	346-349
7736.	100a-1	Hydrophilicity	351-354
7737.	100a-1	Hydrophilicity	373-387
7738.	100a-1	Hydrophilicity	394-405
7739.	101a-1	AMPHI	10-12
7740.	101a-1	AMPHI	31-36
7741.	101a-1	AMPHI	47-53
7742.	101a-1	AMPHI	55-58
7743.	101a-1	AMPHI	68-78
7744.	101a-1	AMPHI	94-103
7745.	101a-1	AMPHI	110-117
7746.	101a-1	AMPHI	127-133
7747.	101a-1	AMPHI	144-154
7748.	101a-1	AMPHI	237-244
7749.	101a-1	AMPHI	297-304
7750.	101a-1	AMPHI	316-318
7751.	101a-1	AMPHI	331-334
7752.	101a-1	Antigenic Index	6-9
7753.	101a-1	Antigenic Index	38-45
7754.	101a-1	Antigenic Index	78-87
7755.	101a-1	Antigenic Index	125-133
7756.	101a-1	Antigenic Index	135-143
7757.	101a-1	Antigenic Index	147-157
7758.	101a-1	Antigenic Index	165-171
7759.	101a-1	Antigenic Index	176-186
7760.	101a-1	Antigenic Index	189-224
7761.	101a-1	Antigenic Index	236-251
7762.	101a-1	Antigenic Index	257-264
7763.	101a-1	Antigenic Index	290-298
7764.	101a-1	Antigenic Index	311-313
7765.	101a-1	Antigenic Index	320-325
7766.	101a-1	Antigenic Index	350-356
7767.	101a-1	Antigenic Index	362-371
7768.	101a-1	Hydrophilicity	6-9
7769.	101a-1	Hydrophilicity	38-45

-217-

7770.	101a-1	Hydrophilicity	79-85
7771.	101a-1	Hydrophilicity	125-133
7772.	101a-1	Hydrophilicity	135-143
7773.	101a-1	Hydrophilicity	152-157
7774.	101a-1	Hydrophilicity	165-171
7775.	101a-1	Hydrophilicity	176-185
7776.	101a-1	Hydrophilicity	189-195
7777.	101a-1	Hydrophilicity	199-207
7778.	101a-1	Hydrophilicity	215-222
7779.	101a-1	Hydrophilicity	239-242
7780.	101a-1	Hydrophilicity	244-251
7781.	101a-1	Hydrophilicity	293-296
7782.	101a-1	Hydrophilicity	320-325
7783.	101a-1	Hydrophilicity	350-353
7784.	101a-1	Hydrophilicity	368-371
7785.	102a-1	AMPHI	6-14
7786.	102a-1	AMPHI	17-21
7787.	102a-1	AMPHI	33-36
7788.	102a-1	AMPHI	44-46
7789.	102a-1	AMPHI	54-61
7790.	102a-1	AMPHI	101-125
7791.	102a-1	Antigenic Index	35-45
7792.	102a-1	Antigenic Index	47-49
7793.	102a-1	Antigenic Index	58-61
7794.	102a-1	Antigenic Index	79-82
7795.	102a-1	Antigenic Index	106-118
7796.	102a-1	Hydrophilicity	35-45
7797.	102a-1	Hydrophilicity	106-109
7798.	103a-1	AMPHI	10-13
7799.	103a-1	AMPHI	17-29
7800.	103a-1	AMPHI	38-40
7801.	103a-1	AMPHI	53-58
7802.	103a-1	AMPHI	62-69
7803.	103a-1	AMPHI	81-83
7804.	103a-1	AMPHI	99-125
7805.	103a-1	AMPHI	131-137
7806.	103a-1	AMPHI	176-186
7807.	103a-1	AMPHI	196-205
7808.	103a-1	Antigenic Index	1-4
7809.	103a-1	Antigenic Index	18-20
7810.	103a-1	Antigenic Index	26-28
7811.	103a-1	Antigenic Index	37-41
7812.	103a-1	Antigenic Index	50-56
7813.	103a-1	Antigenic Index	74-81

7814.	103a-1	Antigenic Index	107-116
7815.	103a-1	Antigenic Index	128-132
7816.	103a-1	Antigenic Index	146-148
7817.	103a-1	Antigenic Index	161-165
7818.	103a-1	Antigenic Index	196-200
7819.	103a-1	Hydrophilicity	75-79
7820.	103a-1	Hydrophilicity	107-113
7821.	104a-1	AMPHI	15-19
7822.	104a-1	AMPHI	29-37
7823.	104a-1	AMPHI	63-67
7824.	104a-1	AMPHI	93-96
7825.	104a-1	AMPHI	147-156
7826.	104a-1	AMPHI	206-215
7827.	104a-1	AMPHI	232-234
7828.	104a-1	AMPHI	236-249
7829.	104a-1	AMPHI	251-267
7830.	104a-1	AMPHI	275-277
7831.	104a-1	Antigenic Index	1-6
7832.	104a-1	Antigenic Index	58-71
7833.	104a-1	Antigenic Index	98-100
7834.	104a-1	Antigenic Index	120-126
7835.	104a-1	Antigenic Index	145-152
7836.	104a-1	Antigenic Index	211-216
7837.	104a-1	Antigenic Index	234-239
7838.	104a-1	Antigenic Index	243-247
7839.	104a-1	Antigenic Index	275-283
7840.	104a-1	Antigenic Index	299-307
7841.	104a-1	Hydrophilicity	1-5
7842.	104a-1	Hydrophilicity	60-66
7843.	104a-1	Hydrophilicity	120-126
7844.	104a-1	Hydrophilicity	146-149
7845.	104a-1	Hydrophilicity	243-247
7846.	104a-1	Hydrophilicity	302-307
7847.	105a-1	AMPHI	6-9
7848.	105a-1	AMPHI	13-15
7849.	105a-1	AMPHI	18-21
7850.	105a-1	AMPHI	29-31
7851.	105a-1	AMPHI	33-36
7852.	105a-1	AMPHI	46-48
7853.	105a-1	AMPHI	50-60
7854.	105a-1	AMPHI	74-90
7855.	105a-1	AMPHI	97-100
7856.	105a-1	AMPHI	105-107
7857.	105a-1	AMPHI	123-128

7858.	105a-1	AMPHI	152-167
7859.	105a-1	AMPHI	180-183
7860.	105a-1	AMPHI	199-213
7861.	105a-1	AMPHI	239-243
7862.	105a-1	AMPHI	245-247
7863.	105a-1	AMPHI	249-255
7864.	105a-1	AMPHI	267-269
7865.	105a-1	Antigenic Index	5-15
7866.	105a-1	Antigenic Index	23-32
7867.	105a-1	Antigenic Index	40-43
7868.	105a-1	Antigenic Index	45-68
7869.	105a-1	Antigenic Index	71-84
7870.	105a-1	Antigenic Index	88-90
7871.	105a-1	Antigenic Index	97-112
7872.	105a-1	Antigenic Index	117-121
7873.	105a-1	Antigenic Index	132-143
7874.	105a-1	Antigenic Index	148-193
7875.	105a-1	Antigenic Index	204-214
7876.	105a-1	Antigenic Index	229-246
7877.	105a-1	Hydrophilicity	5-15
7878.	105a-1	Hydrophilicity	48-66
7879.	105a-1	Hydrophilicity	74-84
7880.	105a-1	Hydrophilicity	88-90
7881.	105a-1	Hydrophilicity	98-110
7882.	105a-1	Hydrophilicity	117-121
7883.	105a-1	Hydrophilicity	137-141
7884.	105a-1	Hydrophilicity	149-163
7885.	105a-1	Hydrophilicity	170-176
7886.	105a-1	Hydrophilicity	178-193
7887.	105a-1	Hydrophilicity	208-210
7888.	105a-1	Hydrophilicity	232-246
7889.	106a-1	AMPHI	6-16
7890.	106a-1	AMPHI	23-28
7891.	106a-1	AMPHI	42-50
7892.	106a-1	AMPHI	55-65
7893.	106a-1	AMPHI	122-131
7894.	106a-1	AMPHI	139-146
7895.	106a-1	AMPHI	169-176
7896.	106a-1	Antigenic Index	9-11
7897.	106a-1	Antigenic Index	27-62
7898.	106a-1	Antigenic Index	64-68
7899.	106a-1	Antigenic Index	95-103
7900.	106a-1	Antigenic Index	109-116
7901.	106a-1	Antigenic Index	123-132

7902.	106a-1	Antigenic Index	145-161
7903.	106a-1	Antigenic Index	166-175
7904.	106a-1	Antigenic Index	180-192
7905.	106a-1	Antigenic Index	197-199
7906.	106a-1	Hydrophilicity	27-43
7907.	106a-1	Hydrophilicity	51-59
7908.	106a-1	Hydrophilicity	64-67
7909.	106a-1	Hydrophilicity	95-103
7910.	106a-1	Hydrophilicity	112-116
7911.	106a-1	Hydrophilicity	126-132
7912.	106a-1	Hydrophilicity	148-161
7913.	106a-1	Hydrophilicity	169-172
7914.	106a-1	Hydrophilicity	188-190
7915.	111ng-1	AMPHI	8-12
7916.	111ng-1	AMPHI	24-26
7917.	111ng-1	AMPHI	28-32
7918.	111ng-1	AMPHI	41-43
7919.	111ng-1	AMPHI	48-50
7920.	111ng-1	AMPHI	58-76
7921.	111ng-1	AMPHI	78-80
7922.	111ng-1	AMPHI	87-91
7923.	111ng-1	AMPHI	96-99
7924.	111ng-1	AMPHI	106-108
7925.	111ng-1	AMPHI	115-119
7926.	111ng-1	AMPHI	128-134
7927.	111ng-1	AMPHI	142-144
7928.	111ng-1	AMPHI	149-154
7929.	111ng-1	AMPHI	156-162
7930.	111ng-1	AMPHI	171-177
7931.	111ng-1	AMPHI	186-191
7932.	111ng-1	AMPHI	195-202
7933.	111ng-1	AMPHI	207-213
7934.	111ng-1	AMPHI	235-237
7935.	111ng-1	AMPHI	268-276
7936.	111ng-1	AMPHI	286-295
7937.	111ng-1	AMPHI	303-307
7938.	111ng-1	Antigenic Index	1-10
7939.	111ng-1	Antigenic Index	26-31
7940.	111ng-1	Antigenic Index	37-42
7941.	111ng-1	Antigenic Index	49-79
7942.	111ng-1	Antigenic Index	81-105
7943.	111ng-1	Antigenic Index	111-117
7944.	111ng-1	Antigenic Index	135-153
7945.	111ng-1	Antigenic Index	164-181

7946.	111ng-l	Antigenic Index	192-205
7947.	111ng-l	Antigenic Index	213-237
7948.	111ng-l	Antigenic Index	240-243
7949.	111ng-l	Antigenic Index	250-262
7950.	111ng-l	Antigenic Index	264-274
7951.	111ng-l	Antigenic Index	277-286
7952.	111ng-l	Antigenic Index	295-306
7953.	111ng-l	Antigenic Index	314-325
7954.	111ng-l	Antigenic Index	332-339
7955.	111ng-l	Antigenic Index	342-346
7956.	111ng-l	Hydrophilicity	1-7
7957.	111ng-l	Hydrophilicity	26-31
7958.	111ng-l	Hydrophilicity	51-59
7959.	111ng-l	Hydrophilicity	61-77
7960.	111ng-l	Hydrophilicity	82-89
7961.	111ng-l	Hydrophilicity	97-103
7962.	111ng-l	Hydrophilicity	111-117
7963.	111ng-l	Hydrophilicity	137-153
7964.	111ng-l	Hydrophilicity	167-173
7965.	111ng-l	Hydrophilicity	175-179
7966.	111ng-l	Hydrophilicity	192-205
7967.	111ng-l	Hydrophilicity	213-215
7968.	111ng-l	Hydrophilicity	217-225
7969.	111ng-l	Hydrophilicity	227-229
7970.	111ng-l	Hydrophilicity	254-257
7971.	111ng-l	Hydrophilicity	267-274
7972.	111ng-l	Hydrophilicity	279-285
7973.	111ng-l	Hydrophilicity	299-301
7974.	111ng-l	Hydrophilicity	314-325
7975.	111ng-l	Hydrophilicity	332-339
7976.	115ng-l	AMPHI	29-31
7977.	115ng-l	AMPHI	52-57
7978.	115ng-l	AMPHI	68-75
7979.	115ng-l	AMPHI	82-85
7980.	115ng-l	AMPHI	93-95
7981.	115ng-l	AMPHI	106-112
7982.	115ng-l	AMPHI	136-141
7983.	115ng-l	AMPHI	148-150
7984.	115ng-l	AMPHI	156-166
7985.	115ng-l	AMPHI	172-179
7986.	115ng-l	AMPHI	183-188
7987.	115ng-l	AMPHI	195-198
7988.	115ng-l	AMPHI	223-227
7989.	115ng-l	AMPHI	299-306

7990.	115ng-1	AMPHI	319-326
7991.	115ng-1	AMPHI	338-342
7992.	115ng-1	AMPHI	346-351
7993.	115ng-1	AMPHI	360-364
7994.	115ng-1	AMPHI	389-391
7995.	115ng-1	AMPHI	395-397
7996.	115ng-1	AMPHI	412-415
7997.	115ng-1	AMPHI	417-419
7998.	115ng-1	AMPHI	434-440
7999.	115ng-1	AMPHI	481-483
8000.	115ng-1	AMPHI	487-497
8001.	115ng-1	AMPHI	512-518
8002.	115ng-1	AMPHI	608-610
8003.	115ng-1	AMPHI	621-625
8004.	115ng-1	AMPHI	658-660
8005.	115ng-1	AMPHI	671-679
8006.	115ng-1	AMPHI	687-693
8007.	115ng-1	AMPHI	709-720
8008.	115ng-1	Antigenic Index	4-30
8009.	115ng-1	Antigenic Index	32-61
8010.	115ng-1	Antigenic Index	67-74
8011.	115ng-1	Antigenic Index	76-100
8012.	115ng-1	Antigenic Index	105-108
8013.	115ng-1	Antigenic Index	112-115
8014.	115ng-1	Antigenic Index	122-137
8015.	115ng-1	Antigenic Index	140-143
8016.	115ng-1	Antigenic Index	151-173
8017.	115ng-1	Antigenic Index	175-177
8018.	115ng-1	Antigenic Index	180-210
8019.	115ng-1	Antigenic Index	219-223
8020.	115ng-1	Antigenic Index	235-244
8021.	115ng-1	Antigenic Index	256-265
8022.	115ng-1	Antigenic Index	270-273
8023.	115ng-1	Antigenic Index	279-292
8024.	115ng-1	Antigenic Index	296-305
8025.	115ng-1	Antigenic Index	307-313
8026.	115ng-1	Antigenic Index	337-356
8027.	115ng-1	Antigenic Index	358-360
8028.	115ng-1	Antigenic Index	362-364
8029.	115ng-1	Antigenic Index	369-375
8030.	115ng-1	Antigenic Index	380-386
8031.	115ng-1	Antigenic Index	391-447
8032.	115ng-1	Antigenic Index	452-468
8033.	115ng-1	Antigenic Index	472-479

8034.	115ng-1	Antigenic Index	487-506
8035.	115ng-1	Antigenic Index	508-526
8036.	115ng-1	Antigenic Index	530-536
8037.	115ng-1	Antigenic Index	542-552
8038.	115ng-1	Antigenic Index	559-578
8039.	115ng-1	Antigenic Index	588-617
8040.	115ng-1	Antigenic Index	621-638
8041.	115ng-1	Antigenic Index	651-666
8042.	115ng-1	Antigenic Index	688-697
8043.	115ng-1	Antigenic Index	709-721
8044.	97ng-1	AMPHI	23-25
8045.	97ng-1	AMPHI	47-51
8046.	97ng-1	AMPHI	61-66
8047.	97ng-1	AMPHI	70-73
8048.	97ng-1	AMPHI	82-84
8049.	97ng-1	AMPHI	140-149
8050.	97ng-1	Antigenic Index	21-33
8051.	97ng-1	Antigenic Index	39-61
8052.	97ng-1	Antigenic Index	68-79
8053.	97ng-1	Antigenic Index	89-96
8054.	97ng-1	Antigenic Index	98-104
8055.	97ng-1	Antigenic Index	114-130
8056.	97ng-1	Antigenic Index	135-143
8057.	97ng-1	Antigenic Index	147-154
8058.	97ng-1	Antigenic Index	156-159
8059.	97ng-1	Hydrophilicity	22-33
8060.	97ng-1	Hydrophilicity	43-45
8061.	97ng-1	Hydrophilicity	47-61
8062.	97ng-1	Hydrophilicity	68-77
8063.	97ng-1	Hydrophilicity	92-94
8064.	97ng-1	Hydrophilicity	98-103
8065.	97ng-1	Hydrophilicity	114-130
8066.	97ng-1	Hydrophilicity	137-143
8067.	97ng-1	Hydrophilicity	147-154
8068.	97ng-1	Hydrophilicity	156-159
8069.	98ng-1	AMPHI	6-19
8070.	98ng-1	AMPHI	44-54
8071.	98ng-1	AMPHI	67-73
8072.	98ng-1	AMPHI	89-100
8073.	98ng-1	AMPHI	107-120
8074.	98ng-1	AMPHI	123-126
8075.	98ng-1	AMPHI	149-156
8076.	98ng-1	AMPHI	199-201
8077.	98ng-1	AMPHI	214-220

8078.	98ng-l	Antigenic Index	1-16
8079.	98ng-l	Antigenic Index	42-45
8080.	98ng-l	Antigenic Index	51-58
8081.	98ng-l	Antigenic Index	111-128
8082.	98ng-l	Antigenic Index	136-139
8083.	98ng-l	Antigenic Index	147-154
8084.	98ng-l	Antigenic Index	157-164
8085.	98ng-l	Antigenic Index	172-177
8086.	98ng-l	Antigenic Index	184-199
8087.	98ng-l	Antigenic Index	209-233
8088.	98ng-l	Hydrophilicity	1-16
8089.	98ng-l	Hydrophilicity	53-55
8090.	98ng-l	Hydrophilicity	111-117
8091.	98ng-l	Hydrophilicity	119-128
8092.	98ng-l	Hydrophilicity	158-164
8093.	98ng-l	Hydrophilicity	184-199
8094.	98ng-l	Hydrophilicity	211-215
8095.	98ng-l	Hydrophilicity	222-233
8096.	121a-l	AMPHI	9-14
8097.	121a-l	AMPHI	31-34
8098.	121a-l	AMPHI	36-40
8099.	121a-l	AMPHI	42-54
8100.	121a-l	AMPHI	89-103
8101.	121a-l	AMPHI	114-117
8102.	121a-l	AMPHI	119-121
8103.	121a-l	AMPHI	123-127
8104.	121a-l	AMPHI	134-147
8105.	121a-l	AMPHI	154-164
8106.	121a-l	AMPHI	188-211
8107.	121a-l	AMPHI	244-246
8108.	121a-l	AMPHI	255-261
8109.	121a-l	AMPHI	263-285
8110.	121a-l	AMPHI	287-291
8111.	121a-l	AMPHI	314-330
8112.	121a-l	Antigenic Index	1-11
8113.	121a-l	Antigenic Index	31-33
8114.	121a-l	Antigenic Index	53-63
8115.	121a-l	Antigenic Index	95-97
8116.	121a-l	Antigenic Index	115-118
8117.	121a-l	Antigenic Index	120-124
8118.	121a-l	Antigenic Index	134-141
8119.	121a-l	Antigenic Index	150-156
8120.	121a-l	Antigenic Index	179-184
8121.	121a-l	Antigenic Index	187-189

8122.	121a-1	Antigenic Index	191-193
8123.	121a-1	Antigenic Index	198-204
8124.	121a-1	Antigenic Index	234-236
8125.	121a-1	Antigenic Index	271-273
8126.	121a-1	Antigenic Index	297-306
8127.	121a-1	Antigenic Index	342-344
8128.	121a-1	Antigenic Index	352-356
8129.	121a-1	Hydrophilicity	1-9
8130.	121a-1	Hydrophilicity	65-63
8131.	121a-1	Hydrophilicity	120-124
8132.	121a-1	Hydrophilicity	136-138
8133.	121a-1	Hydrophilicity	152-154
8134.	121a-1	Hydrophilicity	187-189
8135.	121a-1	Hydrophilicity	191-193
8136.	121a-1	Hydrophilicity	298-304
8137.	121a-1	Hydrophilicity	342-344
8138.	121a-1	Hydrophilicity	353-356
8139.	122a	AMPHI	29-34
8140.	122a	AMPHI	71-77
8141.	122a	AMPHI	83-85
8142.	122a	AMPHI	94-103
8143.	122a	AMPHI	107-116
8144.	122a	AMPHI	128-132
8145.	122a	AMPHI	136-144
8146.	122a	AMPHI	158-162
8147.	122a	AMPHI	169-172
8148.	122a	AMPHI	177-199
8149.	122a	AMPHI	202-208
8150.	122a	AMPHI	234-245
8151.	122a	Antigenic Index	6-10
8152.	122a	Antigenic Index	28-34
8153.	122a	Antigenic Index	47-50
8154.	122a	Antigenic Index	59-61
8155.	122a	Antigenic Index	69-77
8156.	122a	Antigenic Index	85-102
8157.	122a	Antigenic Index	122-126
8158.	122a	Antigenic Index	134-137
8159.	122a	Antigenic Index	140-147
8160.	122a	Antigenic Index	150-162
8161.	122a	Antigenic Index	167-177
8162.	122a	Antigenic Index	184-187
8163.	122a	Antigenic Index	190-192
8164.	122a	Antigenic Index	198-210
8165.	122a	Antigenic Index	216-218

8166.	122a	Antigenic Index	224-232
8167.	122a	Antigenic Index	246-256
8168.	122a	Hydrophilicity	28-34
8169.	122a	Hydrophilicity	88-94
8170.	122a	Hydrophilicity	97-102
8171.	122a	Hydrophilicity	122-126
8172.	122a	Hydrophilicity	140-146
8173.	122a	Hydrophilicity	153-162
8174.	122a	Hydrophilicity	167-177
8175.	122a	Hydrophilicity	190-192
8176.	122a	Hydrophilicity	198-206
8177.	122a	Hydrophilicity	208-210
8178.	122a	Hydrophilicity	226-228
8179.	122a	Hydrophilicity	246-256
8180.	125a	AMPHI	29-34
8181.	125a	AMPHI	3945
8182.	125a	AMPHI	62-71
8183.	125a	AMPHI	89-100
8184.	125a	AMPHI	109-115
8185.	125a	AMPHI	145-152
8186.	125a	AMPHI	169-171
8187.	125a	AMPHI	174-182
8188.	125a	AMPHI	191-196
8189.	125a	AMPHI	205-218
8190.	125a	AMPHI	224-229
8191.	125a	AMPHI	262-277
8192.	125a	AMPHI	299-307
8193.	125a	AMPHI	325-332
8194.	125a	Antigenic Index	1-11
8195.	125a	Antigenic Index	37-39
8196.	125a	Antigenic Index	71-85
8197.	125a	Antigenic Index	118-122
8198.	125a	Antigenic Index	141-148
8199.	125a	Antigenic Index	172-175
8200.	125a	Antigenic Index	178-183
8201.	125a	Antigenic Index	204-213
8202.	125a	Antigenic Index	242-247
8203.	125a	Antigenic Index	288-291
8204.	125a	Antigenic Index	312-314
8205.	125a	Antigenic Index	338-347
8206.	125a	Hydrophilicity	5-10
8207.	125a	Hydrophilicity	71-76
8208.	125a	Hydrophilicity	78-84
8209.	125a	Hydrophilicity	142-147

8210.	125a	Hydrophilicity	204213
8211.	125a	Hydrophilicity	242-247
8212.	125a	Hydrophilicity	288-291
8213.	125a	Hydrophilicity	338-347
8214.	216a	AMPHI	10-12
8215.	216a	AMPHI	34-38
8216.	216a	AMPHI	52-64
8217.	216a	AMPHI	72-74
8218.	216a	AMPHI	104-112
8219.	216a	AMPHI	138-140
8220.	216a	AMPHI	157-168
8221.	216a	AMPHI	201-204
8222.	216a	AMPHI	208-214
8223.	216a	AMPHI	228-235
8224.	216a	AMPHI	264-266
8225.	216a	AMPHI	271-283
8226.	216a	AMPHI	287-290
8227.	216a	AMPHI	293-295
8228.	216a	AMPHI	312-317
8229.	216a	AMPHI	319-321
8230.	216a	Antigenic Index	8-14
8231.	216a	Antigenic Index	22-25
8232.	216a	Antigenic Index	29-39
8233.	216a	Antigenic Index	54-68
8234.	216a	Antigenic Index	77-82
8235.	216a	Antigenic Index	86-90
8236.	216a	Antigenic Index	96-121
8237.	216a	Antigenic Index	123-141
8238.	216a	Antigenic Index	146-155
8239.	216a	Antigenic Index	162-169
8240.	216a	Antigenic Index	175-184
8241.	216a	Antigenic Index	192-210
8242.	216a	Antigenic Index	212-219
8243.	216a	Antigenic Index	230-233
8244.	216a	Antigenic Index	235-238
8245.	216a	Antigenic Index	245-248
8246.	216a	Antigenic Index	256-272
8247.	216a	Antigenic Index	274-287
8248.	216a	Antigenic Index	295-318
8249.	216a	Antigenic Index	345-358
8250.	216a	Antigenic Index	363-366
8251.	216a	Hydrophilicity	31-39
8252.	216a	Hydrophilicity	54-67
8253.	216a	Hydrophilicity	77-80

8254.	216a	Hydrophilicity	86-89
8255.	216a	Hydrophilicity	97-103
8256.	216a	Hydrophilicity	108-121
8257.	216a	Hydrophilicity	123-135
8258.	216a	Hydrophilicity	138-140
8259.	216a	Hydrophilicity	149-155
8260.	216a	Hydrophilicity	162-168
8261.	216a	Hydrophilicity	175-184
8262.	216a	Hydrophilicity	193-196
8263.	216a	Hydrophilicity	212-219
8264.	216a	Hydrophilicity	230-233
8265.	216a	Hydrophilicity	245-248
8266.	216a	Hydrophilicity	257-264
8267.	216a	Hydrophilicity	266-268
8268.	216a	Hydrophilicity	270-272
8269.	216a	Hydrophilicity	304-318
8270.	216a	Hydrophilicity	346-358
8271.	216a	Hydrophilicity	363-366
8272.	127a	AMPHI	9-16
8273.	127a	AMPHI	21-25
8274.	127a	AMPHI	85-90
8275.	127a	AMPHI	128-138
8276.	127a	Antigenic Index	1-8
8277.	127a	Antigenic Index	28-41
8278.	127a	Antigenic Index	57-81
8279.	127a	Antigenic Index	91-98
8280.	127a	Antigenic Index	103-111
8281.	127a	Antigenic Index	115-118
8282.	127a	Antigenic Index	123-149
8283.	127a	Hydrophilicity	1-6
8284.	127a	Hydrophilicity	32-41
8285.	127a	Hydrophilicity	61-67
8286.	127a	Hydrophilicity	74-81
8287.	127a	Hydrophilicity	91-95
8288.	127a	Hydrophilicity	103-111
8289.	127a	Hydrophilicity	115-117
8290.	127a	Hydrophilicity	124-134
8291.	127a	Hydrophilicity	139-149
8292.	128a	AMPHI	13-18
8293.	128a	AMPHI	53-56
8294.	128a	AMPHI	68-79
8295.	128a	AMPHI	81-86
8296.	128a	AMPHI	97-107
8297.	128a	AMPHI	162-170

8298.	128a	AMPHI	187-196
8299.	128a	AMPHI	204-208
8300.	128a	AMPHI	210-213
8301.	128a	AMPHI	241-246
8302.	128a	AMPHI	283-285
8303.	128a	AMPHI	327-333
8304.	128a	AMPHI	335-338
8305.	128a	AMPHI	385-387
8306.	128a	AMPHI	389-392
8307.	128a	AMPHI	403-405
8308.	128a	AMPHI	412-422
8309.	128a	AMPHI	454-460
8310.	128a	AMPHI	470-472
8311.	128a	AMPHI	496-512
8312.	128a	AMPHI	529-551
8313.	128a	AMPHI	556-566
8314.	128a	AMPHI	580-585
8315.	128a	AMPHI	596-599
8316.	128a	AMPHI	606-615
8317.	128a	Antigenic Index	4-14
8318.	128a	Antigenic Index	27-34
8319.	128a	Antigenic Index	57-75
8320.	128a	Antigenic Index	98-107
8321.	128a	Antigenic Index	128-133
8322.	128a	Antigenic Index	142-144
8323.	128a	Antigenic Index	157-166
8324.	128a	Antigenic Index	185-187
8325.	128a	Antigenic Index	194-198
8326.	128a	Antigenic Index	221-235
8327.	128a	Antigenic Index	252-258
8328.	128a	Antigenic Index	277-280
8329.	128a	Antigenic Index	315-322
8330.	128a	Antigenic Index	347-356
8331.	128a	Antigenic Index	380-393
8332.	128a	Antigenic Index	410-414
8333.	128a	Antigenic Index	423-430
8334.	128a	Antigenic Index	433-440
8335.	128a	Antigenic Index	444-465
8336.	128a	Antigenic Index	475-487
8337.	128a	Antigenic Index	497-508
8338.	128a	Antigenic Index	517-535
8339.	128a	Antigenic Index	538-541
8340.	128a	Antigenic Index	547-555
8341.	128a	Antigenic Index	559-564

8342.	128a	Antigenic Index	572-280
8343.	128a	Antigenic Index	582-584
8344.	128a	Antigenic Index	587-594
8345.	128a	Antigenic Index	605-621
8346.	128a	Hydrophilicity	4-14
8347.	128a	Hydrophilicity	67-74
8348.	128a	Hydrophilicity	99-107
8349.	128a	Hydrophilicity	128-133
8350.	128a	Hydrophilicity	159-166
8351.	128a	Hydrophilicity	222-235
8352.	128a	Hydrophilicity	253-255
8353.	128a	Hydrophilicity	317-322
8354.	128a	Hydrophilicity	347-356
8355.	128a	Hydrophilicity	381-388
8356.	128a	Hydrophilicity	410-414
8357.	128a	Hydrophilicity	423-430
8358.	128a	Hydrophilicity	433-439
8359.	128a	Hydrophilicity	444-450
8360.	128a	Hydrophilicity	452-465
8361.	128a	Hydrophilicity	476-479
8362.	128a	Hydrophilicity	483-487
8363.	128a	Hydrophilicity	497-508
8364.	128a	Hydrophilicity	520-535
8365.	128a	Hydrophilicity	548-553
8366.	128a	Hydrophilicity	559-564
8367.	128a	Hydrophilicity	572-576
8368.	128a	Hydrophilicity	578-580
8369.	128a	Hydrophilicity	590-593
8370.	128a	Hydrophilicity	605-621
8371.	129a	AMPHI	38-49
8372.	129a	AMPHI	52-55
8373.	129a	AMPHI	132-137
8374.	129a	AMPHI	150-154
8375.	129a	AMPHI	157-160
8376.	129a	AMPHI	170-183
8377.	129a	AMPHI	194-201
8378.	129a	AMPHI	221-223
8379.	129a	AMPHI	230-234
8380.	129a	Antigenic Index	3-5
8381.	129a	Antigenic Index	49-53
8382.	129a	Antigenic Index	95-99
8383.	129a	Antigenic Index	102-106
8384.	129a	Antigenic Index	108-116
8385.	129a	Antigenic Index	127-130

8386.	129a	Antigenic Index	140-152
8387.	129a	Antigenic Index	170-176
8388.	129a	Antigenic Index	186-191
8389.	129a	Antigenic Index	207-210
8390.	129a	Antigenic Index	212-217
8391.	129a	Antigenic Index	238-248
8392.	129a	Hydrophilicity	3-5
8393.	129a	Hydrophilicity	49-53
8394.	129a	Hydrophilicity	108-110
8395.	129a	Hydrophilicity	112-114
8396.	129a	Hydrophilicity	142-152
8397.	129a	Hydrophilicity	170-175
8398.	129a	Hydrophilicity	186-190
8399.	129a	Hydrophilicity	212-215
8400.	129a	Hydrophilicity	238-248
8401.	130a	AMPHI	12-17
8402.	130a	AMPHI	42-45
8403.	130a	AMPHI	58-68
8404.	130a	AMPHI	121-127
8405.	130a	AMPHI	164-169
8406.	130a	AMPHI	204-206
8407.	130a	AMPHI	218-224
8408.	130a	AMPHI	230-232
8409.	130a	AMPHI	236-238
8410.	130a	AMPHI	240-243
8411.	130a	AMPHI	252-262
8412.	130a	AMPHI	567-276
8413.	130a	AMPHI	286-288
8414.	130a	AMPHI	292-300
8415.	130a	Antigenic Index	22-24
8416.	130a	Antigenic Index	56-62
8417.	130a	Antigenic Index	81-84
8418.	130a	Antigenic Index	105-112
8419.	130a	Antigenic Index	163-174
8420.	130a	Antigenic Index	218-224
8421.	130a	Antigenic Index	226-229
8422.	130a	Antigenic Index	287-300
8423.	130a	Antigenic Index	351-357
8424.	130a	Hydrophilicity	108-111
8425.	130a	Hydrophilicity	163-172
8426.	130a	Hydrophilicity	218-224
8427.	130a	Hydrophilicity	226-229
8428.	130a	Hydrophilicity	351-357
8429.	131a	AMPHI	7-17

8430.	131a	AMPHI	23-45
8431.	131a	AMPHI	56-58
8432.	131a	AMPHI	69-73
8433.	131a	AMPHI	77-79
8434.	131a	AMPHI	86-92
8435.	131a	AMPHI	106-112
8436.	131a	AMPHI	118-121
8437.	131a	Antigenic Index	1-5
8438.	131a	Antigenic Index	29-44
8439.	131a	Antigenic Index	49-83
8440.	131a	Antigenic Index	88-107
8441.	131a	Antigenic Index	110-135
8442.	131a	Hydrophilicity	1-5
8443.	131a	Hydrophilicity	37-44
8444.	131a	Hydrophilicity	51-65
8445.	131a	Hydrophilicity	67-81
8446.	131a	Hydrophilicity	88-95
8447.	131a	Hydrophilicity	99-107
8448.	131a	Hydrophilicity	111-135
8449.	132a	AMPHI	10-20
8450.	132a	AMPHI	49-59
8451.	132a	AMPHI	72-84
8452.	132a	AMPHI	91-93
8453.	132a	AMPHI	142-144
8454.	132a	AMPHI	151-155
8455.	132a	AMPHI	203-210
8456.	132a	AMPHI	213-222
8457.	132a	AMPHI	236-244
8458.	132a	AMPHI	248-252
8459.	132a	AMPHI	291-297
8460.	132a	AMPHI	311-322
8461.	132a	AMPHI	335-344
8462.	132a	AMPHI	361-366
8463.	132a	AMPHI	384-392
8464.	132a	AMPHI	405-411
8465.	132a	AMPHI	417-432
8466.	132a	Antigenic Index	8-11
8467.	132a	Antigenic Index	13-15
8468.	132a	Antigenic Index	20-39
8469.	132a	Antigenic Index	52-55
8470.	132a	Antigenic Index	57-64
8471.	132a	Antigenic Index	72-79
8472.	132a	Antigenic Index	83-88
8473.	132a	Antigenic Index	93-96

8474.	132a	Antigenic Index	113-119
8475.	132a	Antigenic Index	133-135
8476.	132a	Antigenic Index	139-146
8477.	132a	Antigenic Index	148-164
8478.	132a	Antigenic Index	169-174
8479.	132a	Antigenic Index	177-193
8480.	132a	Antigenic Index	197-201
8481.	132a	Antigenic Index	220-226
8482.	132a	Antigenic Index	231-245
8483.	132a	Antigenic Index	248-257
8484.	132a	Antigenic Index	261-269
8485.	132a	Antigenic Index	273-279
8486.	132a	Antigenic Index	287-291
8487.	132a	Antigenic Index	316-333
8488.	132a	Antigenic Index	336-341
8489.	132a	Antigenic Index	343-346
8490.	132a	Antigenic Index	353-362
8491.	132a	Antigenic Index	367-378
8492.	132a	Antigenic Index	386-392
8493.	132a	Antigenic Index	398-404
8494.	132a	Antigenic Index	411-413
8495.	132a	Antigenic Index	416-422
8496.	132a	Antigenic Index	428-436
8497.	132a	Antigenic Index	442-445
8498.	132a	Antigenic Index	455-458
8499.	132a	Hydrophilicity	20-27
8500.	132a	Hydrophilicity	29-35
8501.	132a	Hydrophilicity	57-64
8502.	132a	Hydrophilicity	72-79
8503.	132a	Hydrophilicity	113-119
8504.	132a	Hydrophilicity	151-161
8505.	132a	Hydrophilicity	169-174
8506.	132a	Hydrophilicity	177-183
8507.	132a	Hydrophilicity	188-191
8508.	132a	Hydrophilicity	197-201
8509.	132a	Hydrophilicity	232-237
8510.	132a	Hydrophilicity	239-242
8511.	132a	Hydrophilicity	250-254
8512.	132a	Hydrophilicity	262-269
8513.	132a	Hydrophilicity	273-279
8514.	132a	Hydrophilicity	289-291
8515.	132a	Hydrophilicity	319-331
8516.	132a	Hydrophilicity	354-360
8517.	132a	Hydrophilicity	367-373

8518.	132a	Hydrophilicity	386-392
8519.	132a	Hydrophilicity	400-404
8520.	132a	Hydrophilicity	419-422
8521.	132a	Hydrophilicity	428-436
8522.	132a	Hydrophilicity	455-458
8523.	133a	AMPHI	21-36
8524.	133a	AMPHI	57-71
8525.	133a	AMPHI	79-84
8526.	133a	AMPHI	97-99
8527.	133a	AMPHI	108-119
8528.	133a	AMPHI	137-140
8529.	133a	AMPHI	143-146
8530.	133a	AMPHI	162-165
8531.	133a	AMPHI	189-198
8532.	133a	AMPHI	222-231
8533.	133a	AMPHI	239-257
8534.	133a	AMPHI	278-282
8535.	133a	AMPHI	292-299
8536.	133a	AMPHI	342-349
8537.	133a	AMPHI	352-381
8538.	133a	AMPHI	419-426
8539.	133a	AMPHI	443-446
8540.	133a	AMPHI	456-458
8541.	133a	AMPHI	488-492
8542.	133a	AMPHI	499-508
8543.	133a	AMPHI	511-515
8544.	133a	AMPHI	518-521
8545.	133a	AMPHI	532-538
8546.	133a	AMPHI	544-552
8547.	133a	AMPHI	557-565
8548.	133a	AMPHI	572-575
8549.	133a	AMPHI	606-620
8550.	133a	AMPHI	627-630
8551.	133a	AMPHI	642-647
8552.	133a	AMPHI	661-668
8553.	133a	AMPHI	674-389
8554.	133a	AMPHI	691-693
8555.	133a	AMPHI	698-711
8556.	133a	AMPHI	730-743
8557.	133a	AMPHI	748-764
8558.	133a	AMPHI	797-800
8559.	133a	AMPHI	804-813
8560.	133a	AMPHI	819-821
8561.	133a	AMPHI	851-859

8562.	133a	Antigenic Index	1-29
8563.	133a	Antigenic Index	32-34
8564.	133a	Antigenic Index	37-45
8565.	133a	Antigenic Index	50-59
8566.	133a	Antigenic Index	72-86
8567.	133a	Antigenic Index	88-94
8568.	133a	Antigenic Index	99-110
8569.	133a	Antigenic Index	115-120
8570.	133a	Antigenic Index	127-130
8571.	133a	Antigenic Index	142-152
8572.	133a	Antigenic Index	160-166
8573.	133a	Antigenic Index	172-183
8574.	133a	Antigenic Index	185-191
8575.	133a	Antigenic Index	194-196
8576.	133a	Antigenic Index	199-266
8577.	133a	Antigenic Index	268-291
8578.	133a	Antigenic Index	295-316
8579.	133a	Antigenic Index	326-328
8580.	133a	Antigenic Index	336-348
8581.	133a	Antigenic Index	354-368
8582.	133a	Antigenic Index	370-383
8583.	133a	Antigenic Index	392-403
8584.	133a	Antigenic Index	410-417
8585.	133a	Antigenic Index	424-437
8586.	133a	Antigenic Index	442-444
8587.	133a	Antigenic Index	455-461
8588.	133a	Antigenic Index	465-467
8589.	133a	Antigenic Index	482-508
8590.	133a	Antigenic Index	513-526
8591.	133a	Antigenic Index	531-536
8592.	133a	Antigenic Index	540-552
8593.	133a	Antigenic Index	559-565
8594.	133a	Antigenic Index	569-578
8595.	133a	Antigenic Index	581-595
8596.	133a	Antigenic Index	601-607
8597.	133a	Antigenic Index	624-626
8598.	133a	Antigenic Index	630-633
8599.	133a	Antigenic Index	638-653
8600.	133a	Antigenic Index	655-659
8601.	133a	Antigenic Index	669-699
8602.	133a	Antigenic Index	706-726
8603.	133a	Antigenic Index	733-778
8604.	133a	Antigenic Index	785-789
8605.	133a	Antigenic Index	795-817

8606.	133a	Antigenic Index	822-853
8607.	133a	Antigenic Index	858-860
8608.	133a	Antigenic Index	868-871
8609.	133a	Hydrophilicity	1-29
8610.	133a	Hydrophilicity	39-44
8611.	133a	Hydrophilicity	50-65
8612.	133a	Hydrophilicity	75-82
8613.	133a	Hydrophilicity	99-102
8614.	133a	Hydrophilicity	127-130
8615.	133a	Hydrophilicity	146-152
8616.	133a	Hydrophilicity	160-163
8617.	133a	Hydrophilicity	174-179
8618.	133a	Hydrophilicity	199-214
8619.	133a	Hydrophilicity	218-228
8620.	133a	Hydrophilicity	240-261
8621.	133a	Hydrophilicity	271-279
8622.	133a	Hydrophilicity	286-288
8623.	133a	Hydrophilicity	297-304
8624.	133a	Hydrophilicity	306-313
8625.	133a	Hydrophilicity	337-348
8626.	133a	Hydrophilicity	354-360
8627.	133a	Hydrophilicity	365-368
8628.	133a	Hydrophilicity	376-383
8629.	133a	Hydrophilicity	395-403
8630.	133a	Hydrophilicity	411-416
8631.	133a	Hydrophilicity	425-432
8632.	133a	Hydrophilicity	455-461
8633.	133a	Hydrophilicity	484-499
8634.	133a	Hydrophilicity	513-524
8635.	133a	Hydrophilicity	545-548
8636.	133a	Hydrophilicity	569-575
8637.	133a	Hydrophilicity	583-585
8638.	133a	Hydrophilicity	587-595
8639.	133a	Hydrophilicity	601-607
8640.	133a	Hydrophilicity	640-651
8641.	133a	Hydrophilicity	672-675
8642.	133a	Hydrophilicity	678-696
8643.	133a	Hydrophilicity	706-716
8644.	133a	Hydrophilicity	737-748
8645.	133a	Hydrophilicity	760-768
8646.	133a	Hydrophilicity	770-773
8647.	133a	Hydrophilicity	785-789
8648.	133a	Hydrophilicity	795-797
8649.	133a	Hydrophilicity	799-807

-237-

8650.	133a	Hydrophilicity	809-817
8651.	133a	Hydrophilicity	824-842
8652.	133a	Hydrophilicity	846-850
8653.	134a	AMPHI	12-19
8654.	134a	AMPHI	21-33
8655.	134a	AMPHI	37-48-109-112
8656.	134a	AMPHI	196-205
8657.	134a	AMPHI	227-235
8658.	134a	AMPHI	248-259
8659.	134a	AMPHI	262-264
8660.	134a	AMPHI	268-271
8661.	134a	AMPHI	335-337
8662.	134a	AMPHI	339-344
8663.	134a	AMPHI	351-357
8664.	134a	Antigenic Index	9-13
8665.	134a	Antigenic Index	34-47
8666.	134a	Antigenic Index	49-51
8667.	134a	Antigenic Index	57-70
8668.	134a	Antigenic Index	73-85
8669.	134a	Antigenic Index	91-97
8670.	134a	Antigenic Index	99-107
8671.	134a	Antigenic Index	118-141
8672.	134a	Antigenic Index	147-161
8673.	134a	Antigenic Index	165-172
8674.	134a	Antigenic Index	177-188
8675.	134a	Antigenic Index	194-197
8676.	134a	Antigenic Index	204-212
8677.	134a	Antigenic Index	214-231
8678.	134a	Antigenic Index	233-240
8679.	134a	Antigenic Index	243-261
8680.	134a	Antigenic Index	288-297
8681.	134a	Antigenic Index	301-308
8682.	134a	Antigenic Index	345-349
8683.	134a	Antigenic Index	372-378
8684.	134a	Antigenic Index	385-388
8685.	134a	Hydrophilicity	9-13
8686.	134a	Hydrophilicity	36-46
8687.	134a	Hydrophilicity	60-70
8688.	134a	Hydrophilicity	73-81
8689.	134a	Hydrophilicity	102-106
8690.	134a	Hydrophilicity	121-127
8691.	134a	Hydrophilicity	129-141
8692.	134a	Hydrophilicity	147-161
8693.	134a	Hydrophilicity	165-171

8694.	134a	Hydrophilicity	177-185
8695.	134a	Hydrophilicity	204-209
8696.	134a	Hydrophilicity	214-221
8697.	134a	Hydrophilicity	223-231
8698.	134a	Hydrophilicity	233-240
8699.	134a	Hydrophilicity	246-254
8700.	134a	Hydrophilicity	257-259
8701.	134a	Hydrophilicity	288-297
8702.	134a	Hydrophilicity	301-308
8703.	134a	Hydrophilicity	345-347
8704.	134a	Hydrophilicity	374-378
8705.	134a	Hydrophilicity	385-388
8706.	135a	AMPHI	20-25
8707.	135a	AMPHI	27-31
8708.	135a	AMPHI	47-49
8709.	135a	AMPHI	72-76
8710.	135a	AMPHI	153-165
8711.	135a	AMPHI	167-169
8712.	135a	AMPHI	196-214
8713.	135a	AMPHI	218-220
8714.	135a	AMPHI	229-236
8715.	135a	AMPHI	249-254
8716.	135a	AMPHI	268-271
8717.	135a	AMPHI	280-285
8718.	135a	Antigenic Index	1-9
8719.	135a	Antigenic Index	28-33
8720.	135a	Antigenic Index	38-41
8721.	135a	Antigenic Index	59-79
8722.	135a	Antigenic Index	118-123
8723.	135a	Antigenic Index	143-151
8724.	135a	Antigenic Index	169-182
8725.	135a	Antigenic Index	209-211
8726.	135a	Antigenic Index	231-240
8727.	135a	Antigenic Index	284-293
8728.	135a	Antigenic Index	297-300
8729.	135a	Hydrophilicity	1-9
8730.	135a	Hydrophilicity	28-33
8731.	135a	Hydrophilicity	59-66
8732.	135a	Hydrophilicity	73-75
8733.	135a	Hydrophilicity	118-123
8734.	135a	Hydrophilicity	145-151
8735.	135a	Hydrophilicity	169-175
8736.	135a	Hydrophilicity	231-240
8737.	135a	Hydrophilicity	287-293

8738.	135a	Hydrophilicity	297-300
8739.	136a	AMPHI	17-19
8740.	136a	AMPHI	21-30
8741.	136a	AMPHI	52-60
8742.	136a	AMPHI	63-65
8743.	136a	AMPHI	95-102
8744.	136a	AMPHI	106-120
8745.	136a	AMPHI	135-144
8746.	136a	AMPHI	164-168
8747.	136a	AMPHI	174-195
8748.	136a	AMPHI	212-216
8749.	136a	Antigenic Index	1-6
8750.	136a	Antigenic Index	56-56
8751.	136a	Antigenic Index	73-78
8752.	136a	Antigenic Index	98-103
8753.	136a	Antigenic Index	126-129
8754.	136a	Antigenic Index	147-153
8755.	136a	Antigenic Index	155-174
8756.	136a	Antigenic Index	178-187
8757.	136a	Antigenic Index	194-197
8758.	136a	Antigenic Index	203-207
8759.	136a	Antigenic Index	220-233
8760.	136a	Hydrophilicity	1-6
8761.	136a	Hydrophilicity	56-60
8762.	136a	Hydrophilicity	98-103
8763.	136a	Hydrophilicity	126-129
8764.	136a	Hydrophilicity	147-153
8765.	136a	Hydrophilicity	155-174
8766.	136a	Hydrophilicity	178-184
8767.	136a	Hydrophilicity	205-207
8768.	136a	Hydrophilicity	221-233
8769.	137a	AMPHI	6-13
8770.	137a	AMPHI	21-25
8771.	137a	AMPHI	29-38
8772.	137a	AMPHI	40-45
8773.	137a	AMPHI	54-58
8774.	137a	AMPHI	60-69
8775.	137a	AMPHI	78-80
8776.	137a	AMPHI	82-85
8777.	137a	AMPHI	87-91
8778.	137a	AMPHI	123-132
8779.	137a	AMPHI	155-160
8780.	137a	AMPHI	166-183
8781.	137a	AMPHI	194-196

8782.	137a	AMPHI	199-201
8783.	137a	AMPHI	221-238
8784.	137a	AMPHI	241-243
8785.	137a	AMPHI	264-269
8786.	137a	AMPHI	283-286
8787.	137a	Antigenic Index	8-12
8788.	137a	Antigenic Index	27-42
8789.	137a	Antigenic Index	51-58
8790.	137a	Antigenic Index	66-73
8791.	137a	Antigenic Index	80-82
8792.	137a	Antigenic Index	91-112
8793.	137a	Antigenic Index	122-141
8794.	137a	Antigenic Index	152-158
8795.	137a	Antigenic Index	164-172
8796.	137a	Antigenic Index	190-200
8797.	137a	Antigenic Index	204-207
8798.	137a	Antigenic Index	218-227
8799.	137a	Antigenic Index	249-252
8800.	137a	Antigenic Index	255-27
8801.	137a	Antigenic Index	268-285
8802.	137a	Antigenic Index	287-296
8803.	137a	Hydrophilicity	8-12
8804.	137a	Hydrophilicity	31-41
8805.	137a	Hydrophilicity	53-55
8806.	137a	Hydrophilicity	66-72
8807.	137a	Hydrophilicity	94-112
8808.	137a	Hydrophilicity	122-128
8809.	137a	Hydrophilicity	131-141
8810.	137a	Hydrophilicity	152-158
8811.	137a	Hydrophilicity	169-172
8812.	137a	Hydrophilicity	204-210
8813.	137a	Hydrophilicity	218-226
8814.	137a	Hydrophilicity	250-252
8815.	137a	Hydrophilicity	255-257
8816.	137a	Hydrophilicity	270-285
8817.	137a	Hydrophilicity	287-296
8818.	138a	AMPHI	20-35
8819.	138a	AMPHI	37-41
8820.	138a	AMPHI	75-78
8821.	138a	AMPHI	89-116
8822.	138a	AMPHI	135-138
8823.	138a	AMPHI	148-165
8824.	138a	AMPHI	178-189
8825.	138a	AMPHI	202-204

8826.	138a	AMPHI	210-219
8827.	138a	AMPHI	231-234
8828.	138a	AMPHI	247-249
8829.	138a	AMPHI	264-266
8830.	138a	AMPHI	282-285
8831.	138a	Antigenic Index	10-13
8832.	138a	Antigenic Index	39-43
8833.	138a	Antigenic Index	50-57
8834.	138a	Antigenic Index	64-74
8835.	138a	Antigenic Index	79-85
8836.	138a	Antigenic Index	92-100
8837.	138a	Antigenic Index	114-119
8838.	138a	Antigenic Index	131-139
8839.	138a	Antigenic Index	150-163
8840.	138a	Antigenic Index	165-177
8841.	138a	Antigenic Index	183-194
8842.	138a	Antigenic Index	199-211
8843.	138a	Antigenic Index	219-221
8844.	138a	Antigenic Index	233-235
8845.	138a	Antigenic Index	243-250
8846.	138a	Antigenic Index	258-269
8847.	138a	Antigenic Index	274-277
8848.	138a	Antigenic Index	293-298
8849.	138a	Hydrophilicity	50-57
8850.	138a	Hydrophilicity	65-73
8851.	138a	Hydrophilicity	79-85
8852.	138a	Hydrophilicity	92-100
8853.	138a	Hydrophilicity	114-119
8854.	138a	Hydrophilicity	151-163
8855.	138a	Hydrophilicity	165-175
8856.	138a	Hydrophilicity	183-192
8857.	138a	Hydrophilicity	201-209
8858.	138a	Hydrophilicity	233-235
8859.	138a	Hydrophilicity	244-247
8860.	138a	Hydrophilicity	258-269258-269
8861.	138a	Hydrophilicity	275-277
8862.	138a	Hydrophilicity	295-297
8863.	139a	AMPHI	6-14
8864.	139a	AMPHI	20-23
8865.	139a	AMPHI	102-108
8866.	139a	AMPHI	121-123
8867.	139a	AMPHI	143151
8868.	139a	AMPHI	17-162
8869.	139a	AMPHI	164-172

8870.	139a	AMPHI	263-270
8871.	139a	AMPHI	280-282
8872.	139a	AMPHI	291-297
8873.	139a	AMPHI	300-309
8874.	139a	AMPHI	314-319
8875.	139a	AMPHI	331-337
8876.	139a	AMPHI	384-389
8877.	139a	AMPHI	404-408
8878.	139a	AMPHI	410-413
8879.	139a	AMPHI	447-453
8880.	139a	AMPHI	462-468
8881.	139a	AMPHI	476-480
8882.	139a	Antigenic Index	1-6
8883.	139a	Antigenic Index	82-84
8884.	139a	Antigenic Index	114-118
8885.	139a	Antigenic Index	120-123
8886.	139a	Antigenic Index	163-166
8887.	139a	Antigenic Index	175-177
8888.	139a	Antigenic Index	181-184
8889.	139a	Antigenic Index	194-196
8890.	139a	Antigenic Index	204-210
8891.	139a	Antigenic Index	252-259
8892.	139a	Antigenic Index	623-270
8893.	139a	Antigenic Index	303-305
8894.	139a	Antigenic Index	309-314
8895.	139a	Antigenic Index	319-322
8896.	139a	Antigenic Index	341-347
8897.	139a	Antigenic Index	396-399
8898.	139a	Antigenic Index	402-410
8899.	139a	Antigenic Index	416-419
8900.	139a	Antigenic Index	433-439
8901.	139a	Antigenic Index	455-461
8902.	139a	Antigenic Index	473-481
8903.	139a	Antigenic Index	502-513
8904.	139a	Hydrophilicity	1-5
8905.	139a	Hydrophilicity	252-259
8906.	139a	Hydrophilicity	341-347
8907.	139a	Hydrophilicity	396-399
8908.	139a	Hydrophilicity	402-405
8909.	139a	Hydrophilicity	407-410
8910.	139a	Hydrophilicity	433-439
8911.	139a	Hydrophilicity	457-461
8912.	139a	Hydrophilicity	474-477
8913.	139a	Hydrophilicity	479-481

8914.	139a	Hydrophilicity	502-513
8915.	140a	AMPHI	6-8
8916.	140a	AMPHI	11-13
8917.	140a	AMPHI	36-50
8918.	140a	AMPHI	62-69
8919.	140a	AMPHI	73-90
8920.	140a	AMPHI	92-102
8921.	140a	AMPHI	155-162
8922.	140a	AMPHI	186-188
8923.	140a	AMPHI	192-194
8924.	140a	AMPHI	205-216
8925.	140a	AMPHI	221-223
8926.	140a	AMPHI	230-234
8927.	140a	AMPHI	286-292
8928.	140a	AMPHI	306-321
8929.	140a	AMPHI	330-335
8930.	140a	AMPHI	342-348
8931.	140a	AMPHI	428-432
8932.	140a	AMPHI	434-436
8933.	140a	Antigenic Index	1-4
8934.	140a	Antigenic Index	65-68
8935.	140a	Antigenic Index	86-96
8936.	140a	Antigenic Index	104-110
8937.	140a	Antigenic Index	140-148
8938.	140a	Antigenic Index	169-172
8939.	140a	Antigenic Index	179-182
8940.	140a	Antigenic Index	200-203
8941.	140a	Antigenic Index	208-210
8942.	140a	Antigenic Index	219-237
8943.	140a	Antigenic Index	264-272
8944.	140a	Antigenic Index	297-314
8945.	140a	Antigenic Index	328-330
8946.	140a	Antigenic Index	337-341
8947.	140a	Antigenic Index	344-346
8948.	140a	Antigenic Index	348-350
8949.	140a	Antigenic Index	370-373
8950.	140a	Antigenic Index	409-412
8951.	140a	Antigenic Index	415-421
8952.	140a	Hydrophilicity	86-88
8953.	140a	Hydrophilicity	104-110
8954.	140a	Hydrophilicity	140-148
8955.	140a	Hydrophilicity	208-210
8956.	140a	Hydrophilicity	224-237
8957.	140a	Hydrophilicity	264-272

8958.	140a	Hydrophilicity	298-313
8959.	140a	Hydrophilicity	344-346
8960.	140a	Hydrophilicity	348-350
8961.	141a	AMPHI	13-15
8962.	141a	AMPHI	35-37
8963.	141a	AMPHI	49-58
8964.	141a	AMPHI	63-66
8965.	141a	AMPHI	82-94
8966.	141a	AMPHI	97-100
8967.	141a	AMPHI	103-106
8968.	141a	AMPHI	108-110
8969.	141a	AMPHI	119-126
8970.	141a	AMPHI	137-144
8971.	141a	AMPHI	188-191
8972.	141a	AMPHI	245-250
8973.	141a	AMPHI	252-263
8974.	141a	AMPHI	336-350
8975.	141a	AMPHI	352-367
8976.	141a	AMPHI	381-385
8977.	141a	AMPHI	429-433
8978.	141a	AMPHI	458-464
8979.	141a	AMPHI	471-482
8980.	141a	AMPHI	500-504
8981.	141a	AMPHI	517-521
8982.	141a	AMPHI	523-531
8983.	141a	Antigenic Index	4-18
8984.	141a	Antigenic Index	31-34
8985.	141a	Antigenic Index	39-47
8986.	141a	Antigenic Index	57-59
8987.	141a	Antigenic Index	89-92
8988.	141a	Antigenic Index	94-98
8989.	141a	Antigenic Index	123-129
8990.	141a	Antigenic Index	165-172
8991.	141a	Antigenic Index	179-181
8992.	141a	Antigenic Index	208-216
8993.	141a	Antigenic Index	23-241
8994.	141a	Antigenic Index	250-253
8995.	141a	Antigenic Index	255-258
8996.	141a	Antigenic Index	295-301
8997.	141a	Antigenic Index	319-327
8998.	141a	Antigenic Index	343-349
8999.	141a	Antigenic Index	376-379
9000.	141a	Antigenic Index	383-386
9001.	141a	Antigenic Index	396-401

9002.	141a	Antigenic Index	417-427
9003.	141a	Antigenic Index	452-546
9004.	141a	Antigenic Index	461-465
9005.	141a	Antigenic Index	467-480
9006.	141a	Antigenic Index	482-490
9007.	141a	Antigenic Index	497-499
9008.	141a	Antigenic Index	501-510
9009.	141a	Antigenic Index	516-526
9010.	141a	Antigenic Index	533-542
9011.	141a	Antigenic Index	545-558
9012.	141a	Hydrophilicity	7-17
9013.	141a	Hydrophilicity	40-46
9014.	141a	Hydrophilicity	95-98
9015.	141a	Hydrophilicity	125-127
9016.	141a	Hydrophilicity	166-172
9017.	141a	Hydrophilicity	210-212
9018.	141a	Hydrophilicity	214-216
9019.	141a	Hydrophilicity	29-297
9020.	141a	Hydrophilicity	322-325
9021.	141a	Hydrophilicity	343-349
9022.	141a	Hydrophilicity	383-386
9023.	141a	Hydrophilicity	397-400
9024.	141a	Hydrophilicity	418-427
9025.	141a	Hydrophilicity	452-456
9026.	141a	Hydrophilicity	461-465
9027.	141a	Hydrophilicity	469-480
9028.	141a	Hydrophilicity	488-490
9029.	141a	Hydrophilicity	504-510
9030.	141a	Hydrophilicity	519-523
9031.	141a	Hydrophilicity	534-542
9032.	141a	Hydrophilicity	547-558
9033.	143a	AMPHI	9-14
9034.	143a	AMPHI	34-38
9035.	143a	AMPHI	40-44
9036.	143a	AMPHI	56-60
9037.	143a	AMPHI	69-71
9038.	143a	AMPHI	162-164
9039.	143a	AMPHI	190-198
9040.	143a	AMPHI	201-210
9041.	143a	Antigenic Index	1-6
9042.	143a	Antigenic Index	15-18
9043.	143a	Antigenic Index	25-34
9044.	143a	Antigenic Index	40-52
9045.	143a	Antigenic Index	60-64

9046.	143a	Antigenic Index	79-96
9047.	143a	Antigenic Index	102-117
9048.	143a	Antigenic Index	127-133
9049.	143a	Antigenic Index	140-152
9050.	143a	Antigenic Index	157-161
9051.	143a	Antigenic Index	164-171
9052.	143a	Antigenic Index	190-198
9053.	143a	Antigenic Index	211-223
9054.	143a	Antigenic Index	225-227
9055.	143a	Hydrophilicity	1-4
9056.	143a	Hydrophilicity	26-32
9057.	143a	Hydrophilicity	40-52
9058.	143a	Hydrophilicity	60-64
9059.	143a	Hydrophilicity	81-87
9060.	143a	Hydrophilicity	89-96
9061.	143a	Hydrophilicity	103-107
9062.	143a	Hydrophilicity	110-116
9063.	143a	Hydrophilicity	127-133
9064.	143a	Hydrophilicity	140-150
9065.	143a	Hydrophilicity	165-170
9066.	143a	Hydrophilicity	193-196
9067.	143a	Hydrophilicity	211-223
9068.	144a	AMPHI	6-11
9069.	144a	AMPHI	27-30
9070.	144a	AMPHI	41-75
9071.	144a	AMPHI	84-106
9072.	144a	AMPHI	115-130
9073.	144a	AMPHI	175-177
9074.	144a	AMPHI	179-185
9075.	144a	AMPHI	189-193
9076.	144a	AMPHI	197-202
9077.	144a	AMPHI	213-217
9078.	144a	AMPHI	235-246
9079.	144a	AMPHI	258-261
9080.	144a	AMPHI	270-272
9081.	144a	AMPHI	280-284
9082.	144a	AMPHI	287-297
9083.	144a	AMPHI	313-318
9084.	144a	AMPHI	325-335
9085.	144a	AMPHI	355-365
9086.	144a	AMPHI	379-381
9087.	144a	Antigenic Index	8-15
9088.	144a	Antigenic Index	24-33
9089.	144a	Antigenic Index	62-70

9090.	144a	Antigenic Index	81-83
9091.	144a	Antigenic Index	93-99
9092.	144a	Antigenic Index	118-125
9093.	144a	Antigenic Index	127-135
9094.	144a	Antigenic Index	149-151
9095.	144a	Antigenic Index	163-165
9096.	144a	Antigenic Index	167-173
9097.	144a	Antigenic Index	178-180
9098.	144a	Antigenic Index	198-206
9099.	144a	Antigenic Index	223-225
9100.	144a	Antigenic Index	233-240
9101.	144a	Antigenic Index	274-294
9102.	144a	Antigenic Index	302-307
9103.	144a	Antigenic Index	313-335
9104.	144a	Antigenic Index	342-346
9105.	144a	Antigenic Index	349-357
9106.	144a	Antigenic Index	369-376
9107.	144a	Antigenic Index	397-400
9108.	144a	Hydrophilicity	11-15
9109.	144a	Hydrophilicity	24-33
9110.	144a	Hydrophilicity	65-67
9111.	144a	Hydrophilicity	93-99
9112.	144a	Hydrophilicity	118-120
9113.	144a	Hydrophilicity	163-165
9114.	144a	Hydrophilicity	223-225
9115.	144a	Hydrophilicity	279-294
9116.	144a	Hydrophilicity	302-307
9117.	144a	Hydrophilicity	313-319
9118.	144a	Hydrophilicity	322-335
9119.	144a	Hydrophilicity	350-357
9120.	144a	Hydrophilicity	369-376
9121.	144a	Hydrophilicity	397-400
9122.	146a	AMPHI	9-17
9123.	146a	AMPHI	19-21
9124.	146a	AMPHI	24-30
9125.	146a	AMPHI	51-53
9126.	146a	AMPHI	70-84
9127.	146a	AMPHI	111-120
9128.	146a	AMPHI	132-135
9129.	146a	AMPHI	149-151
9130.	146a	AMPHI	153-158
9131.	146a	AMPHI	183-201
9132.	146a	AMPHI	204-211
9133.	146a	AMPHI	213-215

9134.	146a	AMPHI	243-254
9135.	146a	AMPHI	277-280
9136.	146a	AMPHI	301-303
9137.	146a	AMPHI	318-324
9138.	146a	AMPHI	352-355
9139.	146a	Antigenic Index	1-9
9140.	146a	Antigenic Index	11-24
9141.	146a	Antigenic Index	73-79
9142.	146a	Antigenic Index	86-89
9143.	146a	Antigenic Index	97-103
9144.	146a	Antigenic Index	122-127
9145.	146a	Antigenic Index	140-148
9146.	146a	Antigenic Index	186-239
9147.	146a	Antigenic Index	249-255
9148.	146a	Antigenic Index	266-281
9149.	146a	Antigenic Index	189-292
9150.	146a	Antigenic Index	300-320
9151.	146a	Antigenic Index	334-341
9152.	146a	Antigenic Index	349-364
9153.	146a	Antigenic Index	367-375
9154.	146a	Hydrophilicity	3-9
9155.	146a	Hydrophilicity	17-24
9156.	146a	Hydrophilicity	73-79
9157.	146a	Hydrophilicity	142-147
9158.	146a	Hydrophilicity	186-195
9159.	146a	Hydrophilicity	198-219
9160.	146a	Hydrophilicity	221-228
9161.	146a	Hydrophilicity	232-238
9162.	146a	Hydrophilicity	249-255
9163.	146a	Hydrophilicity	266-281
9164.	146a	Hydrophilicity	301-308
9165.	146a	Hydrophilicity	314-320
9166.	146a	Hydrophilicity	336-341
9167.	146a	Hydrophilicity	349-364
9168.	146a	Hydrophilicity	367-375
9169.	147a	AMPHI	6-13
9170.	147a	AMPHI	21-29
9171.	147a	AMPHI	36-38
9172.	147a	AMPHI	54-56
9173.	147a	AMPHI	79-87
9174.	147a	AMPHI	99-102
9175.	147a	AMPHI	106-114
9176.	147a	AMPHI	132-135
9177.	147a	AMPHI	159-165

9178.	147a	AMPHI	175-188
9179.	147a	AMPHI	200-219
9180.	147a	AMPHI	245-259
9181.	147a	AMPHI	263-265
9182.	147a	AMPHI	267-269
9183.	147a	Antigenic Index	5-14
9184.	147a	Antigenic Index	40-52
9185.	147a	Antigenic Index	67-80
9186.	147a	Antigenic Index	85-87
9187.	147a	Antigenic Index	94-101
9188.	147a	Antigenic Index	103-117
9189.	147a	Antigenic Index	147-160
9190.	147a	Antigenic Index	175-178
9191.	147a	Antigenic Index	190-197
9192.	147a	Antigenic Index	199-205
9193.	147a	Antigenic Index	209-213
9194.	147a	Antigenic Index	221-230
9195.	147a	Antigenic Index	238-252
9196.	147a	Antigenic Index	261-267
9197.	147a	Antigenic Index	269-271
9198.	147a	Antigenic Index	273-281
9199.	147a	Antigenic Index	288-291
9200.	147a	Hydrophilicity	5-13
9201.	147a	Hydrophilicity	40-52
9202.	147a	Hydrophilicity	67-80
9203.	147a	Hydrophilicity	95-99
9204.	147a	Hydrophilicity	105-117
9205.	147a	Hydrophilicity	152-160
9206.	147a	Hydrophilicity	175-177
9207.	147a	Hydrophilicity	190-197
9208.	147a	Hydrophilicity	199-204
9209.	147a	Hydrophilicity	223-230
9210.	147a	Hydrophilicity	238-252
9211.	147a	Hydrophilicity	261-267
9212.	147a	Hydrophilicity	269-271
9213.	147a	Hydrophilicity	273-281
9214.	147a	Hydrophilicity	288-291
9215.	109a-1	AMPHI	14-25
9216.	109a-1	AMPHI	36-38
9217.	109a-1	AMPHI	41-43
9218.	109a-1	AMPHI	8488
9219.	109a-1	AMPHI	124-126
9220.	109a-1	AMPHI	143-149
9221.	109a-1	AMPHI	151-155

9222.	109a-1	AMPHI	171-181
9223.	109a-1	AMPHI	229-231
9224.	109a-1	Antigenic Index	24-28
9225.	109a-1	Antigenic Index	49-52
9226.	109a-1	Antigenic Index	64-77
9227.	109a-1	Antigenic Index	96-100
9228.	109a-1	Antigenic Index	119-131
9229.	109a-1	Antigenic Index	154-156
9230.	109a-1	Antigenic Index	226-231
9231.	109a-1	Antigenic Index	247-254
9232.	109a-1	Hydrophilicity	50-52
9233.	109a-1	Hydrophilicity	64-66
9234.	109a-1	Hydrophilicity	68-74
9235.	109a-1	Hydrophilicity	120-131
9236.	109a-1	Hydrophilicity	226-231
9237.	109a-1	Hydrophilicity	247-253
9238.	111a-1	AMPHI	6-14
9239.	111a-1	AMPHI	27-30
9240.	111a-1	AMPHI	45-48
9241.	111a-1	AMPHI	60-62
9242.	111a-1	AMPHI	64-79
9243.	111a-1	AMPHI	90-96
9244.	111a-1	AMPHI	99-102
9245.	111a-1	AMPHI	114-116
9246.	111a-1	AMPHI	128-134
9247.	111a-1	AMPHI	146-149
9248.	111a-1	AMPHI	151-159
9249.	111a-1	AMPHI	170-174
9250.	111a-1	AMPHI	176-179
9251.	111a-1	AMPHI	183-190
9252.	111a-1	AMPHI	198-200
9253.	111a-1	AMPHI	209-215
9254.	111a-1	AMPHI	237-240
9255.	111a-1	AMPHI	273-276
9256.	111a-1	AMPHI	314-318
9257.	111a-1	AMPHI	320-322
9258.	111a-1	Antigenic Index	1-10
9259.	111a-1	Antigenic Index	26-31
9260.	111a-1	Antigenic Index	37-42
9261.	111a-1	Antigenic Index	49-105
9262.	111a-1	Antigenic Index	135-153
9263.	111a-1	Antigenic Index	163-181
9264.	111a-1	Antigenic Index	192-194
9265.	111a-1	Antigenic Index	196-205

-251-

9266.	111a-1	Antigenic Index	213-230
9267.	111a-1	Antigenic Index	233-238
9268.	111a-1	Antigenic Index	240-243
9269.	111a-1	Antigenic Index	250-262
9270.	111a-1	Antigenic Index	264-274
9271.	111a-1	Antigenic Index	277-286
9272.	111a-1	Antigenic Index	296-309
9273.	111a-1	Antigenic Index	314-326
9274.	111a-1	Antigenic Index	332-339
9275.	111a-1	Antigenic Index	342-351
9276.	111a-1	Hydrophilicity	1-7
9277.	111a-1	Hydrophilicity	26-31
9278.	111a-1	Hydrophilicity	51-59
9279.	111a-1	Hydrophilicity	61-77
9280.	111a-1	Hydrophilicity	82-89
9281.	111a-1	Hydrophilicity	97-103
9282.	111a-1	Hydrophilicity	137-153
9283.	111a-1	Hydrophilicity	163-173
9284.	111a-1	Hydrophilicity	175-179
9285.	111a-1	Hydrophilicity	197-205
9286.	111a-1	Hydrophilicity	213-215
9287.	111a-1	Hydrophilicity	217-229
9288.	111a-1	Hydrophilicity	251-260
9289.	111a-1	Hydrophilicity	265-274
9290.	111a-1	Hydrophilicity	279-285
9291.	111a-1	Hydrophilicity	298-306
9292.	111a-1	Hydrophilicity	314-326
9293.	111a-1	Hydrophilicity	332-338
9294.	111a-1	Hydrophilicity	344-351
9295.	119a-1	AMPHI	10-12
9296.	119a-1	AMPHI	25-33
9297.	119a-1	AMPHI	48-51
9298.	119a-1	AMPHI	68-73
9299.	119a-1	AMPHI	79-84
9300.	119a-1	AMPHI	120-125
9301.	119a-1	AMPHI	132-138
9302.	119a-1	AMPHI	147-150
9303.	119a-1	AMPHI	154-160
9304.	119a-1	AMPHI	173-176
9305.	119a-1	AMPHI	180-192
9306.	119a-1	AMPHI	210-213
9307.	119a-1	AMPHI	215-217
9308.	119a-1	AMPHI	237-255
9309.	119a-1	AMPHI	261-279

9310.	119a-1	AMPHI	289-922
9311.	119a-1	AMPHI	349-357
9312.	119a-1	AMPHI	363-371
9313.	119a-1	AMPHI	388-400
9314.	119a-1	Antigenic Index	20-57
9315.	119a-1	Antigenic Index	60-87
9316.	119a-1	Antigenic Index	91-114
9317.	119a-1	Antigenic Index	118-151
9318.	119a-1	Antigenic Index	156-16
9319.	119a-1	Antigenic Index	179-186
9320.	119a-1	Antigenic Index	188-196
9321.	119a-1	Antigenic Index	202-208
9322.	119a-1	Antigenic Index	212-214
9323.	119a-1	Antigenic Index	229-241
9324.	119a-1	Antigenic Index	244-247
9325.	119a-1	Antigenic Index	252-255
9326.	119a-1	Antigenic Index	278-281
9327.	119a-1	Antigenic Index	290-292
9328.	119a-1	Antigenic Index	296-300
9329.	119a-1	Antigenic Index	309-314
9330.	119a-1	Antigenic Index	318-324
9331.	119a-1	Antigenic Index	331-337
9332.	119a-1	Antigenic Index	341-348
9333.	119a-1	Antigenic Index	356-366
9334.	119a-1	Antigenic Index	376-378
9335.	119a-1	Antigenic Index	385-393
9336.	119a-1	Antigenic Index	398-401
9337.	119a-1	Antigenic Index	407-412
9338.	119a-1	Antigenic Index	415-423
9339.	119a-1	Hydrophilicity	23-42
9340.	119a-1	Hydrophilicity	45-56
9341.	119a-1	Hydrophilicity	63-79
9342.	119a-1	Hydrophilicity	81-87
9343.	119a-1	Hydrophilicity	91-97
9344.	119a-1	Hydrophilicity	99-113
9345.	119a-1	Hydrophilicity	121-127
9346.	119a-1	Hydrophilicity	130-140
9347.	119a-1	Hydrophilicity	147-149
9348.	119a-1	Hydrophilicity	156-161
9349.	119a-1	Hydrophilicity	179-186
9350.	119a-1	Hydrophilicity	190-195
9351.	119a-1	Hydrophilicity	202-208
9352.	119a-1	Hydrophilicity	232-241
9353.	119a-1	Hydrophilicity	244-247

9354.	119a-1	Hydrophilicity	278-281
9355.	119a-1	Hydrophilicity	296-300
9356.	119a-1	Hydrophilicity	309-314
9357.	119a-1	Hydrophilicity	320-322
9358.	119a-1	Hydrophilicity	359-369
9359.	119a-1	Hydrophilicity	385-393
9360.	119a-1	Hydrophilicity	398-401
9361.	119a-1	Hydrophilicity	407-412
9362.	119a-1	Hydrophilicity	418-423
9363.	120a-1	AMPHI	6-11
9364.	120a-1	AMPHI	52-60
9365.	120a-1	AMPHI	77-89
9366.	120a-1	AMPHI	115-121
9367.	120a-1	AMPHI	142-158
9368.	120a-1	AMPHI	189-196
9369.	120a-1	Antigenic Index	3-6
9370.	120a-1	Antigenic Index	35-38
9371.	120a-1	Antigenic Index	42-52
9372.	120a-1	Antigenic Index	68-75
9373.	120a-1	Antigenic Index	80-83
9374.	120a-1	Antigenic Index	85-95
9375.	120a-1	Antigenic Index	97-119
9376.	120a-1	Antigenic Index	131-150
9377.	120a-1	Antigenic Index	153-183
9378.	120a-1	Antigenic Index	819-192
9379.	120a-1	Antigenic Index	199-207
9380.	120a-1	Antigenic Index	210-213
9381.	120a-1	Antigenic Index	218-223
9382.	120a-1	Hydrophilicity	3-5
9383.	120a-1	Hydrophilicity	68-70
9384.	120a-1	Hydrophilicity	85-94
9385.	120a-1	Hydrophilicity	97-100
9386.	120a-1	Hydrophilicity	115-119
9387.	120a-1	Hydrophilicity	131-136
9388.	120a-1	Hydrophilicity	143-149
9389.	120a-1	Hydrophilicity	155-160
9390.	120a-1	Hydrophilicity	167-182
9391.	120a-1	Hydrophilicity	200-207
9392.	120a-1	Hydrophilicity	210-213
9393.	120a-1	Hydrophilicity	219-223
9394.	100ng-1	AMPHI	21-23
9395.	100ng-1	AMPHI	48-52
9396.	100ng-1	AMPHI	59-75
9397.	100ng-1	AMPHI	79-82

9398.	100ng-l	AMPHI	108-110
9399.	100ng-l	AMPHI	133-15
9400.	100ng-l	AMPHI	144-151
9401.	100ng-l	AMPHI	156-158
9402.	100ng-l	AMPHI	188-193
9403.	100ng-l	AMPHI	207-210
9404.	100ng-l	AMPHI	213-218
9405.	100ng-l	AMPHI	228-232
9406.	100ng-l	AMPHI	239-244
9407.	100ng-l	AMPHI	248-260
9408.	100ng-l	AMPHI	269-273
9409.	100ng-l	AMPHI	280-286
9410.	100ng-l	AMPHI	296-308
9411.	100ng-l	AMPHI	317-323
9412.	100ng-l	AMPHI	326-329
9413.	100ng-l	AMPHI	337-339
9414.	100ng-l	AMPHI	372-377
9415.	100ng-l	Antigenic Index	23-26
9416.	100ng-l	Antigenic Index	68-85
9417.	100ng-l	Antigenic Index	89-92
9418.	100ng-l	Antigenic Index	98-121
9419.	100ng-l	Antigenic Index	135-144
9420.	100ng-l	Antigenic Index	148-157
9421.	100ng-l	Antigenic Index	166-176
9422.	100ng-l	Antigenic Index	185-189
9423.	100ng-l	Antigenic Index	199-206
9424.	100ng-l	Antigenic Index	211-218
9425.	100ng-l	Antigenic Index	220-231
9426.	100ng-l	Antigenic Index	237-244
9427.	100ng-l	Antigenic Index	250-264
9428.	100ng-l	Antigenic Index	268-274
9429.	100ng-l	Antigenic Index	288-297
9430.	100ng-l	Antigenic Index	306-330
9431.	100ng-l	Antigenic Index	341-354
9432.	100ng-l	Antigenic Index	361-364
9433.	100ng-l	Antigenic Index	373-387
9434.	100ng-l	Antigenic Index	395-405
9435.	100ng-l	Hydrophilicity	70-85
9436.	100ng-l	Hydrophilicity	98-109
9437.	100ng-l	Hydrophilicity	111-121
9438.	100ng-l	Hydrophilicity	135-144
9439.	100ng-l	Hydrophilicity	148-156
9440.	100ng-l	Hydrophilicity	166-176
9441.	100ng-l	Hydrophilicity	200-206

-255-

9442.	100ng-l	Hydrophilicity	211-218
9443.	100ng-l	Hydrophilicity	220-229
9444.	100ng-l	Hydrophilicity	237-244
9445.	100ng-l	Hydrophilicity	250-264
9446.	100ng-l	Hydrophilicity	268-274
9447.	100ng-l	Hydrophilicity	289-297
9448.	100ng-l	Hydrophilicity	306-319
9449.	100ng-l	Hydrophilicity	323-329
9450.	100ng-l	Hydrophilicity	346-349
9451.	100ng-l	Hydrophilicity	351-354
9452.	100ng-l	Hydrophilicity	373-387
9453.	100ng-l	Hydrophilicity	395-405
9454.	101ng-l	AMPHI	7-10
9455.	101ng-l	AMPHI	23-26
9456.	101ng-l	AMPHI	32-35
9457.	101ng-l	AMPHI	37-39
9458.	101ng-l	AMPHI	50-54
9459.	101ng-l	AMPHI	68-81
9460.	101ng-l	AMPHI	97-103
9461.	101ng-l	AMPHI	115-119
9462.	101ng-l	AMPHI	130-134
9463.	101ng-l	AMPHI	142-146
9464.	101ng-l	AMPHI	148-152
9465.	101ng-l	AMPHI	216-218
9466.	101ng-l	AMPHI	237-243
9467.	101ng-l	AMPHI	320-323
9468.	101ng-l	AMPHI	329-332
9469.	101ng-l	AMPHI	351-354
9470.	101ng-l	AMPHI	358-363
9471.	101ng-l	Antigenic Index	6-9
9472.	101ng-l	Antigenic Index	37-45
9473.	101ng-l	Antigenic Index	78-86
9474.	101ng-l	Antigenic Index	125-133
9475.	101ng-l	Antigenic Index	135-143
9476.	101ng-l	Antigenic Index	150-158
9477.	101ng-l	Antigenic Index	165-171
9478.	101ng-l	Antigenic Index	176-186
9479.	101ng-l	Antigenic Index	192-224
9480.	101ng-l	Antigenic Index	236-251
9481.	101ng-l	Antigenic Index	257-264
9482.	101ng-l	Antigenic Index	290-298
9483.	101ng-l	Antigenic Index	311-313
9484.	101ng-l	Antigenic Index	320-325
9485.	101ng-l	Antigenic Index	350-356

-256-

9486.	101ng-l	Antigenic Index	362-371
9487.	101ng-l	Hydrophilicity	6-9
9488.	101ng-l	Hydrophilicity	37-45
9489.	101ng-l	Hydrophilicity	97-85
9490.	101ng-l	Hydrophilicity	125-133
9491.	101ng-l	Hydrophilicity	135-143
9492.	101ng-l	Hydrophilicity	151-157
9493.	101ng-l	Hydrophilicity	165-171
9494.	101ng-l	Hydrophilicity	176-185
9495.	101ng-l	Hydrophilicity	192-207
9496.	101ng-l	Hydrophilicity	215-222
9497.	101ng-l	Hydrophilicity	239-242
9498.	101ng-l	Hydrophilicity	244-251
9499.	101ng-l	Hydrophilicity	293-296
9500.	101ng-l	Hydrophilicity	320-325
9501.	101ng-l	Hydrophilicity	350-353
9502.	101ng-l	Hydrophilicity	368-371
9503.	102ng-l	AMPHI	4-12
9504.	102ng-l	AMPHI	17-21
9505.	102ng-l	AMPHI	25-29
9506.	102ng-l	AMPHI	33-37
9507.	102ng-l	AMPHI	53-59
9508.	102ng-l	AMPHI	105-113
9509.	102ng-l	AMPHI	115-125
9510.	102ng-l	Antigenic Index	34-45
9511.	102ng-l	Antigenic Index	47-49
9512.	102ng-l	Antigenic Index	58-61
9513.	102ng-l	Antigenic Index	76-81
9514.	102ng-l	Antigenic Index	106-118
9515.	102ng-l	Hydrophilicity	35-45
9516.	102ng-l	Hydrophilicity	106-109
9517.	103ng-l	AMPHI	14-16
9518.	103ng-l	AMPHI	21-30
9519.	103ng-l	AMPHI	39-42
9520.	103ng-l	AMPHI	53-58
9521.	103ng-l	AMPHI	66-69
9522.	103ng-l	AMPHI	76-78
9523.	103ng-l	AMPHI	80-83
9524.	103ng-l	AMPHI	100-106
9525.	103ng-l	AMPHI	108-114
9526.	103ng-l	AMPHI	117-127
9527.	103ng-l	AMPHI	129-137
9528.	103ng-l	AMPHI	177-183
9529.	103ng-l	AMPHI	193-195

-257-

9530.	103ng-l	AMPHI	199-206
9531.	103ng-l	AMPHI	211-214
9532.	103ng-l	Antigenic Index	1-3
9533.	103ng-l	Antigenic Index	18-20
9534.	103ng-l	Antigenic Index	26-28
9535.	103ng-l	Antigenic Index	37-40
9536.	103ng-l	Antigenic Index	50-57
9537.	103ng-l	Antigenic Index	73-79
9538.	103ng-l	Antigenic Index	107-116
9539.	103ng-l	Antigenic Index	128-132
9540.	103ng-l	Antigenic Index	146-148
9541.	103ng-l	Antigenic Index	160-166
9542.	103ng-l	Antigenic Index	191-200
9543.	103ng-l	Hydrophilicity	75-78
9544.	103ng-l	Hydrophilicity	107-113
9545.	103ng-l	Hydrophilicity	194-197
9546.	104ng-l	AMPHI	14-16
9547.	104ng-l	AMPHI	29-35
9548.	104ng-l	AMPHI	59-61
9549.	104ng-l	AMPHI	91-97
9550.	104ng-l	AMPHI	109-112
9551.	104ng-l	AMPHI	138-140
9552.	104ng-l	AMPHI	145-158
9553.	104ng-l	AMPHI	177-179
9554.	104ng-l	AMPHI	206-215
9555.	104ng-l	AMPHI	235-245
9556.	104ng-l	AMPHI	248-266
9557.	104ng-l	AMPHI	272-276
9558.	104ng-l	AMPHI	280-286
9559.	104ng-l	AMPHI	293-298
9560.	104ng-l	Antigenic Index	1-6
9561.	104ng-l	Antigenic Index	58-70
9562.	104ng-l	Antigenic Index	98-100
9563.	104ng-l	Antigenic Index	120-126
9564.	104ng-l	Antigenic Index	145-149
9565.	104ng-l	Antigenic Index	211-216
9566.	104ng-l	Antigenic Index	234-239
9567.	104ng-l	Antigenic Index	243-247
9568.	104ng-l	Antigenic Index	275-282
9569.	104ng-l	Antigenic Index	299-307
9570.	104ng-l	Hydrophilicity	1-5
9571.	104ng-l	Hydrophilicity	60-68
9572.	104ng-l	Hydrophilicity	120-126
9573.	104ng-l	Hydrophilicity	146-149

-258-

9574.	104ng-1	Hydrophilicity	243-247
9575.	104ng-1	Hydrophilicity	299-307
9576.	105ng-1	AMPHI	7-10
9577.	105ng-1	AMPHI	16-18
9578.	105ng-1	AMPHI	31-34
9579.	105ng-1	AMPHI	49-56
9580.	105ng-1	AMPHI	74-78
9581.	105ng-1	AMPHI	82-90
9582.	105ng-1	AMPHI	95-97
9583.	105ng-1	AMPHI	103-105
9584.	105ng-1	AMPHI	107-109
9585.	105ng-1	AMPHI	121-127
9586.	105ng-1	AMPHI	134-136
9587.	105ng-1	AMPHI	152-158
9588.	105ng-1	AMPHI	160-164
9589.	105ng-1	AMPHI	168-170
9590.	105ng-1	AMPHI	182-185
9591.	105ng-1	AMPHI	189-191
9592.	105ng-1	AMPHI	197-215
9593.	105ng-1	AMPHI	221-224
9594.	105ng-1	AMPHI	239-243
9595.	105ng-1	AMPHI	247-253
9596.	105ng-1	AMPHI	265-271
9597.	105ng-1	AMPHI	275-277
9598.	105ng-1	Antigenic Index	5-15
9599.	105ng-1	Antigenic Index	17-27
9600.	105ng-1	Antigenic Index	30-32
9601.	105ng-1	Antigenic Index	40-43
9602.	105ng-1	Antigenic Index	45-68
9603.	105ng-1	Antigenic Index	71-81
9604.	105ng-1	Antigenic Index	88-90
9605.	105ng-1	Antigenic Index	98-113
9606.	105ng-1	Antigenic Index	117-121
9607.	105ng-1	Antigenic Index	132-135
9608.	105ng-1	Antigenic Index	137-145
9609.	105ng-1	Antigenic Index	148-163
9610.	105ng-1	Antigenic Index	165-190
9611.	105ng-1	Antigenic Index	199-214
9612.	105ng-1	Antigenic Index	229-246
9613.	105ng-1	Antigenic Index	253-259
9614.	105ng-1	Antigenic Index	271-274
9615.	105ng-1	Hydrophilicity	5-15
9616.	105ng-1	Hydrophilicity	17-24
9617.	105ng-1	Hydrophilicity	48-66

-259-

9618.	105ng-l	Hydrophilicity	74-76
9619.	105ng-l	Hydrophilicity	78-80
9620.	105ng-l	Hydrophilicity	88-90
9621.	105ng-l	Hydrophilicity	101-110
9622.	105ng-l	Hydrophilicity	117-121
9623.	105ng-l	Hydrophilicity	137-141
9624.	105ng-l	Hydrophilicity	149-163
9625.	105ng-l	Hydrophilicity	170-176
9626.	105ng-l	Hydrophilicity	178-190
9627.	105ng-l	Hydrophilicity	199-201
9628.	105ng-l	Hydrophilicity	208-210
9629.	105ng-l	Hydrophilicity	232-246
9630.	106ng-l	AMPHI	4-14
9631.	106ng-l	AMPHI	21-24
9632.	106ng-l	AMPHI	27-32
9633.	106ng-l	AMPHI	42-45
9634.	106ng-l	AMPHI	56-67
9635.	106ng-l	AMPHI	92-94
9636.	106ng-l	AMPHI	126-129
9637.	106ng-l	AMPHI	134-136
9638.	106ng-l	AMPHI	142-144
9639.	106ng-l	AMPHI	150-154
9640.	106ng-l	AMPHI	167-173
9641.	106ng-l	Antigenic Index	9-11
9642.	106ng-l	Antigenic Index	27-29
9643.	106ng-l	Antigenic Index	35-69
9644.	106ng-l	Antigenic Index	94-103
9645.	106ng-l	Antigenic Index	109-116
9646.	106ng-l	Antigenic Index	121-132
9647.	106ng-l	Antigenic Index	145-163
9648.	106ng-l	Antigenic Index	166-175
9649.	106ng-l	Antigenic Index	180-192
9650.	106ng-l	Antigenic Index	197-199
9651.	106ng-l	Hydrophilicity	27-29
9652.	106ng-l	Hydrophilicity	35-46
9653.	106ng-l	Hydrophilicity	53-59
9654.	106ng-l	Hydrophilicity	64-69
9655.	106ng-l	Hydrophilicity	95-103
9656.	106ng-l	Hydrophilicity	112-116
9657.	106ng-l	Hydrophilicity	123-132
9658.	106ng-l	Hydrophilicity	148-150
9659.	106ng-l	Hydrophilicity	152-161
9660.	106ng-l	Hydrophilicity	169-172
9661.	106ng-l	Hydrophilicity	188-190

-260-

9662.	108ng-1	AMPHI	8-10
9663.	108ng-1	AMPHI	22-34
9664.	108ng-1	AMPHI	44-46
9665.	108ng-1	AMPHI	73-77
9666.	108ng-1	AMPHI	87-102
9667.	108ng-1	AMPHI	109-112
9668.	108ng-1	AMPHI	118-129
9669.	108ng-1	AMPHI	133-138
9670.	108ng-1	AMPHI	146-150
9671.	108ng-1	AMPHI	157-159
9672.	108ng-1	Antigenic Index	18-40
9673.	108ng-1	Antigenic Index	43-46
9674.	108ng-1	Antigenic Index	56-70
9675.	108ng-1	Antigenic Index	73-82
9676.	108ng-1	Antigenic Index	85-97
9677.	108ng-1	Antigenic Index	99-116
9678.	108ng-1	Antigenic Index	129-137
9679.	108ng-1	Antigenic Index	149-156
9680.	108ng-1	Antigenic Index	160-162
9681.	108ng-1	Antigenic Index	168-172
9682.	108ng-1	Antigenic Index	175-181
9683.	108ng-1	Hydrophilicity	19-29
9684.	108ng-1	Hydrophilicity	34-36
9685.	108ng-1	Hydrophilicity	38-40
9686.	108ng-1	Hydrophilicity	43-46
9687.	108ng-1	Hydrophilicity	57-70
9688.	108ng-1	Hydrophilicity	76-79
9689.	108ng-1	Hydrophilicity	85-97
9690.	108ng-1	Hydrophilicity	99-109
9691.	108ng-1	Hydrophilicity	129-136
9692.	108ng-1	Hydrophilicity	150-155
9693.	108ng-1	Hydrophilicity	168-172
9694.	108ng-1	Hydrophilicity	176-181
9695.	109ng-1	AMPHI	13-23
9696.	109ng-1	AMPHI	30-34
9697.	109ng-1	AMPHI	38-46
9698.	109ng-1	AMPHI	69-71
9699.	109ng-1	AMPHI	83-90
9700.	109ng-1	AMPHI	143-151
9701.	109ng-1	AMPHI	163-617
9702.	109ng-1	AMPHI	172-182
9703.	109ng-1	AMPHI	189-192
9704.	109ng-1	AMPHI	211-213
9705.	109ng-1	AMPHI	228-232

-261-

9706.	109ng-l	Antigenic Index	24-28
9707.	109ng-l	Antigenic Index	49-52
9708.	109ng-l	Antigenic Index	64-77
9709.	109ng-l	Antigenic Index	96-100
9710.	109ng-l	Antigenic Index	119-131
9711.	109ng-l	Antigenic Index	154-156
9712.	109ng-l	Antigenic Index	226-231
9713.	109ng-l	Antigenic Index	247-254
9714.	109ng-l	Hydrophilicity	50-52
9715.	109ng-l	Hydrophilicity	64-66
9716.	109ng-l	Hydrophilicity	68-74
9717.	109ng-l	Hydrophilicity	120-131
9718.	109ng-l	Hydrophilicity	226-231
9719.	109ng-l	Hydrophilicity	247-253
9720.	146ng-l	AMPHI	11-17
9721.	146ng-l	AMPHI	19-21
9722.	146ng-l	AMPHI	24-30
9723.	146ng-l	AMPHI	39-46
9724.	146ng-l	AMPHI	51-53
9725.	146ng-l	AMPHI	70-84
9726.	146ng-l	AMPHI	111-120
9727.	146ng-l	AMPHI	132-135
9728.	146ng-l	AMPHI	149-151
9729.	146ng-l	AMPHI	153-158
9730.	146ng-l	AMPHI	183-201
9731.	146ng-l	AMPHI	204-207
9732.	146ng-l	AMPHI	241-254
9733.	146ng-l	AMPHI	277-280
9734.	146ng-l	AMPHI	301-303
9735.	146ng-l	AMPHI	318-324
9736.	146ng-l	AMPHI	352-355
9737.	146ng-l	Antigenic Index	1-25
9738.	146ng-l	Antigenic Index	30-34
9739.	146ng-l	Antigenic Index	71-79
9740.	146ng-l	Antigenic Index	86-89
9741.	146ng-l	Antigenic Index	97-103
9742.	146ng-l	Antigenic Index	122-127
9743.	146ng-l	Antigenic Index	140-148
9744.	146ng-l	Antigenic Index	186-219
9745.	146ng-l	Antigenic Index	221-242
9746.	146ng-l	Antigenic Index	249-255
9747.	146ng-l	Antigenic Index	266-281
9748.	146ng-l	Antigenic Index	289-293
9749.	146ng-l	Antigenic Index	300-320

9750.	146ng-l	Antigenic Index	334-341
9751.	146ng-l	Antigenic Index	349-364
9752.	146ng-l	Antigenic Index	367-375
9753.	146ng-l	Hydrophilicity	3-10
9754.	146ng-l	Hydrophilicity	17-25
9755.	146ng-l	Hydrophilicity	74-79
9756.	146ng-l	Hydrophilicity	142-147
9757.	146ng-l	Hydrophilicity	186-195
9758.	146ng-l	Hydrophilicity	198-219
9759.	146ng-l	Hydrophilicity	221-228
9760.	146ng-l	Hydrophilicity	232-239
9761.	146ng-l	Hydrophilicity	249-255
9762.	146ng-l	Hydrophilicity	266-281
9763.	146ng-l	Hydrophilicity	291-293
9764.	146ng-l	Hydrophilicity	301-308
9765.	146ng-l	Hydrophilicity	314-320
9766.	146ng-l	Hydrophilicity	336-341
9767.	146ng-l	Hydrophilicity	349-364
9768.	146ng-l	Hydrophilicity	367-375
9769.	147ng-l	AMPHI	6-13
9770.	147ng-l	AMPHI	21-29
9771.	147ng-l	AMPHI	36-38
9772.	147ng-l	AMPHI	54-56
9773.	147ng-l	AMPHI	80-82
9774.	147ng-l	AMPHI	84-86
9775.	147ng-l	AMPHI	99-102
9776.	147ng-l	AMPHI	106-114
9777.	147ng-l	AMPHI	132-137
9778.	147ng-l	AMPHI	159-167
9779.	147ng-l	AMPHI	175-188
9780.	147ng-l	AMPHI	200-219
9781.	147ng-l	AMPHI	245-254
9782.	147ng-l	AMPHI	263-265
9783.	147ng-l	AMPHI	267-269
9784.	147ng-l	Antigenic Index	5-14
9785.	147ng-l	Antigenic Index	40-52
9786.	147ng-l	Antigenic Index	67-80
9787.	147ng-l	Antigenic Index	86-88
9788.	147ng-l	Antigenic Index	94-101
9789.	147ng-l	Antigenic Index	104-118
9790.	147ng-l	Antigenic Index	139-160
9791.	147ng-l	Antigenic Index	175-178
9792.	147ng-l	Antigenic Index	190-197
9793.	147ng-l	Antigenic Index	199-205

-263-

9794.	147ng-l	Antigenic Index	209-213
9795.	147ng-l	Antigenic Index	221-230
9796.	147ng-l	Antigenic Index	238-252
9797.	147ng-l	Antigenic Index	261-267
9798.	147ng-l	Antigenic Index	269-271
9799.	147ng-l	Antigenic Index	273-281
9800.	147ng-l	Antigenic Index	288-291
9801.	147ng-l	Hydrophilicity	5-13
9802.	147ng-l	Hydrophilicity	40-52
9803.	147ng-l	Hydrophilicity	67-80
9804.	147ng-l	Hydrophilicity	95-99
9805.	147ng-l	Hydrophilicity	105-117
9806.	147ng-l	Hydrophilicity	152-160
9807.	147ng-l	Hydrophilicity	175-177
9808.	147ng-l	Hydrophilicity	190-197
9809.	147ng-l	Hydrophilicity	199-204
9810.	147ng-l	Hydrophilicity	223-230
9811.	147ng-l	Hydrophilicity	238-252
9812.	147ng-l	Hydrophilicity	261-263
9813.	147ng-l	Hydrophilicity	265-627
9814.	147ng-l	Hydrophilicity	269-271
9815.	147ng-l	Hydrophilicity	273-281
9816.	147ng-l	Hydrophilicity	288-291
9817.	1ng-l	AMPHI	9-17
9818.	1ng-l	AMPHI	53-56
9819.	1ng-l	AMPHI	83-85
9820.	1ng-l	AMPHI	162-169
9821.	1ng-l	AMPHI	175-193
9822.	1ng-l	AMPHI	371-374
9823.	1ng-l	AMPHI	378-382
9824.	1ng-l	AMPHI	391-394
9825.	1ng-l	AMPHI	455-463
9826.	1ng-l	AMPHI	493-495
9827.	1ng-l	AMPHI	545-551
9828.	1ng-l	AMPHI	649-665
9829.	1ng-l	AMPHI	676-678
9830.	1ng-l	AMPHI	698-701
9831.	1ng-l	AMPHI	731-739
9832.	1ng-l	AMPHI	749-752
9833.	1ng-l	AMPHI	763-767
9834.	1ng-l	AMPHI	771-775
9835.	1ng-l	AMPHI	895-899
9836.	1ng-l	AMPHI	924-929
9837.	1ng-l	AMPHI	931-925

9838.	Ing-1	AMPHI	965-972
9839.	Ing-1	AMPHI	1003-1011
9840.	Ing-1	AMPHI	1052-1057
9841.	Ing-1	AMPHI	1062-1068
9842.	Ing-1	AMPHI	1095-1100
9843.	Ing-1	AMPHI	1105-1119
9844.	Ing-1	AMPHI	1166-1168
9845.	Ing-1	AMPHI	1184-1191
9846.	Ing-1	AMPHI	1195-1204
9847.	Ing-1	AMPHI	1206-1212
9848.	Ing-1	AMPHI	1228-1239
9849.	Ing-1	AMPHI	1244-1247
9850.	Ing-1	AMPHI	1250-1252
9851.	Ing-1	AMPHI	1270-1283
9852.	Ing-1	AMPHI	1312-1322
9853.	Ing-1	AMPHI	1389-1392
9854.	Ing-1	AMPHI	1424-1427
9855.	Ing-1	Antigenic Index	1-23
9856.	Ing-1	Antigenic Index	39-42
9857.	Ing-1	Antigenic Index	53-64
9858.	Ing-1	Antigenic Index	66-87
9859.	Ing-1	Antigenic Index	95-101
9860.	Ing-1	Antigenic Index	115-120
9861.	Ing-1	Antigenic Index	124-136
9862.	Ing-1	Antigenic Index	140-161
9863.	Ing-1	Antigenic Index	168-175
9864.	Ing-1	Antigenic Index	187-218
9865.	Ing-1	Antigenic Index	229-231
9866.	Ing-1	Antigenic Index	233-241
9867.	Ing-1	Antigenic Index	246-256
9868.	Ing-1	Antigenic Index	260-270
9869.	Ing-1	Antigenic Index	276-279
9870.	Ing-1	Antigenic Index	293-299
9871.	Ing-1	Antigenic Index	301-308
9872.	Ing-1	Antigenic Index	316-319
9873.	Ing-1	Antigenic Index	323-329
9874.	Ing-1	Antigenic Index	334-349
9875.	Ing-1	Antigenic Index	353-359
9876.	Ing-1	Antigenic Index	367-375
9877.	Ing-1	Antigenic Index	383-394
9878.	Ing-1	Antigenic Index	396-405
9879.	Ing-1	Antigenic Index	410-415
9880.	Ing-1	Antigenic Index	426-435
9881.	Ing-1	Antigenic Index	441-447

-265-

9882.	Ing-1	Antigenic Index	455-467
9883.	Ing-1	Antigenic Index	471-488
9884.	Ing-1	Antigenic Index	490-501
9885.	Ing-1	Antigenic Index	508-512
9886.	Ing-1	Antigenic Index	516-525
9887.	Ing-1	Antigenic Index	530-541
9888.	Ing-1	Antigenic Index	546-554
9889.	Ing-1	Antigenic Index	559-566
9890.	Ing-1	Antigenic Index	569-619
9891.	Ing-1	Antigenic Index	625-629
9892.	Ing-1	Antigenic Index	632-640
9893.	Ing-1	Antigenic Index	642-650
9894.	Ing-1	Antigenic Index	655-660
9895.	Ing-1	Antigenic Index	662-668
9896.	Ing-1	Antigenic Index	671-684
9897.	Ing-1	Antigenic Index	688-690
9898.	Ing-1	Antigenic Index	693-705
9899.	Ing-1	Antigenic Index	719-722
9900.	Ing-1	Antigenic Index	727-734
9901.	Ing-1	Antigenic Index	736-748
9902.	Ing-1	Antigenic Index	752-759
9903.	Ing-1	Antigenic Index	779-799
9904.	Ing-1	Antigenic Index	815-825
9905.	Ing-1	Antigenic Index	829-835
9906.	Ing-1	Antigenic Index	842-849
9907.	Ing-1	Antigenic Index	854-856
9908.	Ing-1	Antigenic Index	860-862
9909.	Ing-1	Antigenic Index	869-904
9910.	Ing-1	Antigenic Index	914-941
9911.	Ing-1	Antigenic Index	945-954
9912.	Ing-1	Antigenic Index	958-967
9913.	Ing-1	Antigenic Index	978-991
9914.	Ing-1	Antigenic Index	997-1005
9915.	Ing-1	Antigenic Index	1010-1024
9916.	Ing-1	Antigenic Index	1031-1034
9917.	Ing-1	Antigenic Index	1042-1051
9918.	Ing-1	Antigenic Index	1053-1072
9919.	Ing-1	Antigenic Index	1077-1094
9920.	Ing-1	Antigenic Index	1102-1125
9921.	Ing-1	Antigenic Index	1128-1194
9922.	Ing-1	Antigenic Index	1208-1222
9923.	Ing-1	Antigenic Index	1226-1249
9924.	Ing-1	Antigenic Index	1251-1261
9925.	Ing-1	Antigenic Index	1267-1284

9926.	Ing-1	Antigenic Index	1304-1306
9927.	Ing-1	Antigenic Index	1308-1325
9928.	Ing-1	Antigenic Index	1332-1340
9929.	Ing-1	Antigenic Index	1345-1348
9930.	Ing-1	Antigenic Index	1356-1363
9931.	Ing-1	Antigenic Index	1374-1390
9932.	Ing-1	Antigenic Index	1402-1414
9933.	Ing-1	Antigenic Index	1421-1430
9934.	Ing-1	Antigenic Index	1435-1438
9935.	Ing-1	Antigenic Index	1448-1461
9936.	Ing-1	Hydrophilicity	1-23
9937.	Ing-1	Hydrophilicity	40-42
9938.	Ing-1	Hydrophilicity	56-64
9939.	Ing-1	Hydrophilicity	66-82
9940.	Ing-1	Hydrophilicity	84-86
9941.	Ing-1	Hydrophilicity	124-135
9942.	Ing-1	Hydrophilicity	140-150
9943.	Ing-1	Hydrophilicity	168-175
9944.	Ing-1	Hydrophilicity	189-199
9945.	Ing-1	Hydrophilicity	202-217
9946.	Ing-1	Hydrophilicity	237-239
9947.	Ing-1	Hydrophilicity	246-252
9948.	Ing-1	Hydrophilicity	263-268
9949.	Ing-1	Hydrophilicity	276-279
9950.	Ing-1	Hydrophilicity	302-304
9951.	Ing-1	Hydrophilicity	325-327
9952.	Ing-1	Hydrophilicity	335-348
9953.	Ing-1	Hydrophilicity	355-359
9954.	Ing-1	Hydrophilicity	369-375
9955.	Ing-1	Hydrophilicity	385-393
9956.	Ing-1	Hydrophilicity	396-405
9957.	Ing-1	Hydrophilicity	428-432
9958.	Ing-1	Hydrophilicity	455-464
9959.	Ing-1	Hydrophilicity	471-477
9960.	Ing-1	Hydrophilicity	480-488
9961.	Ing-1	Hydrophilicity	490-501
9962.	Ing-1	Hydrophilicity	519-523
9963.	Ing-1	Hydrophilicity	531-537
9964.	Ing-1	Hydrophilicity	548-554
9965.	Ing-1	Hydrophilicity	560-566
9966.	Ing-1	Hydrophilicity	571-577
9967.	Ing-1	Hydrophilicity	582-591
9968.	Ing-1	Hydrophilicity	596-606
9969.	Ing-1	Hydrophilicity	613-619

-267-

9970.	1ng-1	Hydrophilicity	645-647
9971.	1ng-1	Hydrophilicity	662-665
9972.	1ng-1	Hydrophilicity	674-684
9973.	1ng-1	Hydrophilicity	697-703
9974.	1ng-1	Hydrophilicity	729-731
9975.	1ng-1	Hydrophilicity	737-748
9976.	1ng-1	Hydrophilicity	752-758
9977.	1ng-1	Hydrophilicity	782-784
9978.	1ng-1	Hydrophilicity	792-795
9979.	1ng-1	Hydrophilicity	819-825
9980.	1ng-1	Hydrophilicity	843-849
9981.	1ng-1	Hydrophilicity	860-862
9982.	1ng-1	Hydrophilicity	869-875
9983.	1ng-1	Hydrophilicity	877-892
9984.	1ng-1	Hydrophilicity	916-922
9985.	1ng-1	Hydrophilicity	927-940
9986.	1ng-1	Hydrophilicity	947-953
9987.	1ng-1	Hydrophilicity	961-964
9988.	1ng-1	Hydrophilicity	978-990
9989.	1ng-1	Hydrophilicity	999-1005
9990.	1ng-1	Hydrophilicity	1012-1020
9991.	1ng-1	Hydrophilicity	1031-1034
9992.	1ng-1	Hydrophilicity	1042-1051
9993.	1ng-1	Hydrophilicity	1053-1072
9994.	1ng-1	Hydrophilicity	1077-1094
9995.	1ng-1	Hydrophilicity	1103-1123
9996.	1ng-1	Hydrophilicity	1128-1155
9997.	1ng-1	Hydrophilicity	1160-1171
9998.	1ng-1	Hydrophilicity	1173-1185
9999.	1ng-1	Hydrophilicity	1208-1221
10000.	1ng-1	Hydrophilicity	1226-1249
10001.	1ng-1	Hydrophilicity	1254-1260
10002.	1ng-1	Hydrophilicity	1268-1280
10003.	1ng-1	Hydrophilicity	1282-1284
10004.	1ng-1	Hydrophilicity	1312-1325
10005.	1ng-1	Hydrophilicity	1332-1336
10006.	1ng-1	Hydrophilicity	1357-1363
10007.	1ng-1	Hydrophilicity	1375-1382
10008.	1ng-1	Hydrophilicity	1384-1386
10009.	1ng-1	Hydrophilicity	1406-1414
10010.	1ng-1	Hydrophilicity	1422-1430
10011.	1ng-1	Hydrophilicity	1435-1438
10012.	1ng-1	Hydrophilicity	1448-1458
10013.	2ng-1	AMPHI	10-17

10014.	2ng-1	AMPHI	24-47
10015.	2ng-1	AMPHI	57-65
10016.	2ng-1	AMPHI	72-79
10017.	2ng-1	AMPHI	83-103
10018.	2ng-1	AMPHI	121-132
10019.	2ng-1	AMPHI	155-158
10020.	2ng-1	AMPHI	169-172
10021.	2ng-1	AMPHI	185-195
10022.	2ng-1	Antigenic Index	21-41
10023.	2ng-1	Antigenic Index	44-66
10024.	2ng-1	Antigenic Index	72-87
10025.	2ng-1	Antigenic Index	90-168
10026.	2ng-1	Antigenic Index	182-185
10027.	2ng-1	Antigenic Index	201-229
10028.	2ng-1	Hydrophilicity	21-33
10029.	2ng-1	Hydrophilicity	35-41
10030.	2ng-1	Hydrophilicity	46-66
10031.	2ng-1	Hydrophilicity	72-87
10032.	2ng-1	Hydrophilicity	90-108
10033.	2ng-1	Hydrophilicity	110-126
10034.	2ng-1	Hydrophilicity	129-131
10035.	2ng-1	Hydrophilicity	134-168
10036.	2ng-1	Hydrophilicity	182-185
10037.	2ng-1	Hydrophilicity	201-229
10038.	3ng-1	AMPHI	6-14
10039.	3ng-1	AMPHI	50-61
10040.	3ng-1	AMPHI	63-65
10041.	3ng-1	AMPHI	76-87
10042.	3ng-1	AMPHI	89-102
10043.	3ng-1	AMPHI	137-140
10044.	3ng-1	AMPHI	210-226
10045.	3ng-1	AMPHI	240-242
10046.	3ng-1	AMPHI	269-274
10047.	3ng-1	AMPHI	338-342
10048.	3ng-1	AMPHI	357-359
10049.	3ng-1	AMPHI	363-365
10050.	3ng-1	AMPHI	375-377
10051.	3ng-1	AMPHI	388-393
10052.	3ng-1	AMPHI	396-401
10053.	3ng-1	Antigenic Index	1-9
10054.	3ng-1	Antigenic Index	32-39
10055.	3ng-1	Antigenic Index	43-55
10056.	3ng-1	Antigenic Index	60-95
10057.	3ng-1	Antigenic Index	102-105

10058.	3ng-l	Antigenic Index	109-112
10059.	3ng-l	Antigenic Index	121-136
10060.	3ng-l	Antigenic Index	141-163
10061.	3ng-l	Antigenic Index	179-181
10062.	3ng-l	Antigenic Index	183-192
10063.	3ng-l	Antigenic Index	197-203
10064.	3ng-l	Antigenic Index	207-215
10065.	3ng-l	Antigenic Index	228-237
10066.	3ng-l	Antigenic Index	252-259
10067.	3ng-l	Antigenic Index	266-276
10068.	3ng-l	Antigenic Index	291-296
10069.	3ng-l	Antigenic Index	317-323
10070.	3ng-l	Antigenic Index	331-336
10071.	3ng-l	Antigenic Index	344-373
10072.	3ng-l	Antigenic Index	388-394
10073.	3ng-l	Antigenic Index	398-412
10074.	3ng-l	Hydrophilicity	1-9
10075.	3ng-l	Hydrophilicity	34-37
10076.	3ng-l	Hydrophilicity	43-55
10077.	3ng-l	Hydrophilicity	60-70
10078.	3ng-l	Hydrophilicity	74-95
10079.	3ng-l	Hydrophilicity	102-105
10080.	3ng-l	Hydrophilicity	124-133
10081.	3ng-l	Hydrophilicity	147-154
10082.	3ng-l	Hydrophilicity	179-181
10083.	3ng-l	Hydrophilicity	183-192
10084.	3ng-l	Hydrophilicity	197-203
10085.	3ng-l	Hydrophilicity	213-215
10086.	3ng-l	Hydrophilicity	229-236
10087.	3ng-l	Hydrophilicity	253-255
10088.	3ng-l	Hydrophilicity	257-259
10089.	3ng-l	Hydrophilicity	268-276
10090.	3ng-l	Hydrophilicity	293-295
10091.	3ng-l	Hydrophilicity	318-320
10092.	3ng-l	Hydrophilicity	331-333
10093.	3ng-l	Hydrophilicity	353-362
10094.	3ng-l	Hydrophilicity	365-371
10095.	3ng-l	Hydrophilicity	389-391
10096.	3ng-l	Hydrophilicity	398-412
10097.	4ng-l	AMPHI	6-9
10098.	4ng-l	AMPHI	15-17
10099.	4ng-l	AMPHI	52-68
10100.	4ng-l	AMPHI	77-83
10101.	4ng-l	AMPHI	105-110

-270-

10102.	4ng-1	AMPHI	117-123
10103.	4ng-1	AMPHI	134-145
10104.	4ng-1	AMPHI	147-159
10105.	4ng-1	AMPHI	163-167
10106.	4ng-1	AMPHI	170-172
10107.	4ng-1	AMPHI	185-193
10108.	4ng-1	AMPHI	222-229
10109.	4ng-1	AMPHI	242-244
10110.	4ng-1	AMPHI	245-263
10111.	4ng-1	AMPHI	267-287
10112.	4ng-1	Antigenic Index	20-28
10113.	4ng-1	Antigenic Index	35-46
10114.	4ng-1	Antigenic Index	51-72
10115.	4ng-1	Antigenic Index	81-84
10116.	4ng-1	Antigenic Index	90-95
10117.	4ng-1	Antigenic Index	102-116
10118.	4ng-1	Antigenic Index	125-128
10119.	4ng-1	Antigenic Index	132-154
10120.	4ng-1	Antigenic Index	169-176
10121.	4ng-1	Antigenic Index	178-190
10122.	4ng-1	Antigenic Index	200-208
10123.	4ng-1	Antigenic Index	214-217
10124.	4ng-1	Antigenic Index	221-226
10125.	4ng-1	Antigenic Index	229-234
10126.	4ng-1	Antigenic Index	244-252
10127.	4ng-1	Antigenic Index	255-258
10128.	4ng-1	Antigenic Index	260-265
10129.	4ng-1	Antigenic Index	269-278
10130.	4ng-1	Antigenic Index	283-288
10131.	4ng-1	Hydrophilicity	21-28
10132.	4ng-1	Hydrophilicity	35-46
10133.	4ng-1	Hydrophilicity	54-72
10134.	4ng-1	Hydrophilicity	90-95
10135.	4ng-1	Hydrophilicity	103-116
10136.	4ng-1	Hydrophilicity	132-145
10137.	4ng-1	Hydrophilicity	148-154
10138.	4ng-1	Hydrophilicity	169-174
10139.	4ng-1	Hydrophilicity	178-190
10140.	4ng-1	Hydrophilicity	200-208
10141.	4ng-1	Hydrophilicity	223-226
10142.	4ng-1	Hydrophilicity	244-252
10143.	4ng-1	Hydrophilicity	255-258
10144.	4ng-1	Hydrophilicity	263-265
10145.	4ng-1	Hydrophilicity	271-275

-271-

10146.	4ng-l	Hydrophilicity	285-288
10147.	5ng-l	AMPHI	12-35
10148.	5ng-l	AMPHI	44-55
10149.	5ng-l	AMPHI	77-85
10150.	5ng-l	AMPHI	112-117
10151.	5ng-l	AMPHI	143-151
10152.	5ng-l	AMPHI	166-169
10153.	5ng-l	AMPHI	171-184
10154.	5ng-l	AMPHI	190-198
10155.	5ng-l	AMPHI	208-217
10156.	5ng-l	AMPHI	227-235
10157.	5ng-l	AMPHI	238-241
10158.	5ng-l	AMPHI	272-282
10159.	5ng-l	Antigenic Index	1-10
10160.	5ng-l	Antigenic Index	18-28
10161.	5ng-l	Antigenic Index	34-54
10162.	5ng-l	Antigenic Index	56-81
10163.	5ng-l	Antigenic Index	90-92
10164.	5ng-l	Antigenic Index	96-104
10165.	5ng-l	Antigenic Index	112-114
10166.	5ng-l	Antigenic Index	118-124
10167.	5ng-l	Antigenic Index	127-129
10168.	5ng-l	Antigenic Index	136-140
10169.	5ng-l	Antigenic Index	146-154
10170.	5ng-l	Antigenic Index	159-167
10171.	5ng-l	Antigenic Index	173-175
10172.	5ng-l	Antigenic Index	178-196
10173.	5ng-l	Antigenic Index	199-204
10174.	5ng-l	Antigenic Index	209-213
10175.	5ng-l	Antigenic Index	219-251
10176.	5ng-l	Antigenic Index	254-280
10177.	5ng-l	Antigenic Index	289-294
10178.	5ng-l	Antigenic Index	298-304
10179.	5ng-l	Hydrophilicity	1-7
10180.	5ng-l	Hydrophilicity	18-28
10181.	5ng-l	Hydrophilicity	34-42
10182.	5ng-l	Hydrophilicity	44-54
10183.	5ng-l	Hydrophilicity	56-81
10184.	5ng-l	Hydrophilicity	96-104
10185.	5ng-l	Hydrophilicity	112-114
10186.	5ng-l	Hydrophilicity	127-129
10187.	5ng-l	Hydrophilicity	136-140
10188.	5ng-l	Hydrophilicity	146-153
10189.	5ng-l	Hydrophilicity	161-164

-272-

10190.	5ng-1	Hydrophilicity	173-175
10191.	5ng-1	Hydrophilicity	178-196
10192.	5ng-1	Hydrophilicity	199-204
10193.	5ng-1	Hydrophilicity	209-213
10194.	5ng-1	Hydrophilicity	222-234
10195.	5ng-1	Hydrophilicity	242-251
10196.	5ng-1	Hydrophilicity	254-264
10197.	5ng-1	Hydrophilicity	266-277
10198.	5ng-1	Hydrophilicity	289-291
10199.	5ng-1	Hydrophilicity	299-304
10200.	6ng-1	AMPHI	13-15
10201.	6ng-1	AMPHI	30-47
10202.	6ng-1	AMPHI	49-52
10203.	6ng-1	AMPHI	77-89
10204.	6ng-1	AMPHI	107-116
10205.	6ng-1	AMPHI	119-120
10206.	6ng-1	AMPHI	122-127
10207.	6ng-1	AMPHI	132-138
10208.	6ng-1	AMPHI	153-158
10209.	6ng-1	Antigenic Index	7-16
10210.	6ng-1	Antigenic Index	28-32
10211.	6ng-1	Antigenic Index	42-45
10212.	6ng-1	Antigenic Index	48-59
10213.	6ng-1	Antigenic Index	74-78
10214.	6ng-1	Antigenic Index	81-85
10215.	6ng-1	Antigenic Index	125-128
10216.	6ng-1	Antigenic Index	137-140
10217.	6ng-1	Antigenic Index	154-170
10218.	6ng-1	Hydrophilicity	11-13
10219.	6ng-1	Hydrophilicity	28-30
10220.	6ng-1	Hydrophilicity	42-45
10221.	6ng-1	Hydrophilicity	51-59
10222.	6ng-1	Hydrophilicity	75-78
10223.	6ng-1	Hydrophilicity	81-83
10224.	6ng-1	Hydrophilicity	154-170
10225.	7ng-1	AMPHI	9-13
10226.	7ng-1	AMPHI	15-18
10227.	7ng-1	AMPHI	51-55
10228.	7ng-1	AMPHI	57-65
10229.	7ng-1	AMPHI	78-94
10230.	7ng-1	AMPHI	111-116
10231.	7ng-1	AMPHI	118-120
10232.	7ng-1	AMPHI	145-157
10233.	7ng-1	AMPHI	194-196

10234.	7ng-1	AMPHI	215-217
10235.	7ng-1	AMPHI	236-239
10236.	7ng-1	AMPHI	281-284
10237.	7ng-1	Antigenic Index	6-27
10238.	7ng-1	Antigenic Index	46-57
10239.	7ng-1	Antigenic Index	62-74
10240.	7ng-1	Antigenic Index	78-110
10241.	7ng-1	Antigenic Index	112-114
10242.	7ng-1	Antigenic Index	117-138
10243.	7ng-1	Antigenic Index	148-154
10244.	7ng-1	Antigenic Index	157-170
10245.	7ng-1	Antigenic Index	178-190
10246.	7ng-1	Antigenic Index	200-202
10247.	7ng-1	Antigenic Index	206-212
10248.	7ng-1	Antigenic Index	220-236
10249.	7ng-1	Antigenic Index	238-256
10250.	7ng-1	Antigenic Index	260-266
10251.	7ng-1	Antigenic Index	272-280
10252.	7ng-1	Antigenic Index	285-288
10253.	7ng-1	Antigenic Index	291-293
10254.	7ng-1	Antigenic Index	296-300
10255.	7ng-1	Hydrophilicity	6-9
10256.	7ng-1	Hydrophilicity	15-27
10257.	7ng-1	Hydrophilicity	52-54
10258.	7ng-1	Hydrophilicity	63-73
10259.	7ng-1	Hydrophilicity	79-82
10260.	7ng-1	Hydrophilicity	84-94
10261.	7ng-1	Hydrophilicity	96-105
10262.	7ng-1	Hydrophilicity	107-110
10263.	7ng-1	Hydrophilicity	112-114
10264.	7ng-1	Hydrophilicity	117-122
10265.	7ng-1	Hydrophilicity	130-137
10266.	7ng-1	Hydrophilicity	148-154
10267.	7ng-1	Hydrophilicity	157-165
10268.	7ng-1	Hydrophilicity	168-170
10269.	7ng-1	Hydrophilicity	178-192
10270.	7ng-1	Hydrophilicity	200-202
10271.	7ng-1	Hydrophilicity	206-208
10272.	7ng-1	Hydrophilicity	220-234
10273.	7ng-1	Hydrophilicity	254-256
10274.	7ng-1	Hydrophilicity	262-265
10275.	7ng-1	Hydrophilicity	273-276
10276.	7ng-1	Hydrophilicity	285-288
10277.	7ng-1	Hydrophilicity	291-293

10278.	7ng-1	Hydrophilicity	296-300
10279.	9ng-1	AMPHI	7-14
10280.	9ng-1	AMPHI	30-45
10281.	9ng-1	AMPHI	60-68
10282.	9ng-1	AMPHI	97-100
10283.	9ng-1	AMPHI	114-117
10284.	9ng-1	AMPHI	125-133
10285.	9ng-1	AMPHI	138-162
10286.	9ng-1	AMPHI	187-196
10287.	9ng-1	AMPHI	202-208
10288.	9ng-1	AMPHI	225-234
10289.	9ng-1	AMPHI	252-262
10290.	9ng-1	AMPHI	264-267
10291.	9ng-1	AMPHI	269-272
10292.	9ng-1	AMPHI	276-290
10293.	9ng-1	AMPHI	323-330
10294.	9ng-1	AMPHI	332-334
10295.	9ng-1	AMPHI	356-358
10296.	9ng-1	AMPHI	360-365
10297.	9ng-1	AMPHI	393-407
10298.	9ng-1	AMPHI	414-419
10299.	9ng-1	AMPHI	421-425
10300.	9ng-1	AMPHI	439-455
10301.	9ng-1	AMPHI	472-479
10302.	9ng-1	AMPHI	489-491
10303.	9ng-1	AMPHI	493-497
10304.	9ng-1	AMPHI	501-505
10305.	9ng-1	AMPHI	561-565
10306.	9ng-1	AMPHI	577-582
10307.	9ng-1	AMPHI	590-597
10308.	9ng-1	Antigenic Index	27-57
10309.	9ng-1	Antigenic Index	59-66
10310.	9ng-1	Antigenic Index	75-82
10311.	9ng-1	Antigenic Index	94-107
10312.	9ng-1	Antigenic Index	116-119
10313.	9ng-1	Antigenic Index	124-141
10314.	9ng-1	Antigenic Index	145-172
10315.	9ng-1	Antigenic Index	185-200
10316.	9ng-1	Antigenic Index	203-205
10317.	9ng-1	Antigenic Index	217-240
10318.	9ng-1	Antigenic Index	248-268
10319.	9ng-1	Antigenic Index	283-292
10320.	9ng-1	Antigenic Index	299-305
10321.	9ng-1	Antigenic Index	315-322

10322.	9ng-l	Antigenic Index	324-343
10323.	9ng-l	Antigenic Index	352-359
10324.	9ng-l	Antigenic Index	362-370
10325.	9ng-l	Antigenic Index	373-378
10326.	9ng-l	Antigenic Index	385-394
10327.	9ng-l	Antigenic Index	396-412
10328.	9ng-l	Antigenic Index	414-417
10329.	9ng-l	Antigenic Index	426-434
10330.	9ng-l	Antigenic Index	445-454
10331.	9ng-l	Antigenic Index	465-472
10332.	9ng-l	Antigenic Index	483-487
10333.	9ng-l	Antigenic Index	493-496
10334.	9ng-l	Antigenic Index	499-509
10335.	9ng-l	Antigenic Index	517-529
10336.	9ng-l	Antigenic Index	535-542
10337.	9ng-l	Antigenic Index	547-558
10338.	9ng-l	Antigenic Index	570-575
10339.	9ng-l	Antigenic Index	583-600
10340.	9ng-l	Antigenic Index	602-612
10341.	9ng-l	Hydrophilicity	27-57
10342.	9ng-l	Hydrophilicity	59-66
10343.	9ng-l	Hydrophilicity	75-82
10344.	9ng-l	Hydrophilicity	94-107
10345.	9ng-l	Hydrophilicity	116-119
10346.	9ng-l	Hydrophilicity	131-137
10347.	9ng-l	Hydrophilicity	145-153
10348.	9ng-l	Hydrophilicity	155-172
10349.	9ng-l	Hydrophilicity	186-200
10350.	9ng-l	Hydrophilicity	203-205
10351.	9ng-l	Hydrophilicity	217-238
10352.	9ng-l	Hydrophilicity	248-256
10353.	9ng-l	Hydrophilicity	261-268
10354.	9ng-l	Hydrophilicity	283-292
10355.	9ng-l	Hydrophilicity	315-322
10356.	9ng-l	Hydrophilicity	327-333
10357.	9ng-l	Hydrophilicity	335-343
10358.	9ng-l	Hydrophilicity	352-359
10359.	9ng-l	Hydrophilicity	362-364
10360.	9ng-l	Hydrophilicity	367-369
10361.	9ng-l	Hydrophilicity	385-394
10362.	9ng-l	Hydrophilicity	396-408
10363.	9ng-l	Hydrophilicity	415-417
10364.	9ng-l	Hydrophilicity	426-434
10365.	9ng-l	Hydrophilicity	448-454

10366.	9ng-l	Hydrophilicity	467-479
10367.	9ng-l	Hydrophilicity	483-487
10368.	9ng-l	Hydrophilicity	500-507
10369.	9ng-l	Hydrophilicity	519-525
10370.	9ng-l	Hydrophilicity	537-541
10371.	9ng-l	Hydrophilicity	550-558
10372.	9ng-l	Hydrophilicity	570-575
10373.	9ng-l	Hydrophilicity	585-597
10374.	9ng-l	Hydrophilicity	605-612
10375.	10ng-l	AMPHI	16-18
10376.	10ng-l	AMPHI	38-40
10377.	10ng-l	AMPHI	87-91
10378.	10ng-l	AMPHI	174-181
10379.	10ng-l	AMPHI	200-202
10380.	10ng-l	AMPHI	209-213
10381.	10ng-l	AMPHI	223-227
10382.	10ng-l	AMPHI	241-247
10383.	10ng-l	AMPHI	263-280
10384.	10ng-l	AMPHI	287-289
10385.	10ng-l	AMPHI	305-313
10386.	10ng-l	AMPHI	339-342
10387.	10ng-l	AMPHI	347-353
10388.	10ng-l	AMPHI	358-365
10389.	10ng-l	AMPHI	401-412
10390.	10ng-l	AMPHI	430-434
10391.	10ng-l	AMPHI	442-450
10392.	10ng-l	AMPHI	457-465
10393.	10ng-l	Antigenic Index	1-5
10394.	10ng-l	Antigenic Index	32-38
10395.	10ng-l	Antigenic Index	69-74
10396.	10ng-l	Antigenic Index	95-103
10397.	10ng-l	Antigenic Index	108-111
10398.	10ng-l	Antigenic Index	135-139
10399.	10ng-l	Antigenic Index	167-170
10400.	10ng-l	Antigenic Index	192-205
10401.	10ng-l	Antigenic Index	231-237
10402.	10ng-l	Antigenic Index	277-287
10403.	10ng-l	Antigenic Index	289-293
10404.	10ng-l	Antigenic Index	317-321
10405.	10ng-l	Antigenic Index	349-357
10406.	10ng-l	Antigenic Index	376-383
10407.	10ng-l	Antigenic Index	398-405
10408.	10ng-l	Antigenic Index	408-411
10409.	10ng-l	Antigenic Index	434-436

-277-

10410.	10ng-1	Antigenic Index	453-459
10411.	10ng-1	Antigenic Index	467-470
10412.	10ng-1	Hydrophilicity	1-5
10413.	10ng-1	Hydrophilicity	34-37
10414.	10ng-1	Hydrophilicity	69-74
10415.	10ng-1	Hydrophilicity	97-100
10416.	10ng-1	Hydrophilicity	108-111
10417.	10ng-1	Hydrophilicity	135-139
10418.	10ng-1	Hydrophilicity	192-203
10419.	10ng-1	Hydrophilicity	231-233
10420.	10ng-1	Hydrophilicity	235-237
10421.	10ng-1	Hydrophilicity	277-287
10422.	10ng-1	Hydrophilicity	289-293
10423.	10ng-1	Hydrophilicity	349-355
10424.	10ng-1	Hydrophilicity	378-382
10425.	10ng-1	Hydrophilicity	399-403
10426.	10ng-1	Hydrophilicity	453-459
10427.	11ng-1	AMPHI	6-8
10428.	11ng-1	AMPHI	20-25
10429.	11ng-1	AMPHI	31-33
10430.	11ng-1	AMPHI	60-65
10431.	11ng-1	AMPHI	73-79
10432.	11ng-1	AMPHI	110-118
10433.	11ng-1	AMPHI	120-123
10434.	11ng-1	AMPHI	150-155
10435.	11ng-1	AMPHI	186-190
10436.	11ng-1	AMPHI	201-206
10437.	11ng-1	AMPHI	233-227
10438.	11ng-1	AMPHI	234-236
10439.	11ng-1	AMPHI	239-242
10440.	11ng-1	AMPHI	244-252
10441.	11ng-1	AMPHI	316-325
10442.	11ng-1	AMPHI	327-331
10443.	11ng-1	AMPHI	348-353
10444.	11ng-1	AMPHI	365-368
10445.	11ng-1	AMPHI	376-384
10446.	11ng-1	AMPHI	414-416
10447.	11ng-1	AMPHI	418-433
10448.	11ng-1	AMPHI	442-445
10449.	11ng-1	AMPHI	450-452
10450.	11ng-1	AMPHI	454-459
10451.	11ng-1	AMPHI	479-487
10452.	11ng-1	AMPHI	523-526
10453.	11ng-1	Antigenic Index	1-5

-278-

10454.	11ng-1	Antigenic Index	22-42
10455.	11ng-1	Antigenic Index	44-46
10456.	11ng-1	Antigenic Index	66-76
10457.	11ng-1	Antigenic Index	82-91
10458.	11ng-1	Antigenic Index	94-101
10459.	11ng-1	Antigenic Index	108-111
10460.	11ng-1	Antigenic Index	124-153
10461.	11ng-1	Antigenic Index	157-163
10462.	11ng-1	Antigenic Index	172-178
10463.	11ng-1	Antigenic Index	180-198
10464.	11ng-1	Antigenic Index	210-216
10465.	11ng-1	Antigenic Index	219-244
10466.	11ng-1	Antigenic Index	259-266
10467.	11ng-1	Antigenic Index	268-284
10468.	11ng-1	Antigenic Index	295-304
10469.	11ng-1	Antigenic Index	311-314
10470.	11ng-1	Antigenic Index	326-334
10471.	11ng-1	Antigenic Index	339-341
10472.	11ng-1	Antigenic Index	353-355
10473.	11ng-1	Antigenic Index	376-378
10474.	11ng-1	Antigenic Index	380-405
10475.	11ng-1	Antigenic Index	413-423
10476.	11ng-1	Antigenic Index	445-449
10477.	11ng-1	Antigenic Index	458-465
10478.	11ng-1	Antigenic Index	482-491
10479.	11ng-1	Antigenic Index	530-546
10480.	11ng-1	Hydrophilicity	1-5
10481.	11ng-1	Hydrophilicity	28-31
10482.	11ng-1	Hydrophilicity	36-42
10483.	11ng-1	Hydrophilicity	44-46
10484.	11ng-1	Hydrophilicity	66-76
10485.	11ng-1	Hydrophilicity	83-91
10486.	11ng-1	Hydrophilicity	96-100
10487.	11ng-1	Hydrophilicity	108-111
10488.	11ng-1	Hydrophilicity	125-130
10489.	11ng-1	Hydrophilicity	135-153
10490.	11ng-1	Hydrophilicity	184-195
10491.	11ng-1	Hydrophilicity	213-215
10492.	11ng-1	Hydrophilicity	219-241
10493.	11ng-1	Hydrophilicity	261-264
10494.	11ng-1	Hydrophilicity	270-284
10495.	11ng-1	Hydrophilicity	297-304
10496.	11ng-1	Hydrophilicity	329-332
10497.	11ng-1	Hydrophilicity	380-388

10498.	11ng-1	Hydrophilicity	392-405
10499.	11ng-1	Hydrophilicity	413-419
10500.	11ng-1	Hydrophilicity	445-449
10501.	11ng-1	Hydrophilicity	459-463
10502.	11ng-1	Hydrophilicity	485-491
10503.	11ng-1	Hydrophilicity	533-546
10504.	12ng-1	AMPHI	6-26
10505.	12ng-1	AMPHI	72-103
10506.	12ng-1	AMPHI	116-120
10507.	12ng-1	AMPHI	123-125
10508.	12ng-1	AMPHI	127-129
10509.	12ng-1	AMPHI	141-144
10510.	12ng-1	AMPHI	160-181
10511.	12ng-1	AMPHI	190-203
10512.	12ng-1	AMPHI	229-233
10513.	12ng-1	AMPHI	241-243
10514.	12ng-1	AMPHI	260-265
10515.	12ng-1	AMPHI	283-289
10516.	12ng-1	AMPHI	297-303
10517.	12ng-1	AMPHI	325-327
10518.	12ng-1	AMPHI	330-339
10519.	12ng-1	AMPHI	341-352
10520.	12ng-1	AMPHI	367-380
10521.	12ng-1	AMPHI	408-410
10522.	12ng-1	AMPHI	437-467
10523.	12ng-1	AMPHI	480-483
10524.	12ng-1	AMPHI	494-502
10525.	12ng-1	Antigenic Index	1-14
10526.	12ng-1	Antigenic Index	23-25
10527.	12ng-1	Antigenic Index	50-67
10528.	12ng-1	Antigenic Index	74-79
10529.	12ng-1	Antigenic Index	108-113
10530.	12ng-1	Antigenic Index	123-131
10531.	12ng-1	Antigenic Index	141-147
10532.	12ng-1	Antigenic Index	164-169
10533.	12ng-1	Antigenic Index	180-183
10534.	12ng-1	Antigenic Index	239-271
10535.	12ng-1	Antigenic Index	293-305
10536.	12ng-1	Antigenic Index	310-312
10537.	12ng-1	Antigenic Index	332-344
10538.	12ng-1	Antigenic Index	350-352
10539.	12ng-1	Antigenic Index	375-377
10540.	12ng-1	Antigenic Index	391-396
10541.	12ng-1	Antigenic Index	446-449

10542.	12ng-l	Antigenic Index	471-478
10543.	12ng-l	Antigenic Index	512-514
10544.	12ng-l	Hydrophilicity	2-12
10545.	12ng-l	Hydrophilicity	52-67
10546.	12ng-l	Hydrophilicity	74-79
10547.	12ng-l	Hydrophilicity	108-113
10548.	12ng-l	Hydrophilicity	125-130
10549.	12ng-l	Hydrophilicity	144-146
10550.	12ng-l	Hydrophilicity	239-242
10551.	12ng-l	Hydrophilicity	252-264
10552.	12ng-l	Hydrophilicity	296-302
10553.	12ng-l	Hydrophilicity	333-344
10554.	12ng-l	Hydrophilicity	391-393
10555.	12ng-l	Hydrophilicity	446-449
10556.	12ng-l	Hydrophilicity	471-477
10557.	13ng-l	AMPHI	14-19
10558.	13ng-l	AMPHI	50-56
10559.	13ng-l	AMPHI	72-93
10560.	13ng-l	AMPHI	110-117
10561.	13ng-l	Antigenic Index	66-83
10562.	13ng-l	Antigenic Index	89-97
10563.	13ng-l	Antigenic Index	100-104
10564.	13ng-l	Antigenic Index	107-118
10565.	13ng-l	Antigenic Index	121-128
10566.	13ng-l	Hydrophilicity	66-83
10567.	13ng-l	Hydrophilicity	112-118
10568.	13ng-l	Hydrophilicity	121-128
10569.	15ng-l	AMPHI	18-26
10570.	15ng-l	AMPHI	84-86
10571.	15ng-l	AMPHI	113-133
10572.	15ng-l	AMPHI	153-156
10573.	15ng-l	AMPHI	173-176
10574.	15ng-l	AMPHI	181-190
10575.	15ng-l	AMPHI	201-207
10576.	15ng-l	AMPHI	218-220
10577.	15ng-l	AMPHI	250-252
10578.	15ng-l	AMPHI	264-277
10579.	15ng-l	AMPHI	281-286
10580.	15ng-l	AMPHI	288-290
10581.	15ng-l	Antigenic Index	1-3
10582.	15ng-l	Antigenic Index	18-20
10583.	15ng-l	Antigenic Index	26-36
10584.	15ng-l	Antigenic Index	38-40
10585.	15ng-l	Antigenic Index	47-54

10586.	15ng-1	Antigenic Index	58-61
10587.	15ng-1	Antigenic Index	69-80
10588.	15ng-1	Antigenic Index	86-88
10589.	15ng-1	Antigenic Index	91-117
10590.	15ng-1	Antigenic Index	132-148
10591.	15ng-1	Antigenic Index	153-171
10592.	15ng-1	Antigenic Index	184-186
10593.	15ng-1	Antigenic Index	191-195
10594.	15ng-1	Antigenic Index	207-212
10595.	15ng-1	Antigenic Index	219-226
10596.	15ng-1	Antigenic Index	233-247
10597.	15ng-1	Antigenic Index	251-256
10598.	15ng-1	Antigenic Index	263-275
10599.	15ng-1	Antigenic Index	283-320
10600.	15ng-1	Hydrophilicity	1-3
10601.	15ng-1	Hydrophilicity	29-36
10602.	15ng-1	Hydrophilicity	38-40
10603.	15ng-1	Hydrophilicity	47-54
10604.	15ng-1	Hydrophilicity	58-61
10605.	15ng-1	Hydrophilicity	70-74
10606.	15ng-1	Hydrophilicity	86-88
10607.	15ng-1	Hydrophilicity	97-100
10608.	15ng-1	Hydrophilicity	106-115
10609.	15ng-1	Hydrophilicity	132-147
10610.	15ng-1	Hydrophilicity	155-170
10611.	15ng-1	Hydrophilicity	191-195
10612.	15ng-1	Hydrophilicity	207-212
10613.	15ng-1	Hydrophilicity	219-226
10614.	15ng-1	Hydrophilicity	233-247
10615.	15ng-1	Hydrophilicity	251-254
10616.	15ng-1	Hydrophilicity	264-273
10617.	15ng-1	Hydrophilicity	294-303
10618.	15ng-1	Hydrophilicity	306-320
10619.	16ng-1	AMPHI	14-16
10620.	16ng-1	AMPHI	40-45
10621.	16ng-1	AMPHI	125-131
10622.	16ng-1	AMPHI	175-177
10623.	16ng-1	AMPHI	189-196
10624.	16ng-1	AMPHI	227-231
10625.	16ng-1	AMPHI	246-251
10626.	16ng-1	AMPHI	258-261
10627.	16ng-1	AMPHI	275-284
10628.	16ng-1	Antigenic Index	2-10
10629.	16ng-1	Antigenic Index	12-17

10630.	16ng-1	Antigenic Index	20-26
10631.	16ng-1	Antigenic Index	33-63
10632.	16ng-1	Antigenic Index	66-81
10633.	16ng-1	Antigenic Index	91-118
10634.	16ng-1	Antigenic Index	137-140
10635.	16ng-1	Antigenic Index	179-187
10636.	16ng-1	Antigenic Index	197-200
10637.	16ng-1	Antigenic Index	218-223
10638.	16ng-1	Antigenic Index	248-259
10639.	16ng-1	Antigenic Index	268-274
10640.	16ng-1	Antigenic Index	280-283
10641.	16ng-1	Antigenic Index	307-310
10642.	16ng-1	Antigenic Index	318-334
10643.	16ng-1	Hydrophilicity	2-8
10644.	16ng-1	Hydrophilicity	20-26
10645.	16ng-1	Hydrophilicity	35-61
10646.	16ng-1	Hydrophilicity	66-72
10647.	16ng-1	Hydrophilicity	75-81
10648.	16ng-1	Hydrophilicity	92-100
10649.	16ng-1	Hydrophilicity	103-105
10650.	16ng-1	Hydrophilicity	107-118
10651.	16ng-1	Hydrophilicity	179-186
10652.	16ng-1	Hydrophilicity	218-223
10653.	16ng-1	Hydrophilicity	248-258
10654.	16ng-1	Hydrophilicity	268-272
10655.	16ng-1	Hydrophilicity	280-283
10656.	16ng-1	Hydrophilicity	320-323
10657.	16ng-1	Hydrophilicity	325-331
10658.	17ng-1	AMPHI	17-25
10659.	17ng-1	AMPHI	46-50
10660.	17ng-1	AMPHI	65-72
10661.	17ng-1	AMPHI	85-98
10662.	17ng-1	AMPHI	104-107
10663.	17ng-1	AMPHI	126-129
10664.	17ng-1	AMPHI	136-160
10665.	17ng-1	AMPHI	195-201
10666.	17ng-1	AMPHI	203-212
10667.	17ng-1	AMPHI	224-226
10668.	17ng-1	Antigenic Index	26-29
10669.	17ng-1	Antigenic Index	73-81
10670.	17ng-1	Antigenic Index	127-140
10671.	17ng-1	Antigenic Index	161-164
10672.	17ng-1	Antigenic Index	181-186
10673.	17ng-1	Antigenic Index	209-212

10674.	17ng-l	Antigenic Index	239-252
10675.	17ng-l	Hydrophilicity	74-81
10676.	17ng-l	Hydrophilicity	128-139
10677.	17ng-l	Hydrophilicity	239-252
10678.	18ng-l	AMPHI	10-12
10679.	18ng-l	AMPHI	36-41
10680.	18ng-l	AMPHI	101-103
10681.	18ng-l	AMPHI	115-120
10682.	18ng-l	AMPHI	122-125
10683.	18ng-l	AMPHI	132-140
10684.	18ng-l	AMPHI	184-190
10685.	18ng-l	Antigenic Index	79-96
10686.	18ng-l	Antigenic Index	123-125
10687.	18ng-l	Antigenic Index	162-176
10688.	18ng-l	Antigenic Index	198-201
10689.	18ng-l	Hydrophilicity	81-86
10690.	18ng-l	Hydrophilicity	91-95
10691.	18ng-l	Hydrophilicity	162-169
10692.	18ng-l	Hydrophilicity	198-201
10693.	19ng-l	AMPHI	15-19
10694.	19ng-l	AMPHI	43-46
10695.	19ng-l	AMPHI	49-53
10696.	19ng-l	AMPHI	56-63
10697.	19ng-l	AMPHI	66-71
10698.	19ng-l	AMPHI	100-102
10699.	19ng-l	AMPHI	117-122
10700.	19ng-l	AMPHI	161-175
10701.	19ng-l	AMPHI	204-211
10702.	19ng-l	AMPHI	213-215
10703.	19ng-l	AMPHI	227-236
10704.	19ng-l	AMPHI	242-247
10705.	19ng-l	AMPHI	257-259
10706.	19ng-l	AMPHI	268-275
10707.	19ng-l	AMPHI	279-289
10708.	19ng-l	AMPHI	298-311
10709.	19ng-l	AMPHI	313-316
10710.	19ng-l	AMPHI	320-346
10711.	19ng-l	AMPHI	366-371
10712.	19ng-l	AMPHI	400-404
10713.	19ng-l	AMPHI	432-451
10714.	19ng-l	AMPHI	487-493
10715.	19ng-l	AMPHI	499-502
10716.	19ng-l	AMPHI	504-513
10717.	19ng-l	AMPHI	548-559

10718.	19ng-1	AMPHI	578-599
10719.	19ng-1	AMPHI	610-620
10720.	19ng-1	AMPHI	647-655
10721.	19ng-1	AMPHI	661-665
10722.	19ng-1	AMPHI	693-715
10723.	19ng-1	Antigenic Index	31-35
10724.	19ng-1	Antigenic Index	49-61
10725.	19ng-1	Antigenic Index	81-83
10726.	19ng-1	Antigenic Index	125-129
10727.	19ng-1	Antigenic Index	156-165
10728.	19ng-1	Antigenic Index	176-187
10729.	19ng-1	Antigenic Index	194-197
10730.	19ng-1	Antigenic Index	210-213
10731.	19ng-1	Antigenic Index	219-232
10732.	19ng-1	Antigenic Index	241-248
10733.	19ng-1	Antigenic Index	251-265
10734.	19ng-1	Antigenic Index	267-274
10735.	19ng-1	Antigenic Index	276-310
10736.	19ng-1	Antigenic Index	312-372
10737.	19ng-1	Antigenic Index	376-379
10738.	19ng-1	Antigenic Index	423-434
10739.	19ng-1	Antigenic Index	455-457
10740.	19ng-1	Antigenic Index	474-479
10741.	19ng-1	Antigenic Index	526-529
10742.	19ng-1	Antigenic Index	535-538
10743.	19ng-1	Antigenic Index	544-546
10744.	19ng-1	Antigenic Index	552-577
10745.	19ng-1	Antigenic Index	584-602
10746.	19ng-1	Antigenic Index	620-634
10747.	19ng-1	Antigenic Index	652-663
10748.	19ng-1	Antigenic Index	665-682
10749.	19ng-1	Antigenic Index	695-716
10750.	19ng-1	Hydrophilicity	31-35
10751.	19ng-1	Hydrophilicity	49-61
10752.	19ng-1	Hydrophilicity	160-165
10753.	19ng-1	Hydrophilicity	176-187
10754.	19ng-1	Hydrophilicity	194-197
10755.	19ng-1	Hydrophilicity	220-231
10756.	19ng-1	Hydrophilicity	241-247
10757.	19ng-1	Hydrophilicity	252-262
10758.	19ng-1	Hydrophilicity	267-274
10759.	19ng-1	Hydrophilicity	277-295
10760.	19ng-1	Hydrophilicity	297-310
10761.	19ng-1	Hydrophilicity	312-330

10762.	19ng-1	Hydrophilicity	333-335
10763.	19ng-1	Hydrophilicity	337-361
10764.	19ng-1	Hydrophilicity	365-367
10765.	19ng-1	Hydrophilicity	428-434
10766.	19ng-1	Hydrophilicity	535-538
10767.	19ng-1	Hydrophilicity	552-577
10768.	19ng-1	Hydrophilicity	585-597
10769.	19ng-1	Hydrophilicity	622-632
10770.	19ng-1	Hydrophilicity	655-662
10771.	19ng-1	Hydrophilicity	665-681
10772.	19ng-1	Hydrophilicity	695-697
10773.	19ng-1	Hydrophilicity	707-713
10774.	20ng-1	AMPHI	6-22
10775.	20ng-1	AMPHI	30-36
10776.	20ng-1	AMPHI	45-54
10777.	20ng-1	AMPHI	62-66
10778.	20ng-1	AMPHI	75-77
10779.	20ng-1	AMPHI	80-89
10780.	20ng-1	AMPHI	143-157
10781.	20ng-1	AMPHI	194-196
10782.	20ng-1	AMPHI	210-216
10783.	20ng-1	AMPHI	225-235
10784.	20ng-1	AMPHI	250-255
10785.	20ng-1	AMPHI	281-286
10786.	20ng-1	AMPHI	303-306
10787.	20ng-1	AMPHI	321-324
10788.	20ng-1	AMPHI	346-367
10789.	20ng-1	AMPHI	370-372
10790.	20ng-1	AMPHI	391-406
10791.	20ng-1	AMPHI	437-447
10792.	20ng-1	AMPHI	472-478
10793.	20ng-1	AMPHI	495-497
10794.	20ng-1	Antigenic Index	26-28
10795.	20ng-1	Antigenic Index	49-51
10796.	20ng-1	Antigenic Index	54-56
10797.	20ng-1	Antigenic Index	70-83
10798.	20ng-1	Antigenic Index	114-125
10799.	20ng-1	Antigenic Index	153-158
10800.	20ng-1	Antigenic Index	180-186
10801.	20ng-1	Antigenic Index	217-226
10802.	20ng-1	Antigenic Index	228-231
10803.	20ng-1	Antigenic Index	258-261
10804.	20ng-1	Antigenic Index	268-278
10805.	20ng-1	Antigenic Index	291-302

10806.	20ng-l	Antigenic Index	376-384
10807.	20ng-l	Antigenic Index	430-441
10808.	20ng-l	Antigenic Index	474-480
10809.	20ng-l	Antigenic Index	502-512
10810.	20ng-l	Hydrophilicity	26-28
10811.	20ng-l	Hydrophilicity	49-51
10812.	20ng-l	Hydrophilicity	54-56
10813.	20ng-l	Hydrophilicity	70-83
10814.	20ng-l	Hydrophilicity	117-125
10815.	20ng-l	Hydrophilicity	217-226
10816.	20ng-l	Hydrophilicity	228-231
10817.	20ng-l	Hydrophilicity	270-278
10818.	20ng-l	Hydrophilicity	292-302
10819.	20ng-l	Hydrophilicity	378-380
10820.	20ng-l	Hydrophilicity	382-384
10821.	20ng-l	Hydrophilicity	436-439
10822.	20ng-l	Hydrophilicity	474-480
10823.	20ng-l	Hydrophilicity	502-512
10824.	22ng-l	AMPHI	47-50
10825.	22ng-l	AMPHI	72-79
10826.	22ng-l	AMPHI	106-113
10827.	22ng-l	AMPHI	119-122
10828.	22ng-l	AMPHI	132-140
10829.	22ng-l	AMPHI	149-151
10830.	22ng-l	AMPHI	168-174
10831.	22ng-l	AMPHI	226-232
10832.	22ng-l	AMPHI	244-247
10833.	22ng-l	AMPHI	260-265
10834.	22ng-l	AMPHI	277-281
10835.	22ng-l	AMPHI	286-292
10836.	22ng-l	AMPHI	305-307
10837.	22ng-l	AMPHI	309-324
10838.	22ng-l	AMPHI	352-359
10839.	22ng-l	AMPHI	364-366
10840.	22ng-l	AMPHI	382-385
10841.	22ng-l	AMPHI	388-393
10842.	22ng-l	Antigenic Index	2-8
10843.	22ng-l	Antigenic Index	12-25
10844.	22ng-l	Antigenic Index	35-38
10845.	22ng-l	Antigenic Index	40-65
10846.	22ng-l	Antigenic Index	72-75
10847.	22ng-l	Antigenic Index	80-87
10848.	22ng-l	Antigenic Index	95-106
10849.	22ng-l	Antigenic Index	109-111

10850.	22ng-1	Antigenic Index	113-123
10851.	22ng-1	Antigenic Index	131-138
10852.	22ng-1	Antigenic Index	140-146
10853.	22ng-1	Antigenic Index	154-163
10854.	22ng-1	Antigenic Index	165-167
10855.	22ng-1	Antigenic Index	169-177
10856.	22ng-1	Antigenic Index	183-191
10857.	22ng-1	Antigenic Index	195-206
10858.	22ng-1	Antigenic Index	208-214
10859.	22ng-1	Antigenic Index	216-222
10860.	22ng-1	Antigenic Index	230-236
10861.	22ng-1	Antigenic Index	255-263
10862.	22ng-1	Antigenic Index	269-276
10863.	22ng-1	Antigenic Index	291-301
10864.	22ng-1	Antigenic Index	315-318
10865.	22ng-1	Antigenic Index	320-322
10866.	22ng-1	Antigenic Index	326-334
10867.	22ng-1	Antigenic Index	341-349
10868.	22ng-1	Antigenic Index	368-375
10869.	22ng-1	Antigenic Index	379-385
10870.	22ng-1	Antigenic Index	399-407
10871.	22ng-1	Antigenic Index	413-420
10872.	22ng-1	Antigenic Index	426-436
10873.	22ng-1	Antigenic Index	438-447
10874.	22ng-1	Hydrophilicity	2-8
10875.	22ng-1	Hydrophilicity	14-20
10876.	22ng-1	Hydrophilicity	35-38
10877.	22ng-1	Hydrophilicity	41-64
10878.	22ng-1	Hydrophilicity	72-74
10879.	22ng-1	Hydrophilicity	80-87
10880.	22ng-1	Hydrophilicity	95-106
10881.	22ng-1	Hydrophilicity	109-111
10882.	22ng-1	Hydrophilicity	113-123
10883.	22ng-1	Hydrophilicity	132-137
10884.	22ng-1	Hydrophilicity	140-146
10885.	22ng-1	Hydrophilicity	158-160
10886.	22ng-1	Hydrophilicity	165-167
10887.	22ng-1	Hydrophilicity	169-176
10888.	22ng-1	Hydrophilicity	183-191
10889.	22ng-1	Hydrophilicity	195-206
10890.	22ng-1	Hydrophilicity	208-211
10891.	22ng-1	Hydrophilicity	257-263
10892.	22ng-1	Hydrophilicity	269-276
10893.	22ng-1	Hydrophilicity	291-300

10894.	22ng-1	Hydrophilicity	326-334
10895.	22ng-1	Hydrophilicity	342-348
10896.	22ng-1	Hydrophilicity	369-375
10897.	22ng-1	Hydrophilicity	380-383
10898.	22ng-1	Hydrophilicity	399-407
10899.	22ng-1	Hydrophilicity	413-420
10900.	22ng-1	Hydrophilicity	428-431
10901.	22ng-1	Hydrophilicity	434-436
10902.	22ng-1	Hydrophilicity	438-447
10903.	23ng-1	AMPHI	27-35
10904.	23ng-1	AMPHI	66-75
10905.	23ng-1	AMPHI	88-95
10906.	23ng-1	AMPHI	131-133
10907.	23ng-1	AMPHI	137-141
10908.	23ng-1	AMPHI	146-167
10909.	23ng-1	AMPHI	169-176
10910.	23ng-1	AMPHI	215-233
10911.	23ng-1	AMPHI	238-241
10912.	23ng-1	AMPHI	288-290
10913.	23ng-1	AMPHI	302-307
10914.	23ng-1	AMPHI	330-338
10915.	23ng-1	AMPHI	347-352
10916.	23ng-1	AMPHI	378-386
10917.	23ng-1	AMPHI	401-425
10918.	23ng-1	AMPHI	434-437
10919.	23ng-1	AMPHI	443-446
10920.	23ng-1	AMPHI	474-481
10921.	23ng-1	AMPHI	515-521
10922.	23ng-1	AMPHI	561-572
10923.	23ng-1	AMPHI	601-603
10924.	23ng-1	AMPHI	613-622
10925.	23ng-1	AMPHI	634-641
10926.	23ng-1	AMPHI	643-645
10927.	23ng-1	AMPHI	652-654
10928.	23ng-1	AMPHI	697-704
10929.	23ng-1	Antigenic Index	22-35
10930.	23ng-1	Antigenic Index	42-53
10931.	23ng-1	Antigenic Index	60-63
10932.	23ng-1	Antigenic Index	67-73
10933.	23ng-1	Antigenic Index	81-92
10934.	23ng-1	Antigenic Index	99-114
10935.	23ng-1	Antigenic Index	118-124
10936.	23ng-1	Antigenic Index	136-144
10937.	23ng-1	Antigenic Index	146-155

10938.	23ng-1	Antigenic Index	159-169
10939.	23ng-1	Antigenic Index	173-184
10940.	23ng-1	Antigenic Index	186-196
10941.	23ng-1	Antigenic Index	202-216
10942.	23ng-1	Antigenic Index	220-237
10943.	23ng-1	Antigenic Index	245-251
10944.	23ng-1	Antigenic Index	253-266
10945.	23ng-1	Antigenic Index	274-277
10946.	23ng-1	Antigenic Index	282-289
10947.	23ng-1	Antigenic Index	291-299
10948.	23ng-1	Antigenic Index	306-332
10949.	23ng-1	Antigenic Index	341-344
10950.	23ng-1	Antigenic Index	354-361
10951.	23ng-1	Antigenic Index	366-369
10952.	23ng-1	Antigenic Index	372-379
10953.	23ng-1	Antigenic Index	387-399
10954.	23ng-1	Antigenic Index	401-405
10955.	23ng-1	Antigenic Index	407-420
10956.	23ng-1	Antigenic Index	426-435
10957.	23ng-1	Antigenic Index	441-446
10958.	23ng-1	Antigenic Index	452-470
10959.	23ng-1	Antigenic Index	477-483
10960.	23ng-1	Antigenic Index	506-517
10961.	23ng-1	Antigenic Index	519-534
10962.	23ng-1	Antigenic Index	536-539
10963.	23ng-1	Antigenic Index	544-552
10964.	23ng-1	Antigenic Index	554-565
10965.	23ng-1	Antigenic Index	569-590
10966.	23ng-1	Antigenic Index	593-617
10967.	23ng-1	Antigenic Index	625-651
10968.	23ng-1	Antigenic Index	653-671
10969.	23ng-1	Antigenic Index	681-689
10970.	23ng-1	Antigenic Index	691-693
10971.	23ng-1	Antigenic Index	695-711
10972.	23ng-1	Hydrophilicity	22-35
10973.	23ng-1	Hydrophilicity	42-51
10974.	23ng-1	Hydrophilicity	67-73
10975.	23ng-1	Hydrophilicity	81-92
10976.	23ng-1	Hydrophilicity	100-102
10977.	23ng-1	Hydrophilicity	106-112
10978.	23ng-1	Hydrophilicity	119-122
10979.	23ng-1	Hydrophilicity	136-142
10980.	23ng-1	Hydrophilicity	147-155
10981.	23ng-1	Hydrophilicity	161-169

10982.	23ng-1	Hydrophilicity	173-184
10983.	23ng-1	Hydrophilicity	186-196
10984.	23ng-1	Hydrophilicity	206-208
10985.	23ng-1	Hydrophilicity	210-216
10986.	23ng-1	Hydrophilicity	221-236
10987.	23ng-1	Hydrophilicity	249-251
10988.	23ng-1	Hydrophilicity	258-266
10989.	23ng-1	Hydrophilicity	283-288
10990.	23ng-1	Hydrophilicity	293-299
10991.	23ng-1	Hydrophilicity	306-312
10992.	23ng-1	Hydrophilicity	314-329
10993.	23ng-1	Hydrophilicity	356-361
10994.	23ng-1	Hydrophilicity	372-379
10995.	23ng-1	Hydrophilicity	392-398
10996.	23ng-1	Hydrophilicity	408-411
10997.	23ng-1	Hydrophilicity	428-434
10998.	23ng-1	Hydrophilicity	441-446
10999.	23ng-1	Hydrophilicity	455-461
11000.	23ng-1	Hydrophilicity	463-469
11001.	23ng-1	Hydrophilicity	507-514
11002.	23ng-1	Hydrophilicity	523-534
11003.	23ng-1	Hydrophilicity	536-539
11004.	23ng-1	Hydrophilicity	544-551
11005.	23ng-1	Hydrophilicity	555-561
11006.	23ng-1	Hydrophilicity	569-572
11007.	23ng-1	Hydrophilicity	580-582
11008.	23ng-1	Hydrophilicity	584-586
11009.	23ng-1	Hydrophilicity	595-617
11010.	23ng-1	Hydrophilicity	628-635
11011.	23ng-1	Hydrophilicity	638-648
11012.	23ng-1	Hydrophilicity	656-671
11013.	23ng-1	Hydrophilicity	682-689
11014.	23ng-1	Hydrophilicity	700-709
11015.	24ng-1	AMPHI	34-38
11016.	24ng-1	AMPHI	50-56
11017.	24ng-1	AMPHI	72-90
11018.	24ng-1	AMPHI	106-108
11019.	24ng-1	AMPHI	116-122
11020.	24ng-1	AMPHI	135-153
11021.	24ng-1	AMPHI	194-209
11022.	24ng-1	AMPHI	222-230
11023.	24ng-1	AMPHI	269-273
11024.	24ng-1	Antigenic Index	34-42
11025.	24ng-1	Antigenic Index	53-57

11026.	24ng-1	Antigenic Index	62-70
11027.	24ng-1	Antigenic Index	72-79
11028.	24ng-1	Antigenic Index	93-96
11029.	24ng-1	Antigenic Index	105-135
11030.	24ng-1	Antigenic Index	141-153
11031.	24ng-1	Antigenic Index	172-174
11032.	24ng-1	Antigenic Index	179-187
11033.	24ng-1	Antigenic Index	192-199
11034.	24ng-1	Antigenic Index	219-224
11035.	24ng-1	Antigenic Index	265-278
11036.	24ng-1	Antigenic Index	281-293
11037.	24ng-1	Hydrophilicity	37-41
11038.	24ng-1	Hydrophilicity	64-70
11039.	24ng-1	Hydrophilicity	74-76
11040.	24ng-1	Hydrophilicity	110-121
11041.	24ng-1	Hydrophilicity	125-133
11042.	24ng-1	Hydrophilicity	141-149
11043.	24ng-1	Hydrophilicity	172-174
11044.	24ng-1	Hydrophilicity	181-185
11045.	24ng-1	Hydrophilicity	220-224
11046.	24ng-1	Hydrophilicity	266-278
11047.	24ng-1	Hydrophilicity	283-293
11048.	25ng-1	AMPHI	21-46
11049.	25ng-1	AMPHI	48-50
11050.	25ng-1	AMPHI	53-55
11051.	25ng-1	AMPHI	81-85
11052.	25ng-1	AMPHI	105-107
11053.	25ng-1	AMPHI	120-125
11054.	25ng-1	AMPHI	141-143
11055.	25ng-1	AMPHI	202-204
11056.	25ng-1	AMPHI	207-211
11057.	25ng-1	AMPHI	228-230
11058.	25ng-1	AMPHI	239-241
11059.	25ng-1	AMPHI	243-248
11060.	25ng-1	AMPHI	269-278
11061.	25ng-1	AMPHI	280-282
11062.	25ng-1	AMPHI	297-301
11063.	25ng-1	AMPHI	312-314
11064.	25ng-1	Antigenic Index	17-30
11065.	25ng-1	Antigenic Index	35-67
11066.	25ng-1	Antigenic Index	79-89
11067.	25ng-1	Antigenic Index	99-111
11068.	25ng-1	Antigenic Index	118-120
11069.	25ng-1	Antigenic Index	124-138

11070.	25ng-l	Antigenic Index	147-155
11071.	25ng-l	Antigenic Index	182-194
11072.	25ng-l	Antigenic Index	196-215
11073.	25ng-l	Antigenic Index	218-225
11074.	25ng-l	Antigenic Index	227-248
11075.	25ng-l	Antigenic Index	250-270
11076.	25ng-l	Antigenic Index	274-312
11077.	25ng-l	Antigenic Index	319-331
11078.	25ng-l	Hydrophilicity	17-27
11079.	25ng-l	Hydrophilicity	35-41
11080.	25ng-l	Hydrophilicity	45-67
11081.	25ng-l	Hydrophilicity	79-88
11082.	25ng-l	Hydrophilicity	103-110
11083.	25ng-l	Hydrophilicity	127-130
11084.	25ng-l	Hydrophilicity	132-136
11085.	25ng-l	Hydrophilicity	147-155
11086.	25ng-l	Hydrophilicity	183-194
11087.	25ng-l	Hydrophilicity	196-215
11088.	25ng-l	Hydrophilicity	218-225
11089.	25ng-l	Hydrophilicity	227-248
11090.	25ng-l	Hydrophilicity	252-270
11091.	25ng-l	Hydrophilicity	277-312
11092.	25ng-l	Hydrophilicity	319-331
11093.	26ng-l	AMPHI	6-15
11094.	26ng-l	AMPHI	49-59
11095.	26ng-l	AMPHI	86-91
11096.	26ng-l	AMPHI	98-108
11097.	26ng-l	AMPHI	111-113
11098.	26ng-l	AMPHI	115-117
11099.	26ng-l	AMPHI	126-144
11100.	26ng-l	AMPHI	173-185
11101.	26ng-l	AMPHI	188-190
11102.	26ng-l	AMPHI	193-220
11103.	26ng-l	AMPHI	227-233
11104.	26ng-l	AMPHI	240-243
11105.	26ng-l	AMPHI	265-273
11106.	26ng-l	AMPHI	283-290
11107.	26ng-l	AMPHI	317-322
11108.	26ng-l	AMPHI	324-327
11109.	26ng-l	AMPHI	346-348
11110.	26ng-l	AMPHI	356-365
11111.	26ng-l	AMPHI	387-391
11112.	26ng-l	AMPHI	429-433
11113.	26ng-l	AMPHI	447-457

11114.	26ng-l	Antigenic Index	45-53
11115.	26ng-l	Antigenic Index	54-57
11116.	26ng-l	Antigenic Index	67-76
11117.	26ng-l	Antigenic Index	94-99
11118.	26ng-l	Antigenic Index	103-116
11119.	26ng-l	Antigenic Index	129-131
11120.	26ng-l	Antigenic Index	142-153
11121.	26ng-l	Antigenic Index	159-164
11122.	26ng-l	Antigenic Index	172-175
11123.	26ng-l	Antigenic Index	190-193
11124.	26ng-l	Antigenic Index	195-197
11125.	26ng-l	Antigenic Index	226-229
11126.	26ng-l	Antigenic Index	231-235
11127.	26ng-l	Antigenic Index	237-254
11128.	26ng-l	Antigenic Index	279-282
11129.	26ng-l	Antigenic Index	290-298
11130.	26ng-l	Antigenic Index	318-325
11131.	26ng-l	Antigenic Index	330-334
11132.	26ng-l	Antigenic Index	352-359
11133.	26ng-l	Antigenic Index	369-371
11134.	26ng-l	Antigenic Index	389-394
11135.	26ng-l	Antigenic Index	407-411
11136.	26ng-l	Antigenic Index	428-436
11137.	26ng-l	Antigenic Index	441-449
11138.	26ng-l	Antigenic Index	498-506
11139.	26ng-l	Hydrophilicity	54-57
11140.	26ng-l	Hydrophilicity	69-76
11141.	26ng-l	Hydrophilicity	103-114
11142.	26ng-l	Hydrophilicity	142-153
11143.	26ng-l	Hydrophilicity	231-235
11144.	26ng-l	Hydrophilicity	237-254
11145.	26ng-l	Hydrophilicity	291-295
11146.	26ng-l	Hydrophilicity	391-324
11147.	26ng-l	Hydrophilicity	407-411
11148.	26ng-l	Hydrophilicity	432-435
11149.	26ng-l	Hydrophilicity	443-446
11150.	26ng-l	Hydrophilicity	498-506
11151.	27ng-l	AMPHI	41-51
11152.	27ng-l	AMPHI	54-57
11153.	27ng-l	AMPHI	78-86
11154.	27ng-l	AMPHI	100-105
11155.	27ng-l	AMPHI	114-118
11156.	27ng-l	AMPHI	137-146
11157.	27ng-l	AMPHI	161-166

11158.	27ng-1	AMPHI	186-190
11159.	27ng-1	AMPHI	193-199
11160.	27ng-1	Antigenic Index	1-5
11161.	27ng-1	Antigenic Index	30-35
11162.	27ng-1	Antigenic Index	63-70
11163.	27ng-1	Antigenic Index	86-88
11164.	27ng-1	Antigenic Index	96-114
11165.	27ng-1	Antigenic Index	117-126
11166.	27ng-1	Antigenic Index	130-162
11167.	27ng-1	Antigenic Index	167-174
11168.	27ng-1	Antigenic Index	178-185
11169.	27ng-1	Antigenic Index	188-197
11170.	27ng-1	Antigenic Index	199-209
11171.	27ng-1	Antigenic Index	213-242
11172.	27ng-1	Hydrophilicity	1-5
11173.	27ng-1	Hydrophilicity	33-35
11174.	27ng-1	Hydrophilicity	64-69
11175.	27ng-1	Hydrophilicity	98-103
11176.	27ng-1	Hydrophilicity	106-114
11177.	27ng-1	Hydrophilicity	121-126
11178.	27ng-1	Hydrophilicity	133-136
11179.	27ng-1	Hydrophilicity	144-159
11180.	27ng-1	Hydrophilicity	170-174
11181.	27ng-1	Hydrophilicity	178-185
11182.	27ng-1	Hydrophilicity	190-197
11183.	27ng-1	Hydrophilicity	199-209
11184.	27ng-1	Hydrophilicity	213-232
11185.	27ng-1	Hydrophilicity	234-242
11186.	28ng-1	AMPHI	21-34
11187.	28ng-1	AMPHI	78-95
11188.	28ng-1	AMPHI	97-99
11189.	28ng-1	AMPHI	117-119
11190.	28ng-1	AMPHI	134-141
11191.	28ng-1	AMPHI	187-190
11192.	28ng-1	Antigenic Index	5-7
11193.	28ng-1	Antigenic Index	25-31
11194.	28ng-1	Antigenic Index	34-46
11195.	28ng-1	Antigenic Index	51-62
11196.	28ng-1	Antigenic Index	74-81
11197.	28ng-1	Antigenic Index	88-104
11198.	28ng-1	Antigenic Index	113-125
11199.	28ng-1	Antigenic Index	128-145
11200.	28ng-1	Antigenic Index	147-157
11201.	28ng-1	Antigenic Index	161-180

11202.	28ng-1	Antigenic Index	183-188
11203.	28ng-1	Antigenic Index	193-202
11204.	28ng-1	Antigenic Index	232-237
11205.	28ng-1	Hydrophilicity	5-7
11206.	28ng-1	Hydrophilicity	35-46
11207.	28ng-1	Hydrophilicity	51-62
11208.	28ng-1	Hydrophilicity	75-81
11209.	28ng-1	Hydrophilicity	88-102
11210.	28ng-1	Hydrophilicity	113-117
11211.	28ng-1	Hydrophilicity	130-145
11212.	28ng-1	Hydrophilicity	147-153
11213.	28ng-1	Hydrophilicity	155-157
11214.	28ng-1	Hydrophilicity	161-167
11215.	28ng-1	Hydrophilicity	172-176
11216.	28ng-1	Hydrophilicity	178-180
11217.	28ng-1	Hydrophilicity	193-202
11218.	28ng-1	Hydrophilicity	233-237
11219.	29ng-1	AMPHI	25-27
11220.	29ng-1	AMPHI	64-66
11221.	29ng-1	AMPHI	103-108
11222.	29ng-1	AMPHI	115-122
11223.	29ng-1	AMPHI	129-136
11224.	29ng-1	AMPHI	140-164
11225.	29ng-1	AMPHI	221-244
11226.	29ng-1	AMPHI	246-275
11227.	29ng-1	AMPHI	298-307
11228.	29ng-1	AMPHI	342-346
11229.	29ng-1	AMPHI	351-360
11230.	29ng-1	AMPHI	367-376
11231.	29ng-1	AMPHI	383-397
11232.	29ng-1	AMPHI	426-436
11233.	29ng-1	AMPHI	454-458
11234.	29ng-1	Antigenic Index	25-37
11235.	29ng-1	Antigenic Index	53-62
11236.	29ng-1	Antigenic Index	80-88
11237.	29ng-1	Antigenic Index	96-103
11238.	29ng-1	Antigenic Index	105-125
11239.	29ng-1	Antigenic Index	131-162
11240.	29ng-1	Antigenic Index	166-175
11241.	29ng-1	Antigenic Index	182-194
11242.	29ng-1	Antigenic Index	200-206
11243.	29ng-1	Antigenic Index	210-229
11244.	29ng-1	Antigenic Index	260-262
11245.	29ng-1	Antigenic Index	268-279

11246.	29ng-1	Antigenic Index	292-311
11247.	29ng-1	Antigenic Index	328-355
11248.	29ng-1	Antigenic Index	358-381
11249.	29ng-1	Antigenic Index	391-397
11250.	29ng-1	Antigenic Index	401-407
11251.	29ng-1	Antigenic Index	411-419
11252.	29ng-1	Antigenic Index	423-432
11253.	29ng-1	Antigenic Index	438-468
11254.	29ng-1	Antigenic Index	480-493
11255.	29ng-1	Hydrophilicity	29-46
11256.	29ng-1	Hydrophilicity	54-62
11257.	29ng-1	Hydrophilicity	80-86
11258.	29ng-1	Hydrophilicity	100-103
11259.	29ng-1	Hydrophilicity	107-118
11260.	29ng-1	Hydrophilicity	133-140
11261.	29ng-1	Hydrophilicity	142-148
11262.	29ng-1	Hydrophilicity	152-160
11263.	29ng-1	Hydrophilicity	168-175
11264.	29ng-1	Hydrophilicity	186-193
11265.	29ng-1	Hydrophilicity	200-206
11266.	29ng-1	Hydrophilicity	212-228
11267.	29ng-1	Hydrophilicity	292-294
11268.	29ng-1	Hydrophilicity	296-300
11269.	29ng-1	Hydrophilicity	303-305
11270.	29ng-1	Hydrophilicity	329-399
11271.	29ng-1	Hydrophilicity	347-355
11272.	29ng-1	Hydrophilicity	360-381
11273.	29ng-1	Hydrophilicity	392-397
11274.	29ng-1	Hydrophilicity	401-407
11275.	29ng-1	Hydrophilicity	412-418
11276.	29ng-1	Hydrophilicity	424-432
11277.	29ng-1	Hydrophilicity	438-444
11278.	29ng-1	Hydrophilicity	449-466
11279.	29ng-1	Hydrophilicity	482-492
11280.	30ng-1	AMPHI	15-25
11281.	30ng-1	AMPHI	40-43
11282.	30ng-1	AMPHI	64-69
11283.	30ng-1	AMPHI	72-74
11284.	30ng-1	AMPHI	80-100
11285.	30ng-1	AMPHI	103-121
11286.	30ng-1	AMPHI	124-126
11287.	30ng-1	AMPHI	135-145
11288.	30ng-1	AMPHI	147-155
11289.	30ng-1	Antigenic Index	1-5

11290.	30ng-1	Antigenic Index	21-29
11291.	30ng-1	Antigenic Index	35-39
11292.	30ng-1	Antigenic Index	46-56
11293.	30ng-1	Antigenic Index	74-76
11294.	30ng-1	Antigenic Index	81-94
11295.	30ng-1	Antigenic Index	97-104
11296.	30ng-1	Antigenic Index	113-125
11297.	30ng-1	Antigenic Index	127-179
11298.	30ng-1	Hydrophilicity	1-5
11299.	30ng-1	Hydrophilicity	26-29
11300.	30ng-1	Hydrophilicity	35-39
11301.	30ng-1	Hydrophilicity	46-56
11302.	30ng-1	Hydrophilicity	83-92
11303.	30ng-1	Hydrophilicity	102-104
11304.	30ng-1	Hydrophilicity	113-120
11305.	30ng-1	Hydrophilicity	133-136
11306.	30ng-1	Hydrophilicity	142-156
11307.	30ng-1	Hydrophilicity	159-179
11308.	31ng-1	AMPHI	24-31
11309.	31ng-1	AMPHI	33-35
11310.	31ng-1	AMPHI	115-120
11311.	31ng-1	AMPHI	140-143
11312.	31ng-1	AMPHI	159-175
11313.	31ng-1	Antigenic Index	1-5
11314.	31ng-1	Antigenic Index	9-17
11315.	31ng-1	Antigenic Index	22-37
11316.	31ng-1	Antigenic Index	48-53
11317.	31ng-1	Antigenic Index	78-89
11318.	31ng-1	Antigenic Index	95-98
11319.	31ng-1	Antigenic Index	106-109
11320.	31ng-1	Antigenic Index	122-138
11321.	31ng-1	Antigenic Index	147-157
11322.	31ng-1	Antigenic Index	162-172
11323.	31ng-1	Antigenic Index	175-183
11324.	31ng-1	Antigenic Index	195-197
11325.	31ng-1	Antigenic Index	200-206
11326.	31ng-1	Antigenic Index	208-228
11327.	31ng-1	Antigenic Index	234-244
11328.	31ng-1	Antigenic Index	251-263
11329.	31ng-1	Hydrophilicity	10-16
11330.	31ng-1	Hydrophilicity	22-36
11331.	31ng-1	Hydrophilicity	78-89
11332.	31ng-1	Hydrophilicity	122-124
11333.	31ng-1	Hydrophilicity	131-136

11334.	31ng-1	Hydrophilicity	153-157
11335.	31ng-1	Hydrophilicity	176-183
11336.	31ng-1	Hydrophilicity	222-225
11337.	31ng-1	Hydrophilicity	235-242
11338.	31ng-1	Hydrophilicity	255-263
11339.	32ng-1	AMPHI	15-22
11340.	32ng-1	AMPHI	46-50
11341.	32ng-1	AMPHI	52-60
11342.	32ng-1	AMPHI	68-70
11343.	32ng-1	AMPHI	86-91
11344.	32ng-1	AMPHI	94-105
11345.	32ng-1	AMPHI	132-135
11346.	32ng-1	AMPHI	191-205
11347.	32ng-1	AMPHI	216-222
11348.	32ng-1	AMPHI	256-267
11349.	32ng-1	AMPHI	298-305
11350.	32ng-1	AMPHI	315-324
11351.	32ng-1	AMPHI	327-334
11352.	32ng-1	AMPHI	336-363
11353.	32ng-1	Antigenic Index	1-5
11354.	32ng-1	Antigenic Index	15-22
11355.	32ng-1	Antigenic Index	32-34
11356.	32ng-1	Antigenic Index	43-49
11357.	32ng-1	Antigenic Index	53-59
11358.	32ng-1	Antigenic Index	71-88
11359.	32ng-1	Antigenic Index	95-99
11360.	32ng-1	Antigenic Index	104-110
11361.	32ng-1	Antigenic Index	117-136
11362.	32ng-1	Antigenic Index	114-181
11363.	32ng-1	Antigenic Index	188-192
11364.	32ng-1	Antigenic Index	203-205
11365.	32ng-1	Antigenic Index	218-237
11366.	32ng-1	Antigenic Index	254-258
11367.	32ng-1	Antigenic Index	266-275
11368.	32ng-1	Antigenic Index	279-281
11369.	32ng-1	Antigenic Index	288-297
11370.	32ng-1	Antigenic Index	306-310
11371.	32ng-1	Antigenic Index	312-317
11372.	32ng-1	Antigenic Index	321-337
11373.	32ng-1	Antigenic Index	345-362
11374.	32ng-1	Antigenic Index	365-372
11375.	32ng-1	Antigenic Index	377-383
11376.	32ng-1	Hydrophilicity	17-20
11377.	32ng-1	Hydrophilicity	32-34

11378.	32ng-1	Hydrophilicity	46-49
11379.	32ng-1	Hydrophilicity	56-59
11380.	32ng-1	Hydrophilicity	75-81
11381.	32ng-1	Hydrophilicity	95-98
11382.	32ng-1	Hydrophilicity	104-108
11383.	32ng-1	Hydrophilicity	118-127
11384.	32ng-1	Hydrophilicity	131-136
11385.	32ng-1	Hydrophilicity	145-181
11386.	32ng-1	Hydrophilicity	218-222
11387.	32ng-1	Hydrophilicity	231-234
11388.	32ng-1	Hydrophilicity	254-258
11389.	32ng-1	Hydrophilicity	266-275
11390.	32ng-1	Hydrophilicity	290-297
11391.	32ng-1	Hydrophilicity	315-317
11392.	32ng-1	Hydrophilicity	321-328
11393.	32ng-1	Hydrophilicity	330-334
11394.	32ng-1	Hydrophilicity	353-359
11395.	32ng-1	Hydrophilicity	367-372
11396.	32ng-1	Hydrophilicity	378-383
11397.	33ng-1	AMPHI	6-16
11398.	33ng-1	AMPHI	28-41
11399.	33ng-1	AMPHI	58-65
11400.	33ng-1	AMPHI	128-134
11401.	33ng-1	AMPHI	147-154
11402.	33ng-1	AMPHI	174-183
11403.	33ng-1	AMPHI	206-213
11404.	33ng-1	AMPHI	234-236
11405.	33ng-1	AMPHI	241-244
11406.	33ng-1	AMPHI	247-249
11407.	33ng-1	AMPHI	257-266
11408.	33ng-1	AMPHI	285-296
11409.	33ng-1	AMPHI	339-345
11410.	33ng-1	AMPHI	384-393
11411.	33ng-1	AMPHI	404-429
11412.	33ng-1	Antigenic Index	3-10
11413.	33ng-1	Antigenic Index	15-18
11414.	33ng-1	Antigenic Index	22-29
11415.	33ng-1	Antigenic Index	31-69
11416.	33ng-1	Antigenic Index	84-86
11417.	33ng-1	Antigenic Index	92-96
11418.	33ng-1	Antigenic Index	131-135
11419.	33ng-1	Antigenic Index	137-144
11420.	33ng-1	Antigenic Index	151-161
11421.	33ng-1	Antigenic Index	218-221

11422.	33ng-1	Antigenic Index	224-241
11423.	33ng-1	Antigenic Index	272-275
11424.	33ng-1	Antigenic Index	289-307
11425.	33ng-1	Antigenic Index	310-312
11426.	33ng-1	Antigenic Index	314-316
11427.	33ng-1	Antigenic Index	318-320
11428.	33ng-1	Antigenic Index	328-341
11429.	33ng-1	Antigenic Index	344-357
11430.	33ng-1	Antigenic Index	359-367
11431.	33ng-1	Antigenic Index	377-385
11432.	33ng-1	Antigenic Index	389-396
11433.	33ng-1	Antigenic Index	408-419
11434.	33ng-1	Antigenic Index	423-427
11435.	33ng-1	Antigenic Index	433-446
11436.	33ng-1	Hydrophilicity	3-10
11437.	33ng-1	Hydrophilicity	26-29
11438.	33ng-1	Hydrophilicity	31-66
11439.	33ng-1	Hydrophilicity	139-143
11440.	33ng-1	Hydrophilicity	154-156
11441.	33ng-1	Hydrophilicity	158-160
11442.	33ng-1	Hydrophilicity	225-235
11443.	33ng-1	Hydrophilicity	239-241
11444.	33ng-1	Hydrophilicity	272-283
11445.	33ng-1	Hydrophilicity	293-307
11446.	33ng-1	Hydrophilicity	318-320
11447.	33ng-1	Hydrophilicity	329-331
11448.	33ng-1	Hydrophilicity	334-336
11449.	33ng-1	Hydrophilicity	339-341
11450.	33ng-1	Hydrophilicity	344-346
11451.	33ng-1	Hydrophilicity	348-357
11452.	33ng-1	Hydrophilicity	359-367
11453.	33ng-1	Hydrophilicity	378-385
11454.	33ng-1	Hydrophilicity	389-396
11455.	33ng-1	Hydrophilicity	408-419
11456.	33ng-1	Hydrophilicity	433-446
11457.	34ng-1	AMPHI	13-15
11458.	34ng-1	AMPHI	20-22
11459.	34ng-1	AMPHI	24-31
11460.	34ng-1	AMPHI	61-63
11461.	34ng-1	AMPHI	73-76
11462.	34ng-1	AMPHI	85-90
11463.	34ng-1	AMPHI	97-103
11464.	34ng-1	AMPHI	109-112
11465.	34ng-1	AMPHI	141-150

-301-

11466.	34ng-1	AMPHI	160-176
11467.	34ng-1	AMPHI	193-201
11468.	34ng-1	AMPHI	210-219
11469.	34ng-1	AMPHI	228-243
11470.	34ng-1	AMPHI	258-264
11471.	34ng-1	AMPHI	285-288
11472.	34ng-1	AMPHI	299-318
11473.	34ng-1	AMPHI	327-337
11474.	34ng-1	AMPHI	352-354
11475.	34ng-1	AMPHI	379-381
11476.	34ng-1	AMPHI	399-401
11477.	34ng-1	AMPHI	413-419
11478.	34ng-1	AMPHI	427-431
11479.	34ng-1	Antigenic Index	17-25
11480.	34ng-1	Antigenic Index	66-71
11481.	34ng-1	Antigenic Index	77-79
11482.	34ng-1	Antigenic Index	93-109
11483.	34ng-1	Antigenic Index	114-122
11484.	34ng-1	Antigenic Index	126-135
11485.	34ng-1	Antigenic Index	140-143
11486.	34ng-1	Antigenic Index	148-150
11487.	34ng-1	Antigenic Index	152-163
11488.	34ng-1	Antigenic Index	174-177
11489.	34ng-1	Antigenic Index	196-203
11490.	34ng-1	Antigenic Index	226-237
11491.	34ng-1	Antigenic Index	239-241
11492.	34ng-1	Antigenic Index	247-260
11493.	34ng-1	Antigenic Index	270-275
11494.	34ng-1	Antigenic Index	283-308
11495.	34ng-1	Antigenic Index	311-323
11496.	34ng-1	Antigenic Index	337-339
11497.	34ng-1	Antigenic Index	346-355
11498.	34ng-1	Antigenic Index	359-367
11499.	34ng-1	Antigenic Index	379-391
11500.	34ng-1	Antigenic Index	395-435
11501.	34ng-1	Antigenic Index	449-454
11502.	34ng-1	Hydrophilicity	18-25
11503.	34ng-1	Hydrophilicity	93-107
11504.	34ng-1	Hydrophilicity	115-119
11505.	34ng-1	Hydrophilicity	131-135
11506.	34ng-1	Hydrophilicity	157-160
11507.	34ng-1	Hydrophilicity	199-203
11508.	34ng-1	Hydrophilicity	226-237
11509.	34ng-1	Hydrophilicity	239-241

11510.	34ng-1	Hydrophilicity	247-249
11511.	34ng-1	Hydrophilicity	256-258
11512.	34ng-1	Hydrophilicity	270-274
11513.	34ng-1	Hydrophilicity	283-289
11514.	34ng-1	Hydrophilicity	293-304
11515.	34ng-1	Hydrophilicity	311-322
11516.	34ng-1	Hydrophilicity	349-355
11517.	34ng-1	Hydrophilicity	359-366
11518.	34ng-1	Hydrophilicity	384-388
11519.	34ng-1	Hydrophilicity	397-407
11520.	34ng-1	Hydrophilicity	410-433
11521.	37ng-1	AMPHI	6-8
11522.	37ng-1	AMPHI	26-31
11523.	37ng-1	AMPHI	59-61
11524.	37ng-1	AMPHI	67-69
11525.	37ng-1	AMPHI	73-75
11526.	37ng-1	AMPHI	103-106
11527.	37ng-1	AMPHI	109-113
11528.	37ng-1	Antigenic Index	1-3
11529.	37ng-1	Antigenic Index	25-40
11530.	37ng-1	Antigenic Index	51-61
11531.	37ng-1	Antigenic Index	69-79
11532.	37ng-1	Antigenic Index	88-97
11533.	37ng-1	Antigenic Index	107-126
11534.	37ng-1	Hydrophilicity	1-3
11535.	37ng-1	Hydrophilicity	25-40
11536.	37ng-1	Hydrophilicity	55-61
11537.	37ng-1	Hydrophilicity	69-79
11538.	37ng-1	Hydrophilicity	91-97
11539.	37ng-1	Hydrophilicity	107-124
11540.	46ng-1	AMPHI	12-17
11541.	46ng-1	AMPHI	24-27
11542.	46ng-1	AMPHI	91-96
11543.	46ng-1	AMPHI	98-107
11544.	46ng-1	AMPHI	117-125
11545.	46ng-1	AMPHI	137-148
11546.	46ng-1	AMPHI	156-159
11547.	46ng-1	AMPHI	183-189
11548.	46ng-1	AMPHI	191-193
11549.	46ng-1	AMPHI	197-209
11550.	46ng-1	AMPHI	216-241
11551.	46ng-1	AMPHI	243-255
11552.	46ng-1	AMPHI	258-263
11553.	46ng-1	AMPHI	273-287

11554.	46ng-1	AMPHI	289-292
11555.	46ng-1	AMPHI	294-296
11556.	46ng-1	AMPHI	301-313
11557.	46ng-1	AMPHI	320-324
11558.	46ng-1	AMPHI	336-338
11559.	46ng-1	AMPHI	358-365
11560.	46ng-1	AMPHI	367-370
11561.	46ng-1	AMPHI	372-374
11562.	46ng-1	AMPHI	401-403
11563.	46ng-1	AMPHI	420-428
11564.	46ng-1	AMPHI	441-443
11565.	46ng-1	AMPHI	463-469
11566.	46ng-1	AMPHI	473-478
11567.	46ng-1	AMPHI	492-494
11568.	46ng-1	AMPHI	508-511
11569.	46ng-1	AMPHI	530-535
11570.	46ng-1	AMPHI	566-568
11571.	46ng-1	Antigenic Index	3-7
11572.	46ng-1	Antigenic Index	23-29
11573.	46ng-1	Antigenic Index	31-33
11574.	46ng-1	Antigenic Index	36-48
11575.	46ng-1	Antigenic Index	52-66
11576.	46ng-1	Antigenic Index	86-88
11577.	46ng-1	Antigenic Index	94-123
11578.	46ng-1	Antigenic Index	130-158
11579.	46ng-1	Antigenic Index	160-164
11580.	46ng-1	Antigenic Index	173-191
11581.	46ng-1	Antigenic Index	199-220
11582.	46ng-1	Antigenic Index	229-231
11583.	46ng-1	Antigenic Index	243-247
11584.	46ng-1	Antigenic Index	249-257
11585.	46ng-1	Antigenic Index	268-280
11586.	46ng-1	Antigenic Index	282-288
11587.	46ng-1	Antigenic Index	299-302
11588.	46ng-1	Antigenic Index	325-330
11589.	46ng-1	Antigenic Index	337-343
11590.	46ng-1	Antigenic Index	348-361
11591.	46ng-1	Antigenic Index	367-439
11592.	46ng-1	Antigenic Index	441-489
11593.	46ng-1	Antigenic Index	492-504
11594.	46ng-1	Antigenic Index	510-519
11595.	46ng-1	Antigenic Index	524-532
11596.	46ng-1	Antigenic Index	536-544
11597.	46ng-1	Antigenic Index	549-571

11598.	46ng-1	Antigenic Index	573-588
11599.	46ng-1	Antigenic Index	590-593
11600.	46ng-1	Antigenic Index	596-623
11601.	46ng-1	Hydrophilicity	3-7
11602.	46ng-1	Hydrophilicity	26-29
11603.	46ng-1	Hydrophilicity	31-33
11604.	46ng-1	Hydrophilicity	36-38
11605.	46ng-1	Hydrophilicity	40-47
11606.	46ng-1	Hydrophilicity	53-62
11607.	46ng-1	Hydrophilicity	94-99
11608.	46ng-1	Hydrophilicity	105-107
11609.	46ng-1	Hydrophilicity	109-120
11610.	46ng-1	Hydrophilicity	140-146
11611.	46ng-1	Hydrophilicity	154-158
11612.	46ng-1	Hydrophilicity	174-190
11613.	46ng-1	Hydrophilicity	202-220
11614.	46ng-1	Hydrophilicity	229-231
11615.	46ng-1	Hydrophilicity	251-255
11616.	46ng-1	Hydrophilicity	268-280
11617.	46ng-1	Hydrophilicity	282-288
11618.	46ng-1	Hydrophilicity	325-329
11619.	46ng-1	Hydrophilicity	338-343
11620.	46ng-1	Hydrophilicity	350-356
11621.	46ng-1	Hydrophilicity	359-361
11622.	46ng-1	Hydrophilicity	375-391
11623.	46ng-1	Hydrophilicity	398-413
11624.	46ng-1	Hydrophilicity	417-421
11625.	46ng-1	Hydrophilicity	423-439
11626.	46ng-1	Hydrophilicity	444-489
11627.	46ng-1	Hydrophilicity	492-503
11628.	46ng-1	Hydrophilicity	512-519
11629.	46ng-1	Hydrophilicity	524-532
11630.	46ng-1	Hydrophilicity	537-543
11631.	46ng-1	Hydrophilicity	549-570
11632.	46ng-1	Hydrophilicity	577-588
11633.	46ng-1	Hydrophilicity	596-603
11634.	46ng-1	Hydrophilicity	607-612
11635.	46ng-1	Hydrophilicity	615-621
11636.	47ng-1	AMPHI	14-25
11637.	47ng-1	AMPHI	37-40
11638.	47ng-1	AMPHI	65-73
11639.	47ng-1	AMPHI	84-86
11640.	47ng-1	AMPHI	95-101
11641.	47ng-1	AMPHI	103-108

11642.	47ng-l	AMPHI	138-140
11643.	47ng-l	AMPHI	158-168
11644.	47ng-l	AMPHI	174-181
11645.	47ng-l	AMPHI	183-186
11646.	47ng-l	AMPHI	188-190
11647.	47ng-l	AMPHI	194-196
11648.	47ng-l	AMPHI	241-250
11649.	47ng-l	AMPHI	269-271
11650.	47ng-l	AMPHI	292-296
11651.	47ng-l	AMPHI	337-342
11652.	47ng-l	Antigenic Index	2-5
11653.	47ng-l	Antigenic Index	33-35
11654.	47ng-l	Antigenic Index	37-43
11655.	47ng-l	Antigenic Index	71-80
11656.	47ng-l	Antigenic Index	99-101
11657.	47ng-l	Antigenic Index	126-134
11658.	47ng-l	Antigenic Index	144-146
11659.	47ng-l	Antigenic Index	155-158
11660.	47ng-l	Antigenic Index	189-204
11661.	47ng-l	Antigenic Index	251-253
11662.	47ng-l	Antigenic Index	311-315
11663.	47ng-l	Antigenic Index	318-322
11664.	47ng-l	Antigenic Index	344-347
11665.	47ng-l	Antigenic Index	350-356
11666.	47ng-l	Antigenic Index	375-384
11667.	47ng-l	Hydrophilicity	2-5
11668.	47ng-l	Hydrophilicity	75-78
11669.	47ng-l	Hydrophilicity	127-134
11670.	47ng-l	Hydrophilicity	191-194
11671.	47ng-l	Hydrophilicity	251-253
11672.	47ng-l	Hydrophilicity	352-354
11673.	47ng-l	Hydrophilicity	377-384
11674.	48ng-l	AMPHI	49-52
11675.	48ng-l	AMPHI	68-81
11676.	48ng-l	AMPHI	96-102
11677.	48ng-l	AMPHI	111-115
11678.	48ng-l	AMPHI	143-149
11679.	48ng-l	AMPHI	158-161
11680.	48ng-l	AMPHI	164-166
11681.	48ng-l	AMPHI	198-200
11682.	48ng-l	AMPHI	212-218
11683.	48ng-l	AMPHI	220-222
11684.	48ng-l	AMPHI	245-249
11685.	48ng-l	AMPHI	275-277

11686.	48ng-1	AMPHI	279-285
11687.	48ng-1	AMPHI	287-290
11688.	48ng-1	AMPHI	294-307
11689.	48ng-1	AMPHI	309-311
11690.	48ng-1	AMPHI	320-323
11691.	48ng-1	AMPHI	338-342
11692.	48ng-1	AMPHI	352-354
11693.	48ng-1	AMPHI	356-358
11694.	48ng-1	AMPHI	364-370
11695.	48ng-1	AMPHI	385-387
11696.	48ng-1	AMPHI	411-415
11697.	48ng-1	AMPHI	420-431
11698.	48ng-1	AMPHI	447-460
11699.	48ng-1	Antigenic Index	14-17
11700.	48ng-1	Antigenic Index	134-141
11701.	48ng-1	Antigenic Index	142-149
11702.	48ng-1	Antigenic Index	174-178
11703.	48ng-1	Antigenic Index	190-193
11704.	48ng-1	Antigenic Index	208-225
11705.	48ng-1	Antigenic Index	233-243
11706.	48ng-1	Antigenic Index	251-258
11707.	48ng-1	Antigenic Index	261-264
11708.	48ng-1	Antigenic Index	272-278
11709.	48ng-1	Antigenic Index	289-300
11710.	48ng-1	Antigenic Index	302-311
11711.	48ng-1	Antigenic Index	318-325
11712.	48ng-1	Antigenic Index	328-342
11713.	48ng-1	Antigenic Index	344-349
11714.	48ng-1	Antigenic Index	355-363
11715.	48ng-1	Antigenic Index	369-377
11716.	48ng-1	Antigenic Index	385-394
11717.	48ng-1	Antigenic Index	397-405
11718.	48ng-1	Antigenic Index	407-413
11719.	48ng-1	Antigenic Index	426-438
11720.	48ng-1	Antigenic Index	443-454
11721.	48ng-1	Hydrophilicity	134-141
11722.	48ng-1	Hydrophilicity	164-168
11723.	48ng-1	Hydrophilicity	210-225
11724.	48ng-1	Hydrophilicity	240-243
11725.	48ng-1	Hydrophilicity	251-258
11726.	48ng-1	Hydrophilicity	272-287
11727.	48ng-1	Hydrophilicity	289-300
11728.	48ng-1	Hydrophilicity	302-315
11729.	48ng-1	Hydrophilicity	334-342

-307-

11730.	48ng-1	Hydrophilicity	344-349
11731.	48ng-1	Hydrophilicity	360-363
11732.	48ng-1	Hydrophilicity	369-374
11733.	48ng-1	Hydrophilicity	378-390
11734.	48ng-1	Hydrophilicity	392-394
11735.	48ng-1	Hydrophilicity	397-402
11736.	48ng-1	Hydrophilicity	407-413
11737.	48ng-1	Hydrophilicity	426-438
11738.	48ng-1	Hydrophilicity	445-447
11739.	53ng-1	AMPHI	64-71
11740.	53ng-1	AMPHI	90-93
11741.	53ng-1	AMPHI	116-119
11742.	53ng-1	AMPHI	126-132
11743.	53ng-1	AMPHI	160-162
11744.	53ng-1	AMPHI	170-175
11745.	53ng-1	AMPHI	185-196
11746.	53ng-1	AMPHI	201-209
11747.	53ng-1	AMPHI	212-214
11748.	53ng-1	AMPHI	223-240
11749.	53ng-1	AMPHI	271-290
11750.	53ng-1	AMPHI	311-322
11751.	53ng-1	Antigenic Index	1-4
11752.	53ng-1	Antigenic Index	60-71
11753.	53ng-1	Antigenic Index	90-103
11754.	53ng-1	Antigenic Index	136-150
11755.	53ng-1	Antigenic Index	176-181
11756.	53ng-1	Antigenic Index	185-188
11757.	53ng-1	Antigenic Index	202-205
11758.	53ng-1	Antigenic Index	217-219
11759.	53ng-1	Antigenic Index	227-229
11760.	53ng-1	Antigenic Index	231-248
11761.	53ng-1	Antigenic Index	259-262
11762.	53ng-1	Antigenic Index	296-306
11763.	53ng-1	Hydrophilicity	1-3
11764.	53ng-1	Hydrophilicity	60-71
11765.	53ng-1	Hydrophilicity	94-96
11766.	53ng-1	Hydrophilicity	99-102
11767.	53ng-1	Hydrophilicity	137-150
11768.	53ng-1	Hydrophilicity	227-229
11769.	53ng-1	Hydrophilicity	231-247
11770.	53ng-1	Hydrophilicity	297-307
11771.	58ng-1	AMPHI	33-33
11772.	58ng-1	AMPHI	43-57
11773.	58ng-1	AMPHI	78-84

11774.	58ng-l	AMPHI	109-111
11775.	58ng-l	AMPHI	113-121
11776.	58ng-l	AMPHI	128-133
11777.	58ng-l	AMPHI	137-140
11778.	58ng-l	AMPHI	157-160
11779.	58ng-l	AMPHI	172-176
11780.	58ng-l	AMPHI	183-190
11781.	58ng-l	AMPHI	196-205
11782.	58ng-l	AMPHI	222-228
11783.	58ng-l	AMPHI	235-242
11784.	58ng-l	AMPHI	263-265
11785.	58ng-l	AMPHI	267-275
11786.	58ng-l	AMPHI	299-303
11787.	58ng-l	AMPHI	324-327
11788.	58ng-l	AMPHI	335-340
11789.	58ng-l	AMPHI	361-370
11790.	58ng-l	AMPHI	399-402
11791.	58ng-l	AMPHI	419-436
11792.	58ng-l	AMPHI	446-454
11793.	58ng-l	AMPHI	464-468
11794.	58ng-l	AMPHI	570-576
11795.	58ng-l	AMPHI	597-606
11796.	58ng-l	AMPHI	610-616
11797.	58ng-l	AMPHI	636-645
11798.	58ng-l	AMPHI	666-673
11799.	58ng-l	AMPHI	693-701
11800.	58ng-l	AMPHI	717-719
11801.	58ng-l	AMPHI	721-730
11802.	58ng-l	AMPHI	749-752
11803.	58ng-l	AMPHI	755-766
11804.	58ng-l	AMPHI	768-785
11805.	58ng-l	AMPHI	792-797
11806.	58ng-l	AMPHI	806-811
11807.	58ng-l	AMPHI	816-825
11808.	58ng-l	AMPHI	845-853
11809.	58ng-l	AMPHI	875-877
11810.	58ng-l	AMPHI	897-903
11811.	58ng-l	AMPHI	911-934
11812.	58ng-l	AMPHI	938-943
11813.	58ng-l	AMPHI	970-974
11814.	58ng-l	AMPHI	982-992
11815.	58ng-l	Antigenic Index	22-30
11816.	58ng-l	Antigenic Index	33-57
11817.	58ng-l	Antigenic Index	80-86

11818.	58ng-l	Antigenic Index	88-142
11819.	58ng-l	Antigenic Index	145-160
11820.	58ng-l	Antigenic Index	162-175
11821.	58ng-l	Antigenic Index	178-188
11822.	58ng-l	Antigenic Index	191-222
11823.	58ng-l	Antigenic Index	227-238
11824.	58ng-l	Antigenic Index	241-256
11825.	58ng-l	Antigenic Index	258-267
11826.	58ng-l	Antigenic Index	271-330
11827.	58ng-l	Antigenic Index	332-362
11828.	58ng-l	Antigenic Index	370-373
11829.	58ng-l	Antigenic Index	375-389
11830.	58ng-l	Antigenic Index	396-407
11831.	58ng-l	Antigenic Index	409-412
11832.	58ng-l	Antigenic Index	414-417
11833.	58ng-l	Antigenic Index	419-429
11834.	58ng-l	Antigenic Index	431-445
11835.	58ng-l	Antigenic Index	450-490
11836.	58ng-l	Antigenic Index	492-523
11837.	58ng-l	Antigenic Index	526-529
11838.	58ng-l	Antigenic Index	538-551
11839.	58ng-l	Antigenic Index	554-569
11840.	58ng-l	Antigenic Index	571-574
11841.	58ng-l	Antigenic Index	581-594
11842.	58ng-l	Antigenic Index	596-603
11843.	58ng-l	Antigenic Index	614-620
11844.	58ng-l	Antigenic Index	626-635
11845.	58ng-l	Antigenic Index	641-652
11846.	58ng-l	Antigenic Index	657-663
11847.	58ng-l	Antigenic Index	668-671
11848.	58ng-l	Antigenic Index	680-688
11849.	58ng-l	Antigenic Index	700-706
11850.	58ng-l	Antigenic Index	711-715
11851.	58ng-l	Antigenic Index	734-736
11852.	58ng-l	Antigenic Index	747-753
11853.	58ng-l	Antigenic Index	766-795
11854.	58ng-l	Antigenic Index	806-808
11855.	58ng-l	Antigenic Index	813-822
11856.	58ng-l	Antigenic Index	825-831
11857.	58ng-l	Antigenic Index	840-847
11858.	58ng-l	Antigenic Index	854-858
11859.	58ng-l	Antigenic Index	864-874
11860.	58ng-l	Antigenic Index	884-887
11861.	58ng-l	Antigenic Index	892-901

11862.	58ng-1	Antigenic Index	906-913
11863.	58ng-1	Antigenic Index	919-958
11864.	58ng-1	Antigenic Index	962-994
11865.	58ng-1	Antigenic Index	998-1006
11866.	58ng-1	Antigenic Index	1011-1014
11867.	58ng-1	Hydrophilicity	22-30
11868.	58ng-1	Hydrophilicity	33-55
11869.	58ng-1	Hydrophilicity	88-97
11870.	58ng-1	Hydrophilicity	100-142
11871.	58ng-1	Hydrophilicity	146-158
11872.	58ng-1	Hydrophilicity	162-170
11873.	58ng-1	Hydrophilicity	173-175
11874.	58ng-1	Hydrophilicity	178-188
11875.	58ng-1	Hydrophilicity	191-209
11876.	58ng-1	Hydrophilicity	211-220
11877.	58ng-1	Hydrophilicity	227-233
11878.	58ng-1	Hydrophilicity	241-255
11879.	58ng-1	Hydrophilicity	259-264
11880.	58ng-1	Hydrophilicity	271-277
11881.	58ng-1	Hydrophilicity	279-301
11882.	58ng-1	Hydrophilicity	304-307
11883.	58ng-1	Hydrophilicity	309-330
11884.	58ng-1	Hydrophilicity	332-362
11885.	58ng-1	Hydrophilicity	375-389
11886.	58ng-1	Hydrophilicity	397-402
11887.	58ng-1	Hydrophilicity	404-407
11888.	58ng-1	Hydrophilicity	423-425
11889.	58ng-1	Hydrophilicity	432-445
11890.	58ng-1	Hydrophilicity	453-473
11891.	58ng-1	Hydrophilicity	478-489
11892.	58ng-1	Hydrophilicity	494-523
11893.	58ng-1	Hydrophilicity	541-551
11894.	58ng-1	Hydrophilicity	554-569
11895.	58ng-1	Hydrophilicity	581-591
11896.	58ng-1	Hydrophilicity	596-603
11897.	58ng-1	Hydrophilicity	627-635
11898.	58ng-1	Hydrophilicity	644-652
11899.	58ng-1	Hydrophilicity	668-671
11900.	58ng-1	Hydrophilicity	682-688
11901.	58ng-1	Hydrophilicity	700-706
11902.	58ng-1	Hydrophilicity	713-715
11903.	58ng-1	Hydrophilicity	734-736
11904.	58ng-1	Hydrophilicity	747-753
11905.	58ng-1	Hydrophilicity	769-781

11906.	58ng-1	Hydrophilicity	787-795
11907.	58ng-1	Hydrophilicity	806-808
11908.	58ng-1	Hydrophilicity	814-822
11909.	58ng-1	Hydrophilicity	825-831
11910.	58ng-1	Hydrophilicity	841-845
11911.	58ng-1	Hydrophilicity	866-874
11912.	58ng-1	Hydrophilicity	906-913
11913.	58ng-1	Hydrophilicity	921-923
11914.	58ng-1	Hydrophilicity	925-928
11915.	58ng-1	Hydrophilicity	934-941
11916.	58ng-1	Hydrophilicity	943-958
11917.	58ng-1	Hydrophilicity	962-968
11918.	58ng-1	Hydrophilicity	974-976
11919.	58ng-1	Hydrophilicity	982-994
11920.	58ng-1	Hydrophilicity	999-1004
11921.	61ng-1	AMPHI	7-28
11922.	61ng-1	AMPHI	37-53
11923.	61ng-1	AMPHI	55-77
11924.	61ng-1	AMPHI	98-100
11925.	61ng-1	AMPHI	104-107
11926.	61ng-1	AMPHI	124-133
11927.	61ng-1	AMPHI	135-137
11928.	61ng-1	AMPHI	155-160
11929.	61ng-1	AMPHI	198-200
11930.	61ng-1	AMPHI	219-230
11931.	61ng-1	AMPHI	245-261
11932.	61ng-1	AMPHI	265-269
11933.	61ng-1	AMPHI	274-276
11934.	61ng-1	AMPHI	291-295
11935.	61ng-1	AMPHI	331-333
11936.	61ng-1	AMPHI	362-374
11937.	61ng-1	AMPHI	376-379
11938.	61ng-1	AMPHI	426-443
11939.	61ng-1	AMPHI	496-498
11940.	61ng-1	AMPHI	511-522
11941.	61ng-1	AMPHI	537-539
11942.	61ng-1	AMPHI	541-543
11943.	61ng-1	AMPHI	550-559
11944.	61ng-1	AMPHI	567-569
11945.	61ng-1	AMPHI	576-581
11946.	61ng-1	Antigenic Index	6-8
11947.	61ng-1	Antigenic Index	15-17
11948.	61ng-1	Antigenic Index	26-36
11949.	61ng-1	Antigenic Index	38-41

-312-

11950.	61ng-1	Antigenic Index	50-58
11951.	61ng-1	Antigenic Index	71-84
11952.	61ng-1	Antigenic Index	86-99
11953.	61ng-1	Antigenic Index	102-110
11954.	61ng-1	Antigenic Index	116-135
11955.	61ng-1	Antigenic Index	145-154
11956.	61ng-1	Antigenic Index	162-168
11957.	61ng-1	Antigenic Index	174-180
11958.	61ng-1	Antigenic Index	182-190
11959.	61ng-1	Antigenic Index	196-204
11960.	61ng-1	Antigenic Index	215-221
11961.	61ng-1	Antigenic Index	231-239
11962.	61ng-1	Antigenic Index	257-263
11963.	61ng-1	Antigenic Index	269-279
11964.	61ng-1	Antigenic Index	283-304
11965.	61ng-1	Antigenic Index	307-341
11966.	61ng-1	Antigenic Index	344-351
11967.	61ng-1	Antigenic Index	356-359
11968.	61ng-1	Antigenic Index	364-375
11969.	61ng-1	Antigenic Index	378-388
11970.	61ng-1	Antigenic Index	394-411
11971.	61ng-1	Antigenic Index	413-416
11972.	61ng-1	Antigenic Index	424-437
11973.	61ng-1	Antigenic Index	440-450
11974.	61ng-1	Antigenic Index	464-473
11975.	61ng-1	Antigenic Index	483-488
11976.	61ng-1	Antigenic Index	492-503
11977.	61ng-1	Antigenic Index	507-510
11978.	61ng-1	Antigenic Index	529-541
11979.	61ng-1	Antigenic Index	547-555
11980.	61ng-1	Antigenic Index	565-571
11981.	61ng-1	Antigenic Index	584-592
11982.	61ng-1	Hydrophilicity	15-17
11983.	61ng-1	Hydrophilicity	26-36
11984.	61ng-1	Hydrophilicity	50-55
11985.	61ng-1	Hydrophilicity	71-82
11986.	61ng-1	Hydrophilicity	86-99
11987.	61ng-1	Hydrophilicity	102-110
11988.	61ng-1	Hydrophilicity	118-135
11989.	61ng-1	Hydrophilicity	147-150
11990.	61ng-1	Hydrophilicity	162-167
11991.	61ng-1	Hydrophilicity	183-190
11992.	61ng-1	Hydrophilicity	196-202
11993.	61ng-1	Hydrophilicity	217-221

11994.	61ng-1	Hydrophilicity	232-239
11995.	61ng-1	Hydrophilicity	257-263
11996.	61ng-1	Hydrophilicity	270-279
11997.	61ng-1	Hydrophilicity	285-291
11998.	61ng-1	Hydrophilicity	293-302
11999.	61ng-1	Hydrophilicity	307-316
12000.	61ng-1	Hydrophilicity	320-339
12001.	61ng-1	Hydrophilicity	346-350
12002.	61ng-1	Hydrophilicity	367-372
12003.	61ng-1	Hydrophilicity	378-386
12004.	61ng-1	Hydrophilicity	395-411
12005.	61ng-1	Hydrophilicity	424-434
12006.	61ng-1	Hydrophilicity	442-448
12007.	61ng-1	Hydrophilicity	464-470
12008.	61ng-1	Hydrophilicity	483-488
12009.	61ng-1	Hydrophilicity	493-503
12010.	61ng-1	Hydrophilicity	529-541
12011.	61ng-1	Hydrophilicity	549-555
12012.	61ng-1	Hydrophilicity	565-571
12013.	61ng-1	Hydrophilicity	585-592
12014.	62ng-1	AMPHI	6-8
12015.	62ng-1	AMPHI	38-57
12016.	62ng-1	AMPHI	66-75
12017.	62ng-1	AMPHI	155-171
12018.	62ng-1	AMPHI	228-233
12019.	62ng-1	AMPHI	246-249
12020.	62ng-1	AMPHI	259-268
12021.	62ng-1	Antigenic Index	12-14
12022.	62ng-1	Antigenic Index	44-59
12023.	62ng-1	Antigenic Index	107-112
12024.	62ng-1	Antigenic Index	132-141
12025.	62ng-1	Antigenic Index	160-163
12026.	62ng-1	Antigenic Index	165-167
12027.	62ng-1	Antigenic Index	224-235
12028.	62ng-1	Antigenic Index	258-260
12029.	62ng-1	Antigenic Index	279-289
12030.	62ng-1	Hydrophilicity	45-59
12031.	62ng-1	Hydrophilicity	109-112
12032.	62ng-1	Hydrophilicity	133-139
12033.	62ng-1	Hydrophilicity	160-163
12034.	62ng-1	Hydrophilicity	165-167
12035.	62ng-1	Hydrophilicity	227-229
12036.	62ng-1	Hydrophilicity	231-233
12037.	62ng-1	Hydrophilicity	279-287

12038.	64ng-1	AMPHI	8-12
12039.	64ng-1	AMPHI	25-28
12040.	64ng-1	AMPHI	69-86
12041.	64ng-1	AMPHI	97-119
12042.	64ng-1	AMPHI	144-146
12043.	64ng-1	AMPHI	152-164
12044.	64ng-1	AMPHI	167-170
12045.	64ng-1	AMPHI	177-183
12046.	64ng-1	AMPHI	196-216
12047.	64ng-1	AMPHI	277-288
12048.	64ng-1	AMPHI	297-304
12049.	64ng-1	AMPHI	307-313
12050.	64ng-1	AMPHI	327-340
12051.	64ng-1	AMPHI	364-373
12052.	64ng-1	AMPHI	383-393
12053.	64ng-1	AMPHI	395-400
12054.	64ng-1	AMPHI	422-429
12055.	64ng-1	AMPHI	472-474
12056.	64ng-1	AMPHI	482-484
12057.	64ng-1	AMPHI	486-498
12058.	64ng-1	AMPHI	529-551
12059.	64ng-1	AMPHI	564-571
12060.	64ng-1	AMPHI	600-617
12061.	64ng-1	AMPHI	646-658
12062.	64ng-1	AMPHI	669-671
12063.	64ng-1	AMPHI	675-678
12064.	64ng-1	Antigenic Index	1-3
12065.	64ng-1	Antigenic Index	24-29
12066.	64ng-1	Antigenic Index	58-66
12067.	64ng-1	Antigenic Index	71-77
12068.	64ng-1	Antigenic Index	103-125
12069.	64ng-1	Antigenic Index	127-129
12070.	64ng-1	Antigenic Index	131-134
12071.	64ng-1	Antigenic Index	149-155
12072.	64ng-1	Antigenic Index	160-163
12073.	64ng-1	Antigenic Index	174-213
12074.	64ng-1	Antigenic Index	225-232
12075.	64ng-1	Antigenic Index	237-245
12076.	64ng-1	Antigenic Index	252-259
12077.	64ng-1	Antigenic Index	262-270
12078.	64ng-1	Antigenic Index	297-299
12079.	64ng-1	Antigenic Index	307-331
12080.	64ng-1	Antigenic Index	344-362
12081.	64ng-1	Antigenic Index	378-392

12082.	64ng-1	Antigenic Index	402-409
12083.	64ng-1	Antigenic Index	430-438
12084.	64ng-1	Antigenic Index	442-451
12085.	64ng-1	Antigenic Index	456-464
12086.	64ng-1	Antigenic Index	477-484
12087.	64ng-1	Antigenic Index	486-500
12088.	64ng-1	Antigenic Index	505-510
12089.	64ng-1	Antigenic Index	513-522
12090.	64ng-1	Antigenic Index	526-533
12091.	64ng-1	Antigenic Index	537-562
12092.	64ng-1	Antigenic Index	576-586
12093.	64ng-1	Antigenic Index	608-633
12094.	64ng-1	Antigenic Index	637-646
12095.	64ng-1	Antigenic Index	656-666
12096.	64ng-1	Antigenic Index	674-691
12097.	64ng-1	Antigenic Index	698-705
12098.	64ng-1	Hydrophilicity	1-3
12099.	64ng-1	Hydrophilicity	59-65
12100.	64ng-1	Hydrophilicity	71-76
12101.	64ng-1	Hydrophilicity	109-120
12102.	64ng-1	Hydrophilicity	123-125
12103.	64ng-1	Hydrophilicity	127-133
12104.	64ng-1	Hydrophilicity	174-183
12105.	64ng-1	Hydrophilicity	190-198
12106.	64ng-1	Hydrophilicity	207-211
12107.	64ng-1	Hydrophilicity	227-231
12108.	64ng-1	Hydrophilicity	239-241
12109.	64ng-1	Hydrophilicity	252-259
12110.	64ng-1	Hydrophilicity	262-268
12111.	64ng-1	Hydrophilicity	297-299
12112.	64ng-1	Hydrophilicity	307-313
12113.	64ng-1	Hydrophilicity	316-319
12114.	64ng-1	Hydrophilicity	322-331
12115.	64ng-1	Hydrophilicity	344-362
12116.	64ng-1	Hydrophilicity	378-392
12117.	64ng-1	Hydrophilicity	431-438
12118.	64ng-1	Hydrophilicity	442-451
12119.	64ng-1	Hydrophilicity	456-463
12120.	64ng-1	Hydrophilicity	477-484
12121.	64ng-1	Hydrophilicity	486-497
12122.	64ng-1	Hydrophilicity	505-510
12123.	64ng-1	Hydrophilicity	515-522
12124.	64ng-1	Hydrophilicity	527-533
12125.	64ng-1	Hydrophilicity	537-545

-316-

12126.	64ng-1	Hydrophilicity	547-551
12127.	64ng-1	Hydrophilicity	553-561
12128.	64ng-1	Hydrophilicity	576-586
12129.	64ng-1	Hydrophilicity	608-633
12130.	64ng-1	Hydrophilicity	639-646
12131.	64ng-1	Hydrophilicity	657-663
12132.	64ng-1	Hydrophilicity	674-676
12133.	64ng-1	Hydrophilicity	678-680
12134.	64ng-1	Hydrophilicity	682-690
12135.	64ng-1	Hydrophilicity	700-703
12136.	65ng-1	AMPHI	7-12
12137.	65ng-1	AMPHI	15-21
12138.	65ng-1	AMPHI	44-46
12139.	65ng-1	AMPHI	73-80
12140.	65ng-1	AMPHI	82-95
12141.	65ng-1	AMPHI	103-107
12142.	65ng-1	AMPHI	111-114
12143.	65ng-1	AMPHI	156-169
12144.	65ng-1	AMPHI	179-183
12145.	65ng-1	AMPHI	190-194
12146.	65ng-1	AMPHI	196-212
12147.	65ng-1	AMPHI	216-230
12148.	65ng-1	AMPHI	252-258
12149.	65ng-1	AMPHI	265-276
12150.	65ng-1	Hydrophilicity	6-12
12151.	65ng-1	Hydrophilicity	46-182
12152.	65ng-1	Hydrophilicity	189-207
12153.	65ng-1	Hydrophilicity	227-235
12154.	65ng-1	Hydrophilicity	266-279
12155.	65ng-1	Hydrophilicity	285-290
12156.	66ng-1	AMPHI	39-43
12157.	66ng-1	AMPHI	59-67
12158.	66ng-1	AMPHI	81-88
12159.	66ng-1	AMPHI	94-107
12160.	66ng-1	AMPHI	118-135
12161.	66ng-1	AMPHI	149-154
12162.	66ng-1	AMPHI	177-179
12163.	66ng-1	AMPHI	199-207
12164.	66ng-1	Antigenic Index	7-10
12165.	66ng-1	Antigenic Index	65-68
12166.	66ng-1	Antigenic Index	92-95
12167.	66ng-1	Antigenic Index	131-136
12168.	66ng-1	Antigenic Index	166-171
12169.	66ng-1	Antigenic Index	205-210

-317-

12170.	66ng-1	Antigenic Index	213-228
12171.	66ng-1	Hydrophilicity	8-10
12172.	66ng-1	Hydrophilicity	131-136
12173.	66ng-1	Hydrophilicity	166-171
12174.	66ng-1	Hydrophilicity	208-210
12175.	66ng-1	Hydrophilicity	213-223
12176.	72ng-1	AMPHI	32-36
12177.	72ng-1	AMPHI	43-52
12178.	72ng-1	AMPHI	59-69
12179.	72ng-1	AMPHI	94-104
12180.	72ng-1	AMPHI	121-129
12181.	72ng-1	Antigenic Index	5-7
12182.	72ng-1	Antigenic Index	26-30
12183.	72ng-1	Antigenic Index	32-35
12184.	72ng-1	Antigenic Index	40-47
12185.	72ng-1	Antigenic Index	51-67
12186.	72ng-1	Antigenic Index	73-81
12187.	72ng-1	Antigenic Index	87-89
12188.	72ng-1	Antigenic Index	95-108
12189.	72ng-1	Antigenic Index	125-145
12190.	72ng-1	Hydrophilicity	32-35
12191.	72ng-1	Hydrophilicity	41-47
12192.	72ng-1	Hydrophilicity	61-64
12193.	72ng-1	Hydrophilicity	75-81
12194.	72ng-1	Hydrophilicity	87-89
12195.	72ng-1	Hydrophilicity	98-104
12196.	72ng-1	Hydrophilicity	106-108
12197.	72ng-1	Hydrophilicity	125-145
12198.	73ng-1	AMPHI	15-17
12199.	73ng-1	AMPHI	23-26
12200.	73ng-1	AMPHI	37-41
12201.	73ng-1	AMPHI	50-53
12202.	73ng-1	AMPHI	63-65
12203.	73ng-1	AMPHI	91-96
12204.	73ng-1	AMPHI	116-119
12205.	73ng-1	AMPHI	143-145
12206.	73ng-1	AMPHI	147-151
12207.	73ng-1	Antigenic Index	25-30
12208.	73ng-1	Antigenic Index	60-68
12209.	73ng-1	Antigenic Index	103-105
12210.	73ng-1	Antigenic Index	110-116
12211.	73ng-1	Antigenic Index	120-161
12212.	73ng-1	Hydrophilicity	60-66
12213.	73ng-1	Hydrophilicity	122-137

12214.	73ng-1	Hydrophilicity	140-161
12215.	74ng-1	AMPHI	4-11
12216.	74ng-1	AMPHI	23-29
12217.	74ng-1	AMPHI	35-39
12218.	74ng-1	AMPHI	56-59
12219.	74ng-1	AMPHI	66-68
12220.	74ng-1	AMPHI	71-73
12221.	74ng-1	AMPHI	82-85
12222.	74ng-1	AMPHI	93-97
12223.	74ng-1	AMPHI	109-114
12224.	74ng-1	AMPHI	130-132
12225.	74ng-1	AMPHI	160-165
12226.	74ng-1	AMPHI	175-177
12227.	74ng-1	AMPHI	182-189
12228.	74ng-1	AMPHI	199-208
12229.	74ng-1	AMPHI	211-217
12230.	74ng-1	AMPHI	244-252
12231.	74ng-1	AMPHI	254-256
12232.	74ng-1	AMPHI	260-262
12233.	74ng-1	AMPHI	265-267
12234.	74ng-1	Antigenic Index	5-14
12235.	74ng-1	Antigenic Index	40-52
12236.	74ng-1	Antigenic Index	67-80
12237.	74ng-1	Antigenic Index	86-88
12238.	74ng-1	Antigenic Index	94-101
12239.	74ng-1	Antigenic Index	104-118
12240.	74ng-1	Antigenic Index	139-160
12241.	74ng-1	Antigenic Index	175-178
12242.	74ng-1	Antigenic Index	190-197
12243.	74ng-1	Antigenic Index	199-205
12244.	74ng-1	Antigenic Index	209-213
12245.	74ng-1	Antigenic Index	221-230
12246.	74ng-1	Antigenic Index	238-252
12247.	74ng-1	Antigenic Index	261-267
12248.	74ng-1	Antigenic Index	269-271
12249.	74ng-1	Antigenic Index	273-281
12250.	74ng-1	Antigenic Index	288-291
12251.	74ng-1	Hydrophilicity	5-13
12252.	74ng-1	Hydrophilicity	40-52
12253.	74ng-1	Hydrophilicity	67-80
12254.	74ng-1	Hydrophilicity	95-99
12255.	74ng-1	Hydrophilicity	105-117
12256.	74ng-1	Hydrophilicity	152-160
12257.	74ng-1	Hydrophilicity	175-177

12258.	74ng-1	Hydrophilicity	190-197
12259.	74ng-1	Hydrophilicity	199-204
12260.	74ng-1	Hydrophilicity	223-230
12261.	74ng-1	Hydrophilicity	238-252
12262.	74ng-1	Hydrophilicity	261-263
12263.	74ng-1	Hydrophilicity	265-267
12264.	74ng-1	Hydrophilicity	269-271
12265.	74ng-1	Hydrophilicity	273-281
12266.	74ng-1	Hydrophilicity	288-291
12267.	75ng-1	AMPHI	4-11
12268.	75ng-1	AMPHI	23-29
12269.	75ng-1	AMPHI	35-39
12270.	75ng-1	AMPHI	56-59
12271.	75ng-1	AMPHI	66-68
12272.	75ng-1	AMPHI	71-73
12273.	75ng-1	AMPHI	82-85
12274.	75ng-1	AMPHI	93-97
12275.	75ng-1	AMPHI	109-114
12276.	75ng-1	AMPHI	130-132
12277.	75ng-1	AMPHI	160-165
12278.	75ng-1	AMPHI	175-177
12279.	75ng-1	AMPHI	182-189
12280.	75ng-1	AMPHI	199-208
12281.	75ng-1	AMPHI	211-217
12282.	75ng-1	AMPHI	244-252
12283.	75ng-1	AMPHI	254-256
12284.	75ng-1	AMPHI	260-262
12285.	75ng-1	AMPHI	265-267
12286.	75ng-1	Antigenic Index	5-14
12287.	75ng-1	Antigenic Index	40-52
12288.	75ng-1	Antigenic Index	67-80
12289.	75ng-1	Antigenic Index	86-88
12290.	75ng-1	Antigenic Index	94-101
12291.	75ng-1	Antigenic Index	104-118
12292.	75ng-1	Antigenic Index	139-160
12293.	75ng-1	Antigenic Index	175-178
12294.	75ng-1	Antigenic Index	190-197
12295.	75ng-1	Antigenic Index	199-205
12296.	75ng-1	Antigenic Index	209-213
12297.	75ng-1	Antigenic Index	221-230
12298.	75ng-1	Antigenic Index	238-252
12299.	75ng-1	Antigenic Index	261-267
12300.	75ng-1	Antigenic Index	269-271
12301.	75ng-1	Antigenic Index	273-281

12302.	75ng-1	Antigenic Index	288-291
12303.	75ng-1	Hydrophilicity	5-13
12304.	75ng-1	Hydrophilicity	40-52
12305.	75ng-1	Hydrophilicity	67-80
12306.	75ng-1	Hydrophilicity	95-99
12307.	75ng-1	Hydrophilicity	105-117
12308.	75ng-1	Hydrophilicity	152-160
12309.	75ng-1	Hydrophilicity	175-177
12310.	75ng-1	Hydrophilicity	190-197
12311.	75ng-1	Hydrophilicity	199-204
12312.	75ng-1	Hydrophilicity	223-230
12313.	75ng-1	Hydrophilicity	238-252
12314.	75ng-1	Hydrophilicity	261-263
12315.	75ng-1	Hydrophilicity	265-267
12316.	75ng-1	Hydrophilicity	269-271
12317.	75ng-1	Hydrophilicity	273-281
12318.	75ng-1	Hydrophilicity	288-291
12319.	76ng-1	AMPHI	11-20
12320.	76ng-1	AMPHI	31-40
12321.	76ng-1	AMPHI	42-49
12322.	76ng-1	AMPHI	62-71
12323.	76ng-1	AMPHI	76-79
12324.	76ng-1	AMPHI	101-106
12325.	76ng-1	AMPHI	115-120
12326.	76ng-1	AMPHI	123-129
12327.	76ng-1	AMPHI	139-144
12328.	76ng-1	AMPHI	155-161
12329.	76ng-1	AMPHI	168-170
12330.	76ng-1	AMPHI	176-189
12331.	76ng-1	AMPHI	194-200
12332.	76ng-1	AMPHI	221-224
12333.	76ng-1	AMPHI	226-231
12334.	76ng-1	Antigenic Index	1-7
12335.	76ng-1	Antigenic Index	22-30
12336.	76ng-1	Antigenic Index	41-67
12337.	76ng-1	Antigenic Index	69-94
12338.	76ng-1	Antigenic Index	101-113
12339.	76ng-1	Antigenic Index	115-117
12340.	76ng-1	Antigenic Index	123-126
12341.	76ng-1	Antigenic Index	136-144
12342.	76ng-1	Antigenic Index	156-168
12343.	76ng-1	Antigenic Index	176-181
12344.	76ng-1	Antigenic Index	187-203
12345.	76ng-1	Antigenic Index	213-220

12346.	76ng-1	Antigenic Index	222-241
12347.	76ng-1	Antigenic Index	243-252
12348.	76ng-1	Hydrophilicity	1-7
12349.	76ng-1	Hydrophilicity	22-30
12350.	76ng-1	Hydrophilicity	41-67
12351.	76ng-1	Hydrophilicity	69-94
12352.	76ng-1	Hydrophilicity	101-113
12353.	76ng-1	Hydrophilicity	115-117
12354.	76ng-1	Hydrophilicity	123-126
12355.	76ng-1	Hydrophilicity	136-144
12356.	76ng-1	Hydrophilicity	156-168
12357.	76ng-1	Hydrophilicity	189-202
12358.	76ng-1	Hydrophilicity	213-220
12359.	76ng-1	Hydrophilicity	222-241
12360.	76ng-1	Hydrophilicity	243-252
12361.	77ng-1	AMPHI	13-18
12362.	77ng-1	AMPHI	25-28
12363.	77ng-1	AMPHI	31-35
12364.	77ng-1	AMPHI	38-44
12365.	77ng-1	AMPHI	50-52
12366.	77ng-1	AMPHI	56-58
12367.	77ng-1	AMPHI	76-78
12368.	77ng-1	AMPHI	86-88
12369.	77ng-1	AMPHI	103-104
12370.	77ng-1	AMPHI	111-114
12371.	77ng-1	AMPHI	124-126
12372.	77ng-1	AMPHI	131-134
12373.	77ng-1	AMPHI	170-177
12374.	77ng-1	AMPHI	191-203
12375.	77ng-1	Antigenic Index	22-31
12376.	77ng-1	Antigenic Index	34-44
12377.	77ng-1	Antigenic Index	80-94
12378.	77ng-1	Antigenic Index	101-104
12379.	77ng-1	Antigenic Index	155-158
12380.	77ng-1	Antigenic Index	167-181
12381.	77ng-1	Hydrophilicity	22-28
12382.	77ng-1	Hydrophilicity	38-44
12383.	77ng-1	Hydrophilicity	80-92
12384.	77ng-1	Hydrophilicity	171-178
12385.	78ng-1	AMPHI	4-6
12386.	78ng-1	AMPHI	42-44
12387.	78ng-1	AMPHI	58-61
12388.	78ng-1	AMPHI	78-80
12389.	78ng-1	AMPHI	84-89

12390.	78ng-1	AMPHI	93-96
12391.	78ng-1	AMPHI	98-105
12392.	78ng-1	AMPHI	113-117
12393.	78ng-1	AMPHI	141-147
12394.	78ng-1	AMPHI	169-175
12395.	78ng-1	AMPHI	183-186
12396.	78ng-1	AMPHI	200-202
12397.	78ng-1	AMPHI	210-226
12398.	78ng-1	Antigenic Index	25-27
12399.	78ng-1	Antigenic Index	30-35
12400.	78ng-1	Antigenic Index	46-49
12401.	78ng-1	Antigenic Index	63-65
12402.	78ng-1	Antigenic Index	79-81
12403.	78ng-1	Antigenic Index	89-106
12404.	78ng-1	Antigenic Index	115-118
12405.	78ng-1	Antigenic Index	128-133
12406.	78ng-1	Antigenic Index	157-160
12407.	78ng-1	Antigenic Index	194-199
12408.	78ng-1	Antigenic Index	205-227
12409.	78ng-1	Hydrophilicity	30-35
12410.	78ng-1	Hydrophilicity	79-81
12411.	78ng-1	Hydrophilicity	89-103
12412.	78ng-1	Hydrophilicity	128-133
12413.	78ng-1	Hydrophilicity	194-198
12414.	78ng-1	Hydrophilicity	205-227
12415.	79ng-1	AMPHI	4-6
12416.	79ng-1	AMPHI	12-18
12417.	79ng-1	AMPHI	26-35
12418.	79ng-1	AMPHI	39-45
12419.	79ng-1	AMPHI	51-53
12420.	79ng-1	AMPHI	82-84
12421.	79ng-1	AMPHI	93-95
12422.	79ng-1	AMPHI	111-117
12423.	79ng-1	AMPHI	142-145
12424.	79ng-1	Antigenic Index	1-4
12425.	79ng-1	Antigenic Index	23-29
12426.	79ng-1	Antigenic Index	31-40
12427.	79ng-1	Antigenic Index	45-51
12428.	79ng-1	Antigenic Index	56-59
12429.	79ng-1	Antigenic Index	61-68
12430.	79ng-1	Antigenic Index	72-101
12431.	79ng-1	Antigenic Index	109-121
12432.	79ng-1	Antigenic Index	125-131
12433.	79ng-1	Antigenic Index	135-141

12434.	79ng-1	Antigenic Index	149-156
12435.	79ng-1	Hydrophilicity	1-4
12436.	79ng-1	Hydrophilicity	26-29
12437.	79ng-1	Hydrophilicity	32-37
12438.	79ng-1	Hydrophilicity	45-51
12439.	79ng-1	Hydrophilicity	62-68
12440.	79ng-1	Hydrophilicity	76-85
12441.	79ng-1	Hydrophilicity	89-99
12442.	79ng-1	Hydrophilicity	109-121
12443.	79ng-1	Hydrophilicity	125-131
12444.	79ng-1	Hydrophilicity	135-139
12445.	79ng-1	Hydrophilicity	150-156
12446.	81ng-1	AMPHI	30-38
12447.	81ng-1	AMPHI	66-68
12448.	81ng-1	AMPHI	72-93
12449.	81ng-1	AMPHI	96-101
12450.	81ng-1	AMPHI	104-106
12451.	81ng-1	AMPHI	190-201
12452.	81ng-1	AMPHI	203-205
12453.	81ng-1	AMPHI	230-233
12454.	81ng-1	AMPHI	239-242
12455.	81ng-1	AMPHI	256-258
12456.	81ng-1	AMPHI	264-284
12457.	81ng-1	AMPHI	290-297
12458.	81ng-1	AMPHI	317-326
12459.	81ng-1	AMPHI	388-396
12460.	81ng-1	AMPHI	403-414
12461.	81ng-1	AMPHI	458-463
12462.	81ng-1	AMPHI	476-480
12463.	81ng-1	Antigenic Index	1-3
12464.	81ng-1	Antigenic Index	35-38
12465.	81ng-1	Antigenic Index	55-57
12466.	81ng-1	Antigenic Index	86-89
12467.	81ng-1	Antigenic Index	95-98
12468.	81ng-1	Antigenic Index	100-103
12469.	81ng-1	Antigenic Index	128-136
12470.	81ng-1	Antigenic Index	154-174
12471.	81ng-1	Antigenic Index	197-209
12472.	81ng-1	Antigenic Index	220-226
12473.	81ng-1	Antigenic Index	232-240
12474.	81ng-1	Antigenic Index	244-249
12475.	81ng-1	Antigenic Index	251-253
12476.	81ng-1	Antigenic Index	255-258
12477.	81ng-1	Antigenic Index	267-269

12478.	81ng-l	Antigenic Index	276-290
12479.	81ng-l	Antigenic Index	292-301
12480.	81ng-l	Antigenic Index	307-310
12481.	81ng-l	Antigenic Index	318-323
12482.	81ng-l	Antigenic Index	334-345
12483.	81ng-l	Antigenic Index	352-358
12484.	81ng-l	Antigenic Index	364-372
12485.	81ng-l	Antigenic Index	376-384
12486.	81ng-l	Antigenic Index	387-401
12487.	81ng-l	Antigenic Index	409-417
12488.	81ng-l	Antigenic Index	423-445
12489.	81ng-l	Antigenic Index	452-459
12490.	81ng-l	Antigenic Index	486-488
12491.	81ng-l	Antigenic Index	490-499
12492.	81ng-l	Antigenic Index	507-510
12493.	81ng-l	Antigenic Index	512-520
12494.	81ng-l	Hydrophilicity	1-3
12495.	81ng-l	Hydrophilicity	35-38
12496.	81ng-l	Hydrophilicity	55-57
12497.	81ng-l	Hydrophilicity	95-98
12498.	81ng-l	Hydrophilicity	128-136
12499.	81ng-l	Hydrophilicity	154-164
12500.	81ng-l	Hydrophilicity	166-172
12501.	81ng-l	Hydrophilicity	202-208
12502.	81ng-l	Hydrophilicity	220-226
12503.	81ng-l	Hydrophilicity	234-238
12504.	81ng-l	Hydrophilicity	245-249
12505.	81ng-l	Hydrophilicity	251-253
12506.	81ng-l	Hydrophilicity	284-287
12507.	81ng-l	Hydrophilicity	292-299
12508.	81ng-l	Hydrophilicity	307-310
12509.	81ng-l	Hydrophilicity	321-323
12510.	81ng-l	Hydrophilicity	338-345
12511.	81ng-l	Hydrophilicity	366-368
12512.	81ng-l	Hydrophilicity	378-384
12513.	81ng-l	Hydrophilicity	387-401
12514.	81ng-l	Hydrophilicity	409-415
12515.	81ng-l	Hydrophilicity	453-459
12516.	81ng-l	Hydrophilicity	493-499
12517.	81ng-l	Hydrophilicity	507-509
12518.	81ng-l	Hydrophilicity	512-518
12519.	83ng-l	AMPHI	14-21
12520.	83ng-l	AMPHI	44-47
12521.	83ng-l	AMPHI	81-83

12522.	83ng-l	AMPHI	90-96
12523.	83ng-l	AMPHI	114-117
12524.	83ng-l	AMPHI	123-126
12525.	83ng-l	AMPHI	128-131
12526.	83ng-l	AMPHI	135-141
12527.	83ng-l	AMPHI	168-174
12528.	83ng-l	AMPHI	180-182
12529.	83ng-l	AMPHI	199-202
12530.	83ng-l	AMPHI	230-232
12531.	83ng-l	AMPHI	260-269
12532.	83ng-l	AMPHI	274-280
12533.	83ng-l	AMPHI	296-298
12534.	83ng-l	AMPHI	303-306
12535.	83ng-l	Antigenic Index	23-32
12536.	83ng-l	Antigenic Index	34-36
12537.	83ng-l	Antigenic Index	40-58
12538.	83ng-l	Antigenic Index	65-79
12539.	83ng-l	Antigenic Index	82-84
12540.	83ng-l	Antigenic Index	86-99
12541.	83ng-l	Antigenic Index	104-113
12542.	83ng-l	Antigenic Index	132-145
12543.	83ng-l	Antigenic Index	149-157
12544.	83ng-l	Antigenic Index	159-167
12545.	83ng-l	Antigenic Index	184-193
12546.	83ng-l	Antigenic Index	201-209
12547.	83ng-l	Antigenic Index	215-222
12548.	83ng-l	Antigenic Index	227-237
12549.	83ng-l	Antigenic Index	239-243
12550.	83ng-l	Antigenic Index	245-250
12551.	83ng-l	Antigenic Index	259-261
12552.	83ng-l	Antigenic Index	263-272
12553.	83ng-l	Antigenic Index	279-313
12554.	83ng-l	Hydrophilicity	25-32
12555.	83ng-l	Hydrophilicity	34-36
12556.	83ng-l	Hydrophilicity	40-58
12557.	83ng-l	Hydrophilicity	66-70
12558.	83ng-l	Hydrophilicity	82-84
12559.	83ng-l	Hydrophilicity	90-96
12560.	83ng-l	Hydrophilicity	107-113
12561.	83ng-l	Hydrophilicity	132-143
12562.	83ng-l	Hydrophilicity	151-155
12563.	83ng-l	Hydrophilicity	161-166
12564.	83ng-l	Hydrophilicity	187-190
12565.	83ng-l	Hydrophilicity	203-208

12566.	83ng-1	Hydrophilicity	215-222
12567.	83ng-1	Hydrophilicity	227-237
12568.	83ng-1	Hydrophilicity	263-272
12569.	83ng-1	Hydrophilicity	285-313
12570.	84ng-1	AMPHI	15-22
12571.	84ng-1	AMPHI	41-47
12572.	84ng-1	AMPHI	59-67
12573.	84ng-1	AMPHI	72-85
12574.	84ng-1	AMPHI	104-108
12575.	84ng-1	AMPHI	111-114
12576.	84ng-1	AMPHI	128-133
12577.	84ng-1	AMPHI	138-140
12578.	84ng-1	AMPHI	155-158
12579.	84ng-1	AMPHI	166-170
12580.	84ng-1	AMPHI	175-180
12581.	84ng-1	AMPHI	185-190
12582.	84ng-1	AMPHI	195-201
12583.	84ng-1	AMPHI	226-230
12584.	84ng-1	AMPHI	258-261
12585.	84ng-1	AMPHI	271-273
12586.	84ng-1	AMPHI	283-299
12587.	84ng-1	AMPHI	317-322
12588.	84ng-1	AMPHI	327-330
12589.	84ng-1	AMPHI	348-353
12590.	84ng-1	AMPHI	374-376
12591.	84ng-1	AMPHI	381-388
12592.	84ng-1	Antigenic Index	9-18
12593.	84ng-1	Antigenic Index	24-42
12594.	84ng-1	Antigenic Index	45-48
12595.	84ng-1	Antigenic Index	54-70
12596.	84ng-1	Antigenic Index	76-85
12597.	84ng-1	Antigenic Index	91-95
12598.	84ng-1	Antigenic Index	97-109
12599.	84ng-1	Antigenic Index	114-120
12600.	84ng-1	Antigenic Index	128-137
12601.	84ng-1	Antigenic Index	139-141
12602.	84ng-1	Antigenic Index	152-154
12603.	84ng-1	Antigenic Index	162-170
12604.	84ng-1	Antigenic Index	180-187
12605.	84ng-1	Antigenic Index	190-193
12606.	84ng-1	Antigenic Index	198-205
12607.	84ng-1	Antigenic Index	228-247
12608.	84ng-1	Antigenic Index	249-265
12609.	84ng-1	Antigenic Index	274-286

-327-

12610.	84ng-l	Antigenic Index	288-291
12611.	84ng-l	Antigenic Index	300-307
12612.	84ng-l	Antigenic Index	311-360
12613.	84ng-l	Antigenic Index	363-371
12614.	84ng-l	Antigenic Index	373-388
12615.	84ng-l	Hydrophilicity	12-18
12616.	84ng-l	Hydrophilicity	24-42
12617.	84ng-l	Hydrophilicity	45-48
12618.	84ng-l	Hydrophilicity	54-70
12619.	84ng-l	Hydrophilicity	76-83
12620.	84ng-l	Hydrophilicity	91-95
12621.	84ng-l	Hydrophilicity	101-108
12622.	84ng-l	Hydrophilicity	131-137
12623.	84ng-l	Hydrophilicity	139-141
12624.	84ng-l	Hydrophilicity	152-154
12625.	84ng-l	Hydrophilicity	162-170
12626.	84ng-l	Hydrophilicity	180-187
12627.	84ng-l	Hydrophilicity	198-204
12628.	84ng-l	Hydrophilicity	230-247
12629.	84ng-l	Hydrophilicity	251-261
12630.	84ng-l	Hydrophilicity	274-282
12631.	84ng-l	Hydrophilicity	288-291
12632.	84ng-l	Hydrophilicity	301-306
12633.	84ng-l	Hydrophilicity	315-325
12634.	84ng-l	Hydrophilicity	327-330
12635.	84ng-l	Hydrophilicity	337-349
12636.	84ng-l	Hydrophilicity	351-359
12637.	84ng-l	Hydrophilicity	364-369
12638.	84ng-l	Hydrophilicity	375-384
12639.	85ng-l	AMPHI	4-6
12640.	85ng-l	AMPHI	9-13
12641.	85ng-l	AMPHI	19-24
12642.	85ng-l	AMPHI	36-40
12643.	85ng-l	AMPHI	44-51
12644.	85ng-l	AMPHI	56-60
12645.	85ng-l	AMPHI	68-71
12646.	85ng-l	AMPHI	78-81
12647.	85ng-l	AMPHI	86-89
12648.	85ng-l	AMPHI	124-128
12649.	85ng-l	AMPHI	144-148
12650.	85ng-l	AMPHI	158-163
12651.	85ng-l	AMPHI	184-186
12652.	85ng-l	AMPHI	202-206
12653.	85ng-l	AMPHI	210-215

12654.	85ng-l	AMPHI	231-233
12655.	85ng-l	AMPHI	257-259
12656.	85ng-l	AMPHI	264-266
12657.	85ng-l	AMPHI	273-275
12658.	85ng-l	AMPHI	277-279
12659.	85ng-l	AMPHI	311-313
12660.	85ng-l	AMPHI	331-334
12661.	85ng-l	AMPHI	341-345
12662.	85ng-l	AMPHI	361-365
12663.	85ng-l	AMPHI	370-373
12664.	85ng-l	AMPHI	378
12665.	85ng-l	AMPHI	384
12666.	85ng-l	Antigenic Index	19-22
12667.	85ng-l	Antigenic Index	24-31
12668.	85ng-l	Antigenic Index	37-45
12669.	85ng-l	Antigenic Index	47-57
12670.	85ng-l	Antigenic Index	65-73
12671.	85ng-l	Antigenic Index	78-109
12672.	85ng-l	Antigenic Index	121-129
12673.	85ng-l	Antigenic Index	133-148
12674.	85ng-l	Antigenic Index	156-159
12675.	85ng-l	Antigenic Index	162-169
12676.	85ng-l	Antigenic Index	173-180
12677.	85ng-l	Antigenic Index	185-189
12678.	85ng-l	Antigenic Index	195-201
12679.	85ng-l	Antigenic Index	205-208
12680.	85ng-l	Antigenic Index	225-240
12681.	85ng-l	Antigenic Index	245-263
12682.	85ng-l	Antigenic Index	269-279
12683.	85ng-l	Antigenic Index	269-279
12684.	85ng-l	Antigenic Index	290-298
12685.	85ng-l	Antigenic Index	301-313
12686.	85ng-l	Antigenic Index	332-331
12687.	85ng-l	Antigenic Index	335-369
12688.	85ng-l	Antigenic Index	374-392
12689.	85ng-l	Hydrophilicity	26-29
12690.	85ng-l	Hydrophilicity	37-45
12691.	85ng-l	Hydrophilicity	47-49
12692.	85ng-l	Hydrophilicity	51-55
12693.	85ng-l	Hydrophilicity	67-70
12694.	85ng-l	Hydrophilicity	78-87
12695.	85ng-l	Hydrophilicity	98-109
12696.	85ng-l	Hydrophilicity	121-129
12697.	85ng-l	Hydrophilicity	133-148

12698.	85ng-l	Hydrophilicity	156-159
12699.	85ng-l	Hydrophilicity	162-169
12700.	85ng-l	Hydrophilicity	173-179
12701.	85ng-l	Hydrophilicity	195-201
12702.	85ng-l	Hydrophilicity	225-238
12703.	85ng-l	Hydrophilicity	246-260
12704.	85ng-l	Hydrophilicity	273-279
12705.	85ng-l	Hydrophilicity	293-297
12706.	85ng-l	Hydrophilicity	307-313
12707.	85ng-l	Hydrophilicity	323-331
12708.	85ng-l	Hydrophilicity	335-369
12709.	85ng-l	Hydrophilicity	374-392
12710.	88ng-l	AMPHI	15-21
12711.	88ng-l	AMPHI	28-41
12712.	88ng-l	AMPHI	55-73
12713.	88ng-l	AMPHI	100-109
12714.	88ng-l	AMPHI	115-117
12715.	88ng-l	AMPHI	132-136
12716.	88ng-l	AMPHI	163-167
12717.	88ng-l	AMPHI	265-267
12718.	88ng-l	AMPHI	271-276
12719.	88ng-l	AMPHI	288-292
12720.	88ng-l	AMPHI	313-316
12721.	88ng-l	AMPHI	327-330
12722.	88ng-l	AMPHI	339-342
12723.	88ng-l	AMPHI	357-360
12724.	88ng-l	AMPHI	365-371
12725.	88ng-l	AMPHI	376-387
12726.	88ng-l	AMPHI	391-396
12727.	88ng-l	AMPHI	443-445
12728.	88ng-l	AMPHI	463-465
12729.	88ng-l	AMPHI	478-480
12730.	88ng-l	AMPHI	483-485
12731.	88ng-l	AMPHI	498-501
12732.	88ng-l	AMPHI	509-512
12733.	88ng-l	AMPHI	516-519
12734.	88ng-l	AMPHI	523-527
12735.	88ng-l	AMPHI	529-548
12736.	88ng-l	AMPHI	551-553
12737.	88ng-l	AMPHI	566-577
12738.	88ng-l	AMPHI	586-590
12739.	88ng-l	AMPHI	597-601
12740.	88ng-l	AMPHI	650-670
12741.	88ng-l	Antigenic Index	1-8

12742.	88ng-1	Antigenic Index	43-51
12743.	88ng-1	Antigenic Index	56-58
12744.	88ng-1	Antigenic Index	96-116
12745.	88ng-1	Antigenic Index	119-124
12746.	88ng-1	Antigenic Index	127-138
12747.	88ng-1	Antigenic Index	140-154
12748.	88ng-1	Antigenic Index	158-166
12749.	88ng-1	Antigenic Index	182-185
12750.	88ng-1	Antigenic Index	199-204
12751.	88ng-1	Antigenic Index	209-215
12752.	88ng-1	Antigenic Index	224-236
12753.	88ng-1	Antigenic Index	243-245
12754.	88ng-1	Antigenic Index	252-254
12755.	88ng-1	Antigenic Index	256-262
12756.	88ng-1	Antigenic Index	267-294
12757.	88ng-1	Antigenic Index	296-299
12758.	88ng-1	Antigenic Index	311-319
12759.	88ng-1	Antigenic Index	323-334
12760.	88ng-1	Antigenic Index	347-356
12761.	88ng-1	Antigenic Index	363-396
12762.	88ng-1	Antigenic Index	404-411
12763.	88ng-1	Antigenic Index	413-418
12764.	88ng-1	Antigenic Index	423-429
12765.	88ng-1	Antigenic Index	432-440
12766.	88ng-1	Antigenic Index	448-455
12767.	88ng-1	Antigenic Index	463-488
12768.	88ng-1	Antigenic Index	504-508
12769.	88ng-1	Antigenic Index	515-528
12770.	88ng-1	Antigenic Index	540-560
12771.	88ng-1	Antigenic Index	574-577
12772.	88ng-1	Antigenic Index	585-603
12773.	88ng-1	Antigenic Index	623-628
12774.	88ng-1	Antigenic Index	631-637
12775.	88ng-1	Antigenic Index	642-671
12776.	88ng-1	Hydrophilicity	1-6
12777.	88ng-1	Hydrophilicity	46-48
12778.	88ng-1	Hydrophilicity	101-116
12779.	88ng-1	Hydrophilicity	127-138
12780.	88ng-1	Hydrophilicity	140-143
12781.	88ng-1	Hydrophilicity	146-153
12782.	88ng-1	Hydrophilicity	158-163
12783.	88ng-1	Hydrophilicity	199-201
12784.	88ng-1	Hydrophilicity	209-215
12785.	88ng-1	Hydrophilicity	228-236

12786.	88ng-1	Hydrophilicity	252-254
12787.	88ng-1	Hydrophilicity	256-262
12788.	88ng-1	Hydrophilicity	270-294
12789.	88ng-1	Hydrophilicity	313-316
12790.	88ng-1	Hydrophilicity	324-334
12791.	88ng-1	Hydrophilicity	347-356
12792.	88ng-1	Hydrophilicity	363-378
12793.	88ng-1	Hydrophilicity	380-395
12794.	88ng-1	Hydrophilicity	404-411
12795.	88ng-1	Hydrophilicity	423-427
12796.	88ng-1	Hydrophilicity	434-438
12797.	88ng-1	Hydrophilicity	448-455
12798.	88ng-1	Hydrophilicity	463-488
12799.	88ng-1	Hydrophilicity	517-526
12800.	88ng-1	Hydrophilicity	540-546
12801.	88ng-1	Hydrophilicity	553-560
12802.	88ng-1	Hydrophilicity	586-594
12803.	88ng-1	Hydrophilicity	596-601
12804.	88ng-1	Hydrophilicity	623-628
12805.	88ng-1	Hydrophilicity	633-637
12806.	88ng-1	Hydrophilicity	643-671
12807.	89ng-1	AMPHI	22-32
12808.	89ng-1	AMPHI	37-48
12809.	89ng-1	AMPHI	52-59
12810.	89ng-1	AMPHI	61-63
12811.	89ng-1	AMPHI	101-104
12812.	89ng-1	AMPHI	106-114
12813.	89ng-1	AMPHI	123-130
12814.	89ng-1	AMPHI	132-140
12815.	89ng-1	AMPHI	142-146
12816.	89ng-1	Antigenic Index	2-10
12817.	89ng-1	Antigenic Index	37-46
12818.	89ng-1	Antigenic Index	61-76
12819.	89ng-1	Antigenic Index	82-95
12820.	89ng-1	Antigenic Index	99-107
12821.	89ng-1	Antigenic Index	128-162
12822.	89ng-1	Hydrophilicity	4-10
12823.	89ng-1	Hydrophilicity	64-76
12824.	89ng-1	Hydrophilicity	85-95
12825.	89ng-1	Hydrophilicity	99-107
12826.	89ng-1	Hydrophilicity	131-140
12827.	89ng-1	Hydrophilicity	148-154
12828.	89ng-1	Hydrophilicity	157-162
12829.	91ng-1	AMPHI	7-9

-332-

12830.	91ng-1	AMPHI	22-30
12831.	91ng-1	AMPHI	37-42
12832.	91ng-1	AMPHI	45-47
12833.	91ng-1	AMPHI	64-68
12834.	91ng-1	AMPHI	74-78
12835.	91ng-1	AMPHI	80-83
12836.	91ng-1	AMPHI	88-92
12837.	91ng-1	AMPHI	98-100
12838.	91ng-1	AMPHI	122-124
12839.	91ng-1	AMPHI	138-140
12840.	91ng-1	AMPHI	165-167
12841.	91ng-1	AMPHI	173-176
12842.	91ng-1	AMPHI	181-188
12843.	91ng-1	Antigenic Index	1-5
12844.	91ng-1	Antigenic Index	23-27
12845.	91ng-1	Antigenic Index	31-37
12846.	91ng-1	Antigenic Index	42-56
12847.	91ng-1	Antigenic Index	74-91
12848.	91ng-1	Antigenic Index	104-108
12849.	91ng-1	Antigenic Index	112-128
12850.	91ng-1	Antigenic Index	130-132
12851.	91ng-1	Antigenic Index	134-142
12852.	91ng-1	Antigenic Index	146-155
12853.	91ng-1	Antigenic Index	162-164
12854.	91ng-1	Antigenic Index	169-173
12855.	91ng-1	Antigenic Index	177-183
12856.	91ng-1	Antigenic Index	185-187
12857.	91ng-1	Antigenic Index	189-196
12858.	91ng-1	Hydrophilicity	1-5
12859.	91ng-1	Hydrophilicity	25-27
12860.	91ng-1	Hydrophilicity	31-35
12861.	91ng-1	Hydrophilicity	43-56
12862.	91ng-1	Hydrophilicity	78-91
12863.	91ng-1	Hydrophilicity	104-108
12864.	91ng-1	Hydrophilicity	112-119
12865.	91ng-1	Hydrophilicity	121-128
12866.	91ng-1	Hydrophilicity	130-132
12867.	91ng-1	Hydrophilicity	138-141
12868.	91ng-1	Hydrophilicity	151-154
12869.	91ng-1	Hydrophilicity	177-183
12870.	91ng-1	Hydrophilicity	189-196
12871.	117ng-1	AMPHI	26-33
12872.	117ng-1	AMPHI	41-43
12873.	117ng-1	AMPHI	53-57

-333-

12874.	117ng-1	AMPHI	68-73
12875.	117ng-1	AMPHI	106-113
12876.	117ng-1	AMPHI	136-139
12877.	117ng-1	AMPHI	158-166
12878.	117ng-1	AMPHI	174-190
12879.	117ng-1	AMPHI	196-200
12880.	117ng-1	AMPHI	281-284
12881.	117ng-1	AMPHI	299-305
12882.	117ng-1	AMPHI	316-327
12883.	117ng-1	AMPHI	339-341
12884.	117ng-1	AMPHI	343-346
12885.	117ng-1	AMPHI	348-352
12886.	117ng-1	AMPHI	361-363
12887.	117ng-1	AMPHI	392-395
12888.	117ng-1	AMPHI	403-408
12889.	117ng-1	AMPHI	414-417
12890.	117ng-1	AMPHI	432-440
12891.	117ng-1	AMPHI	488-497
12892.	117ng-1	AMPHI	512-516
12893.	117ng-1	AMPHI	544-546
12894.	117ng-1	AMPHI	551-556
12895.	117ng-1	AMPHI	566-572
12896.	117ng-1	AMPHI	605-608
12897.	117ng-1	AMPHI	623-627
12898.	117ng-1	AMPHI	633-635
12899.	117ng-1	AMPHI	673-678
12900.	117ng-1	AMPHI	690-694
12901.	117ng-1	Antigenic Index	4-30
12902.	117ng-1	Antigenic Index	32-61
12903.	117ng-1	Antigenic Index	67-74
12904.	117ng-1	Antigenic Index	76-100
12905.	117ng-1	Antigenic Index	105-108
12906.	117ng-1	Antigenic Index	112-115
12907.	117ng-1	Antigenic Index	122-137
12908.	117ng-1	Antigenic Index	140-143
12909.	117ng-1	Antigenic Index	151-173
12910.	117ng-1	Antigenic Index	175-177
12911.	117ng-1	Antigenic Index	180-210
12912.	117ng-1	Antigenic Index	219-223
12913.	117ng-1	Antigenic Index	235-244
12914.	117ng-1	Antigenic Index	256-265
12915.	117ng-1	Antigenic Index	270-273
12916.	117ng-1	Antigenic Index	279-292
12917.	117ng-1	Antigenic Index	296-305

12918.	117ng-1	Antigenic Index	307-313
12919.	117ng-1	Antigenic Index	337-356
12920.	117ng-1	Antigenic Index	258-360
12921.	117ng-1	Antigenic Index	362-364
12922.	117ng-1	Antigenic Index	369-375
12923.	117ng-1	Antigenic Index	380-386
12924.	117ng-1	Antigenic Index	391-447
12925.	117ng-1	Antigenic Index	452-468
12926.	117ng-1	Antigenic Index	472-479
12927.	117ng-1	Antigenic Index	487-506
12928.	117ng-1	Antigenic Index	508-526
12929.	117ng-1	Antigenic Index	530-536
12930.	117ng-1	Antigenic Index	542-552
12931.	117ng-1	Antigenic Index	559-578
12932.	117ng-1	Antigenic Index	588-617
12933.	117ng-1	Antigenic Index	621-638
12934.	117ng-1	Antigenic Index	651-666
12935.	117ng-1	Antigenic Index	688-697
12936.	117ng-1	Antigenic Index	709-721
12937.	117ng-1	Hydrophilicity	4-12
12938.	117ng-1	Hydrophilicity	15-27
12939.	117ng-1	Hydrophilicity	33-48
12940.	117ng-1	Hydrophilicity	53-60
12941.	117ng-1	Hydrophilicity	68-74
12942.	117ng-1	Hydrophilicity	76-78
12943.	117ng-1	Hydrophilicity	80-99
12944.	117ng-1	Hydrophilicity	131-137
12945.	117ng-1	Hydrophilicity	151-155
12946.	117ng-1	Hydrophilicity	157-163
12947.	117ng-1	Hydrophilicity	170-173
12948.	117ng-1	Hydrophilicity	175-177
12949.	117ng-1	Hydrophilicity	180-199
12950.	117ng-1	Hydrophilicity	202-207
12951.	117ng-1	Hydrophilicity	219-223
12952.	117ng-1	Hydrophilicity	235-244
12953.	117ng-1	Hydrophilicity	256-265
12954.	117ng-1	Hydrophilicity	279-283
12955.	117ng-1	Hydrophilicity	298-301
12956.	117ng-1	Hydrophilicity	307-313
12957.	117ng-1	Hydrophilicity	345-355
12958.	117ng-1	Hydrophilicity	362-364
12959.	117ng-1	Hydrophilicity	370-375
12960.	117ng-1	Hydrophilicity	380-385
12961.	117ng-1	Hydrophilicity	393-410

12962.	117ng-1	Hydrophilicity	417-419
12963.	117ng-1	Hydrophilicity	422-439
12964.	117ng-1	Hydrophilicity	441-447
12965.	117ng-1	Hydrophilicity	455-467
12966.	117ng-1	Hydrophilicity	473-477
12967.	117ng-1	Hydrophilicity	487-501
12968.	117ng-1	Hydrophilicity	508-518
12969.	117ng-1	Hydrophilicity	520-526
12970.	117ng-1	Hydrophilicity	532-534
12971.	117ng-1	Hydrophilicity	542-544
12972.	117ng-1	Hydrophilicity	546-552
12973.	117ng-1	Hydrophilicity	564-569
12974.	117ng-1	Hydrophilicity	573-575
12975.	117ng-1	Hydrophilicity	589-605
12976.	117ng-1	Hydrophilicity	611-615
12977.	117ng-1	Hydrophilicity	621-627
12978.	117ng-1	Hydrophilicity	631-635
12979.	117ng-1	Hydrophilicity	653-657
12980.	117ng-1	Hydrophilicity	661-665
12981.	117ng-1	Hydrophilicity	688-697
12982.	117ng-1	Hydrophilicity	711-721
12983.	119ng-1	AMPHI	10-12
12984.	119ng-1	AMPHI	25-33
12985.	119ng-1	AMPHI	48-51
12986.	119ng-1	AMPHI	68-84
12987.	119ng-1	AMPHI	120-127
12988.	119ng-1	AMPHI	132-138
12989.	119ng-1	AMPHI	147-150
12990.	119ng-1	AMPHI	154-160
12991.	119ng-1	AMPHI	173-176
12992.	119ng-1	AMPHI	180-192
12993.	119ng-1	AMPHI	210-213
12994.	119ng-1	AMPHI	215-217
12995.	119ng-1	AMPHI	237-255
12996.	119ng-1	AMPHI	261-279
12997.	119ng-1	AMPHI	289-292
12998.	119ng-1	AMPHI	349-357
12999.	119ng-1	AMPHI	363-371
13000.	119ng-1	AMPHI	388-400
13001.	119ng-1	Antigenic Index	20-57
13002.	119ng-1	Antigenic Index	60-87
13003.	119ng-1	Antigenic Index	91-111
13004.	119ng-1	Antigenic Index	121-151
13005.	119ng-1	Antigenic Index	156-161

13006.	119ng-1	Antigenic Index	179-186
13007.	119ng-1	Antigenic Index	188-196
13008.	119ng-1	Antigenic Index	202-208
13009.	119ng-1	Antigenic Index	212-214
13010.	119ng-1	Antigenic Index	229-241
13011.	119ng-1	Antigenic Index	243-247
13012.	119ng-1	Antigenic Index	252-255
13013.	119ng-1	Antigenic Index	278-281
13014.	119ng-1	Antigenic Index	290-292
13015.	119ng-1	Antigenic Index	296-300
13016.	119ng-1	Antigenic Index	309-314
13017.	119ng-1	Antigenic Index	318-324
13018.	119ng-1	Antigenic Index	331-337
13019.	119ng-1	Antigenic Index	341-348
13020.	119ng-1	Antigenic Index	356-366
13021.	119ng-1	Antigenic Index	376-378
13022.	119ng-1	Antigenic Index	385-393
13023.	119ng-1	Antigenic Index	398-401
13024.	119ng-1	Antigenic Index	407-412
13025.	119ng-1	Antigenic Index	415-423
13026.	119ng-1	Hydrophilicity	23-42
13027.	119ng-1	Hydrophilicity	45-56
13028.	119ng-1	Hydrophilicity	63-87
13029.	119ng-1	Hydrophilicity	91-97
13030.	119ng-1	Hydrophilicity	99-111
13031.	119ng-1	Hydrophilicity	121-127
13032.	119ng-1	Hydrophilicity	130-140
13033.	119ng-1	Hydrophilicity	147-149
13034.	119ng-1	Hydrophilicity	156-161
13035.	119ng-1	Hydrophilicity	179-186
13036.	119ng-1	Hydrophilicity	190-195
13037.	119ng-1	Hydrophilicity	202-208
13038.	119ng-1	Hydrophilicity	232-241
13039.	119ng-1	Hydrophilicity	243-247
13040.	119ng-1	Hydrophilicity	278-281
13041.	119ng-1	Hydrophilicity	296-300
13042.	119ng-1	Hydrophilicity	309-314
13043.	119ng-1	Hydrophilicity	320-322
13044.	119ng-1	Hydrophilicity	359-366
13045.	119ng-1	Hydrophilicity	385-393
13046.	119ng-1	Hydrophilicity	398-401
13047.	119ng-1	Hydrophilicity	407-412
13048.	119ng-1	Hydrophilicity	418-423
13049.	120ng-1	AMPHI	6-11

-337-

13050.	120ng-l	AMPHI	49-60
13051.	120ng-l	AMPHI	77-89
13052.	120ng-l	AMPHI	118-121
13053.	120ng-l	AMPHI	142-158
13054.	120ng-l	AMPHI	189-196
13055.	120ng-l	Antigenic Index	3-6
13056.	120ng-l	Antigenic Index	35-39
13057.	120ng-l	Antigenic Index	45-54
13058.	120ng-l	Antigenic Index	68-75
13059.	120ng-l	Antigenic Index	80-83
13060.	120ng-l	Antigenic Index	85-95
13061.	120ng-l	Antigenic Index	97-119
13062.	120ng-l	Antigenic Index	131-150
13063.	120ng-l	Antigenic Index	153-183
13064.	120ng-l	Antigenic Index	189-192
13065.	120ng-l	Antigenic Index	199-207
13066.	120ng-l	Antigenic Index	210-213
13067.	120ng-l	Antigenic Index	218-223
13068.	120ng-l	Hydrophilicity	3-5
13069.	120ng-l	Hydrophilicity	45-51
13070.	120ng-l	Hydrophilicity	68-70
13071.	120ng-l	Hydrophilicity	85-94
13072.	120ng-l	Hydrophilicity	97-100
13073.	120ng-l	Hydrophilicity	107-119
13074.	120ng-l	Hydrophilicity	131-136
13075.	120ng-l	Hydrophilicity	143-149
13076.	120ng-l	Hydrophilicity	155-160
13077.	120ng-l	Hydrophilicity	167-182
13078.	120ng-l	Hydrophilicity	200-207
13079.	120ng-l	Hydrophilicity	210-213
13080.	120ng-l	Hydrophilicity	219-223
13081.	121ng-l	AMPHI	11-14
13082.	121ng-l	AMPHI	30-34
13083.	121ng-l	AMPHI	36-40
13084.	121ng-l	AMPHI	42-54
13085.	121ng-l	AMPHI	89-103
13086.	121ng-l	AMPHI	114-117
13087.	121ng-l	AMPHI	119-121
13088.	121ng-l	AMPHI	123-127
13089.	121ng-l	AMPHI	134-147
13090.	121ng-l	AMPHI	154-164
13091.	121ng-l	AMPHI	188-211
13092.	121ng-l	AMPHI	244-246
13093.	121ng-l	AMPHI	255-261

-338-

13094.	121ng-l	AMPHI	263-285
13095.	121ng-l	AMPHI	287-291
13096.	121ng-l	AMPHI	314-330
13097.	121ng-l	Antigenic Index	1-10
13098.	121ng-l	Antigenic Index	53-63
13099.	121ng-l	Antigenic Index	95-97
13100.	121ng-l	Antigenic Index	115-118
13101.	121ng-l	Antigenic Index	120-124
13102.	121ng-l	Antigenic Index	134-141
13103.	121ng-l	Antigenic Index	150-156
13104.	121ng-l	Antigenic Index	179-184
13105.	121ng-l	Antigenic Index	187-189
13106.	121ng-l	Antigenic Index	191-193
13107.	121ng-l	Antigenic Index	198-204
13108.	121ng-l	Antigenic Index	234-236
13109.	121ng-l	Antigenic Index	271-273
13110.	121ng-l	Antigenic Index	297-304
13111.	121ng-l	Antigenic Index	341-348
13112.	121ng-l	Antigenic Index	352-356
13113.	121ng-l	Hydrophilicity	1-9
13114.	121ng-l	Hydrophilicity	56-63
13115.	121ng-l	Hydrophilicity	120-124
13116.	121ng-l	Hydrophilicity	136-138
13117.	121ng-l	Hydrophilicity	153-154
13118.	121ng-l	Hydrophilicity	187-189
13119.	121ng-l	Hydrophilicity	191-193
13120.	121ng-l	Hydrophilicity	198-304
13121.	121ng-l	Hydrophilicity	341-345
13122.	121ng-l	Hydrophilicity	353-356
13123.	122ng-l	AMPHI	7-9
13124.	122ng-l	AMPHI	29-34
13125.	122ng-l	AMPHI	71-77
13126.	122ng-l	AMPHI	82-86
13127.	122ng-l	AMPHI	94-102
13128.	122ng-l	AMPHI	108-116
13129.	122ng-l	AMPHI	136-138
13130.	122ng-l	AMPHI	158-163
13131.	122ng-l	AMPHI	169-172
13132.	122ng-l	AMPHI	177-199
13133.	122ng-l	AMPHI	202-208
13134.	122ng-l	AMPHI	234-245
13135.	122ng-l	Antigenic Index	1-13
13136.	122ng-l	Antigenic Index	28-34
13137.	122ng-l	Antigenic Index	47-50

13138.	122ng-1	Antigenic Index	59-61
13139.	122ng-1	Antigenic Index	69-77
13140.	122ng-1	Antigenic Index	87-102
13141.	122ng-1	Antigenic Index	107-111
13142.	122ng-1	Antigenic Index	122-128
13143.	122ng-1	Antigenic Index	133-137
13144.	122ng-1	Antigenic Index	140-144
13145.	122ng-1	Antigenic Index	150-159
13146.	122ng-1	Antigenic Index	167-177
13147.	122ng-1	Antigenic Index	184-187
13148.	122ng-1	Antigenic Index	190-192
13149.	122ng-1	Antigenic Index	198-210
13150.	122ng-1	Antigenic Index	212-232
13151.	122ng-1	Antigenic Index	246-256
13152.	122ng-1	Hydrophilicity	5-8
13153.	122ng-1	Hydrophilicity	10-13
13154.	122ng-1	Hydrophilicity	28-34
13155.	122ng-1	Hydrophilicity	90-94
13156.	122ng-1	Hydrophilicity	97-102
13157.	122ng-1	Hydrophilicity	122-128
13158.	122ng-1	Hydrophilicity	140-144
13159.	122ng-1	Hydrophilicity	153-159
13160.	122ng-1	Hydrophilicity	167-177
13161.	122ng-1	Hydrophilicity	190-192
13162.	122ng-1	Hydrophilicity	198-206
13163.	122ng-1	Hydrophilicity	208-210
13164.	122ng-1	Hydrophilicity	212-218
13165.	122ng-1	Hydrophilicity	226-228
13166.	122ng-1	Hydrophilicity	246-256
13167.	125ng-1	AMPHI	29-34
13168.	125ng-1	AMPHI	39-45
13169.	125ng-1	AMPHI	62-65
13170.	125ng-1	AMPHI	82-85
13171.	125ng-1	AMPHI	89-99
13172.	125ng-1	AMPHI	109-115
13173.	125ng-1	AMPHI	145-152
13174.	125ng-1	AMPHI	192-197
13175.	125ng-1	AMPHI	207-219
13176.	125ng-1	AMPHI	225-230
13177.	125ng-1	AMPHI	258-278
13178.	125ng-1	AMPHI	301-307
13179.	125ng-1	AMPHI	326-333
13180.	125ng-1	Antigenic Index	1-11
13181.	125ng-1	Antigenic Index	37-39

13182.	125ng-l	Antigenic Index	66-76
13183.	125ng-l	Antigenic Index	78-83
13184.	125ng-l	Antigenic Index	118-122
13185.	125ng-l	Antigenic Index	142-150
13186.	125ng-l	Antigenic Index	170-175
13187.	125ng-l	Antigenic Index	178-182
13188.	125ng-l	Antigenic Index	205-214
13189.	125ng-l	Antigenic Index	243-248
13190.	125ng-l	Antigenic Index	282-286
13191.	125ng-l	Antigenic Index	289-291
13192.	125ng-l	Antigenic Index	313-317
13193.	125ng-l	Antigenic Index	339-348
13194.	125ng-l	Antigenic Index	369-374
13195.	125ng-l	Antigenic Index	396-408
13196.	125ng-l	Hydrophilicity	5-10
13197.	125ng-l	Hydrophilicity	67-76
13198.	125ng-l	Hydrophilicity	142-147
13199.	125ng-l	Hydrophilicity	178-180
13200.	125ng-l	Hydrophilicity	205-214
13201.	125ng-l	Hydrophilicity	243-248
13202.	125ng-l	Hydrophilicity	289-291
13203.	125ng-l	Hydrophilicity	339-348
13204.	125ng-l	Hydrophilicity	399-408
13205.	126ng-l	AMPHI	10-12
13206.	126ng-l	AMPHI	30-33
13207.	126ng-l	AMPHI	35-37
13208.	126ng-l	AMPHI	52-60
13209.	126ng-l	AMPHI	62-64
13210.	126ng-l	AMPHI	72-74
13211.	126ng-l	AMPHI	104-112
13212.	126ng-l	AMPHI	138-140
13213.	126ng-l	AMPHI	157-168
13214.	126ng-l	AMPHI	201-214
13215.	126ng-l	AMPHI	228-235
13216.	126ng-l	AMPHI	264-266
13217.	126ng-l	AMPHI	271-283
13218.	126ng-l	AMPHI	287-290
13219.	126ng-l	AMPHI	293-295
13220.	126ng-l	AMPHI	319-321
13221.	126ng-l	Antigenic Index	8-14
13222.	126ng-l	Antigenic Index	22-25
13223.	126ng-l	Antigenic Index	28-39
13224.	126ng-l	Antigenic Index	54-82
13225.	126ng-l	Antigenic Index	86-92

13226.	126ng-l	Antigenic Index	96-106
13227.	126ng-l	Antigenic Index	108-155
13228.	126ng-l	Antigenic Index	162-169
13229.	126ng-l	Antigenic Index	175-188
13230.	126ng-l	Antigenic Index	192-219
13231.	126ng-l	Antigenic Index	226-239
13232.	126ng-l	Antigenic Index	244-249
13233.	126ng-l	Antigenic Index	256-272
13234.	126ng-l	Antigenic Index	284-287
13235.	126ng-l	Antigenic Index	298-301
13236.	126ng-l	Antigenic Index	303-318
13237.	126ng-l	Antigenic Index	345-358
13238.	126ng-l	Antigenic Index	363-366
13239.	126ng-l	Hydrophilicity	29-39
13240.	126ng-l	Hydrophilicity	54-67
13241.	126ng-l	Hydrophilicity	76-80
13242.	126ng-l	Hydrophilicity	87-90
13243.	126ng-l	Hydrophilicity	97-103
13244.	126ng-l	Hydrophilicity	108-135
13245.	126ng-l	Hydrophilicity	138-140
13246.	126ng-l	Hydrophilicity	149-155
13247.	126ng-l	Hydrophilicity	162-168
13248.	126ng-l	Hydrophilicity	175-182
13249.	126ng-l	Hydrophilicity	193-196
13250.	126ng-l	Hydrophilicity	205-210
13251.	126ng-l	Hydrophilicity	212-219
13252.	126ng-l	Hydrophilicity	230-233
13253.	126ng-l	Hydrophilicity	245-249
13254.	126ng-l	Hydrophilicity	257-264
13255.	126ng-l	Hydrophilicity	266-268
13256.	126ng-l	Hydrophilicity	270-272
13257.	126ng-l	Hydrophilicity	304-318
13258.	126ng-l	Hydrophilicity	346-358
13259.	126ng-l	Hydrophilicity	363-366
13260.	127ng-l	AMPHI	9-16
13261.	127ng-l	AMPHI	21-25
13262.	127ng-l	AMPHI	85-90
13263.	127ng-l	AMPHI	128-138
13264.	127ng-l	Antigenic Index	1-8
13265.	127ng-l	Antigenic Index	28-41
13266.	127ng-l	Antigenic Index	57-81
13267.	127ng-l	Antigenic Index	91-98
13268.	127ng-l	Antigenic Index	103-111
13269.	127ng-l	Antigenic Index	115-118

-342-

13270.	127ng-l	Antigenic Index	123-149
13271.	127ng-l	Hydrophilicity	1-6
13272.	127ng-l	Hydrophilicity	32-41
13273.	127ng-l	Hydrophilicity	61-67
13274.	127ng-l	Hydrophilicity	74-81
13275.	127ng-l	Hydrophilicity	91-95
13276.	127ng-l	Hydrophilicity	103-111
13277.	127ng-l	Hydrophilicity	115-117
13278.	127ng-l	Hydrophilicity	124-134
13279.	127ng-l	Hydrophilicity	139-149
13280.	128ng-l	AMPHI	13-18
13281.	128ng-l	AMPHI	53-56
13282.	128ng-l	AMPHI	68-79
13283.	128ng-l	AMPHI	81-86
13284.	128ng-l	AMPHI	97-107
13285.	128ng-l	AMPHI	162-170
13286.	128ng-l	AMPHI	187-196
13287.	128ng-l	AMPHI	204-207
13288.	128ng-l	AMPHI	210-213
13289.	128ng-l	AMPHI	224-230
13290.	128ng-l	AMPHI	261-263
13291.	128ng-l	AMPHI	283-285
13292.	128ng-l	AMPHI	327-333
13293.	128ng-l	AMPHI	335-338
13294.	128ng-l	AMPHI	385-387
13295.	128ng-l	AMPHI	389-392
13296.	128ng-l	AMPHI	403-405
13297.	128ng-l	AMPHI	412-422
13298.	128ng-l	AMPHI	454-460
13299.	128ng-l	AMPHI	470-472
13300.	128ng-l	AMPHI	500-512
13301.	128ng-l	AMPHI	535-551
13302.	128ng-l	AMPHI	558-566
13303.	128ng-l	AMPHI	596-599
13304.	128ng-l	AMPHI	606-621
13305.	128ng-l	Antigenic Index	4-14
13306.	128ng-l	Antigenic Index	27-34
13307.	128ng-l	Antigenic Index	57-75
13308.	128ng-l	Antigenic Index	98-107
13309.	128ng-l	Antigenic Index	128-133
13310.	128ng-l	Antigenic Index	142-144
13311.	128ng-l	Antigenic Index	158-166
13312.	128ng-l	Antigenic Index	194-198
13313.	128ng-l	Antigenic Index	221-235

-343-

13314.	128ng-l	Antigenic Index	250-257
13315.	128ng-l	Antigenic Index	277-280
13316.	128ng-l	Antigenic Index	315-322
13317.	128ng-l	Antigenic Index	347-356
13318.	128ng-l	Antigenic Index	380-392
13319.	128ng-l	Antigenic Index	395-403
13320.	128ng-l	Antigenic Index	410-413
13321.	128ng-l	Antigenic Index	423-430
13322.	128ng-l	Antigenic Index	433-440
13323.	128ng-l	Antigenic Index	444-465
13324.	128ng-l	Antigenic Index	475-487
13325.	128ng-l	Antigenic Index	495-508
13326.	128ng-l	Antigenic Index	517-533
13327.	128ng-l	Antigenic Index	539-555
13328.	128ng-l	Antigenic Index	559-564
13329.	128ng-l	Antigenic Index	572-580
13330.	128ng-l	Antigenic Index	582-584
13331.	128ng-l	Antigenic Index	587-593
13332.	128ng-l	Antigenic Index	605-621
13333.	128ng-l	Hydrophilicity	4-14
13334.	128ng-l	Hydrophilicity	67-74
13335.	128ng-l	Hydrophilicity	99-107
13336.	128ng-l	Hydrophilicity	128-133
13337.	128ng-l	Hydrophilicity	159-166
13338.	128ng-l	Hydrophilicity	222-235
13339.	128ng-l	Hydrophilicity	252-256
13340.	128ng-l	Hydrophilicity	317-322
13341.	128ng-l	Hydrophilicity	347-256
13342.	128ng-l	Hydrophilicity	380-388
13343.	128ng-l	Hydrophilicity	395-397
13344.	128ng-l	Hydrophilicity	410-412
13345.	128ng-l	Hydrophilicity	423-430
13346.	128ng-l	Hydrophilicity	433-439
13347.	128ng-l	Hydrophilicity	444-450
13348.	128ng-l	Hydrophilicity	452-465
13349.	128ng-l	Hydrophilicity	476-479
13350.	128ng-l	Hydrophilicity	483-487
13351.	128ng-l	Hydrophilicity	495-508
13352.	128ng-l	Hydrophilicity	520-533
13353.	128ng-l	Hydrophilicity	543-553
13354.	128ng-l	Hydrophilicity	559-564
13355.	128ng-l	Hydrophilicity	572-576
13356.	128ng-l	Hydrophilicity	578-580
13357.	128ng-l	Hydrophilicity	590-593

13358.	128ng-l	Hydrophilicity	605-620
13359.	129ng-l	AMPHI	38-49
13360.	129ng-l	AMPHI	52-55
13361.	129ng-l	AMPHI	132-137
13362.	129ng-l	AMPHI	150-154
13363.	129ng-l	AMPHI	157-160
13364.	129ng-l	AMPHI	170-183
13365.	129ng-l	AMPHI	194-201
13366.	129ng-l	AMPHI	221-223
13367.	129ng-l	AMPHI	230-234
13368.	129ng-l	Antigenic Index	3-5
13369.	129ng-l	Antigenic Index	49-53
13370.	129ng-l	Antigenic Index	95-99
13371.	129ng-l	Antigenic Index	102-105
13372.	129ng-l	Antigenic Index	108-116
13373.	129ng-l	Antigenic Index	127-130
13374.	129ng-l	Antigenic Index	140-152
13375.	129ng-l	Antigenic Index	170-176
13376.	129ng-l	Antigenic Index	186-191
13377.	129ng-l	Antigenic Index	207-210
13378.	129ng-l	Antigenic Index	212-217
13379.	129ng-l	Antigenic Index	238-248
13380.	129ng-l	Hydrophilicity	3-5
13381.	129ng-l	Hydrophilicity	49-53
13382.	129ng-l	Hydrophilicity	108-110
13383.	129ng-l	Hydrophilicity	112-114
13384.	129ng-l	Hydrophilicity	142-152
13385.	129ng-l	Hydrophilicity	170-175
13386.	129ng-l	Hydrophilicity	186-190
13387.	129ng-l	Hydrophilicity	212-215
13388.	129ng-l	Hydrophilicity	238-248
13389.	130ng-l	AMPHI	12-17
13390.	130ng-l	AMPHI	42-45
13391.	130ng-l	AMPHI	84-88
13392.	130ng-l	AMPHI	121-127
13393.	130ng-l	AMPHI	167-169
13394.	130ng-l	AMPHI	183-186
13395.	130ng-l	AMPHI	203-205
13396.	130ng-l	AMPHI	217-223
13397.	130ng-l	AMPHI	229-231
13398.	130ng-l	AMPHI	235-237
13399.	130ng-l	AMPHI	239-242
13400.	130ng-l	AMPHI	251-261
13401.	130ng-l	AMPHI	266-269

13402.	130ng-1	AMPHI	285-287
13403.	130ng-1	AMPHI	291-299
13404.	130ng-1	AMPHI	326-330
13405.	130ng-1	Antigenic Index	22-24
13406.	130ng-1	Antigenic Index	50-61
13407.	130ng-1	Antigenic Index	106-112
13408.	130ng-1	Antigenic Index	163-174
13409.	130ng-1	Antigenic Index	217-223
13410.	130ng-1	Antigenic Index	225-28
13411.	130ng-1	Antigenic Index	271-273
13412.	130ng-1	Antigenic Index	286-298
13413.	130ng-1	Antigenic Index	350-356
13414.	130ng-1	Hydrophilicity	50-52
13415.	130ng-1	Hydrophilicity	54-56
13416.	130ng-1	Hydrophilicity	108-111
13417.	130ng-1	Hydrophilicity	163-172
13418.	130ng-1	Hydrophilicity	217-223
13419.	130ng-1	Hydrophilicity	225-228
13420.	130ng-1	Hydrophilicity	350-356
13421.	131ng-1	AMPHI	23-45
13422.	131ng-1	AMPHI	69-73
13423.	131ng-1	AMPHI	77-80
13424.	131ng-1	AMPHI	87-92
13425.	131ng-1	AMPHI	106-112
13426.	131ng-1	AMPHI	118-121
13427.	131ng-1	Antigenic Index	21-23
13428.	131ng-1	Antigenic Index	29-44
13429.	131ng-1	Antigenic Index	49-85
13430.	131ng-1	Antigenic Index	88-135
13431.	131ng-1	Hydrophilicity	37-44
13432.	131ng-1	Hydrophilicity	54-65
13433.	131ng-1	Hydrophilicity	67-81
13434.	131ng-1	Hydrophilicity	88-95
13435.	131ng-1	Hydrophilicity	99-135
13436.	132ng-1	AMPHI	10-20
13437.	132ng-1	AMPHI	52-59
13438.	132ng-1	AMPHI	72-84
13439.	132ng-1	AMPHI	91-93
13440.	132ng-1	AMPHI	138-144
13441.	132ng-1	AMPHI	151-155
13442.	132ng-1	AMPHI	203-210
13443.	132ng-1	AMPHI	213-222
13444.	132ng-1	AMPHI	234-244
13445.	132ng-1	AMPHI	248-255

-346-

13446.	132ng-1	AMPHI	291-297
13447.	132ng-1	AMPHI	311-322
13448.	132ng-1	AMPHI	335-344
13449.	132ng-1	AMPHI	361-366
13450.	132ng-1	AMPHI	382-389
13451.	132ng-1	AMPHI	405-408
13452.	132ng-1	AMPHI	419-433
13453.	132ng-1	Antigenic Index	8-11
13454.	132ng-1	Antigenic Index	13-15
13455.	132ng-1	Antigenic Index	20-26
13456.	132ng-1	Antigenic Index	28-39
13457.	132ng-1	Antigenic Index	52-55
13458.	132ng-1	Antigenic Index	57-63
13459.	132ng-1	Antigenic Index	71-79
13460.	132ng-1	Antigenic Index	83-88
13461.	132ng-1	Antigenic Index	93-96
13462.	132ng-1	Antigenic Index	111-119
13463.	132ng-1	Antigenic Index	140-146
13464.	132ng-1	Antigenic Index	149-166
13465.	132ng-1	Antigenic Index	169-174
13466.	132ng-1	Antigenic Index	177-193
13467.	132ng-1	Antigenic Index	197-201
13468.	132ng-1	Antigenic Index	220-227
13469.	132ng-1	Antigenic Index	230-259
13470.	132ng-1	Antigenic Index	261-269
13471.	132ng-1	Antigenic Index	273-279
13472.	132ng-1	Antigenic Index	287-291
13473.	132ng-1	Antigenic Index	319-333
13474.	132ng-1	Antigenic Index	336-341
13475.	132ng-1	Antigenic Index	343-346
13476.	132ng-1	Antigenic Index	353-362
13477.	132ng-1	Antigenic Index	367-381
13478.	132ng-1	Antigenic Index	386-392
13479.	132ng-1	Antigenic Index	397-404
13480.	132ng-1	Antigenic Index	411-413
13481.	132ng-1	Antigenic Index	415-424
13482.	132ng-1	Antigenic Index	428-436
13483.	132ng-1	Antigenic Index	442-445
13484.	132ng-1	Antigenic Index	455-458
13485.	132ng-1	Hydrophilicity	20-26
13486.	132ng-1	Hydrophilicity	29-35
13487.	132ng-1	Hydrophilicity	52-55
13488.	132ng-1	Hydrophilicity	57-63
13489.	132ng-1	Hydrophilicity	72-79

-347-

13490.	132ng-1	Hydrophilicity	113-119
13491.	132ng-1	Hydrophilicity	151-162
13492.	132ng-1	Hydrophilicity	169-174
13493.	132ng-1	Hydrophilicity	177-183
13494.	132ng-1	Hydrophilicity	188-191
13495.	132ng-1	Hydrophilicity	197-201
13496.	132ng-1	Hydrophilicity	239-242
13497.	132ng-1	Hydrophilicity	250-253
13498.	132ng-1	Hydrophilicity	263-265
13499.	132ng-1	Hydrophilicity	267-269
13500.	132ng-1	Hydrophilicity	273-279
13501.	132ng-1	Hydrophilicity	289-291
13502.	132ng-1	Hydrophilicity	319-331
13503.	132ng-1	Hydrophilicity	354-360
13504.	132ng-1	Hydrophilicity	367-374
13505.	132ng-1	Hydrophilicity	386-392
13506.	132ng-1	Hydrophilicity	400-404
13507.	132ng-1	Hydrophilicity	415-422
13508.	132ng-1	Hydrophilicity	428-436
13509.	132ng-1	Hydrophilicity	455-458
13510.	133ng-1	AMPHI	25-31
13511.	133ng-1	AMPHI	38-42
13512.	133ng-1	AMPHI	72-86
13513.	133ng-1	AMPHI	108-123
13514.	133ng-1	AMPHI	130-135
13515.	133ng-1	AMPHI	144-150
13516.	133ng-1	AMPHI	159-170
13517.	133ng-1	AMPHI	188-191
13518.	133ng-1	AMPHI	194-197
13519.	133ng-1	AMPHI	213-216
13520.	133ng-1	AMPHI	240-248
13521.	133ng-1	AMPHI	273-282
13522.	133ng-1	AMPHI	286-308
13523.	133ng-1	AMPHI	327-333
13524.	133ng-1	AMPHI	343-350
13525.	133ng-1	AMPHI	393-432
13526.	133ng-1	AMPHI	471-477
13527.	133ng-1	AMPHI	494-497
13528.	133ng-1	AMPHI	507-509
13529.	133ng-1	AMPHI	539-543
13530.	133ng-1	AMPHI	562-566
13531.	133ng-1	AMPHI	569-572
13532.	133ng-1	AMPHI	583-589
13533.	133ng-1	AMPHI	595-603

13534.	133ng-1	AMPHI	608-616
13535.	133ng-1	AMPHI	623-626
13536.	133ng-1	AMPHI	657-671
13537.	133ng-1	AMPHI	678-681
13538.	133ng-1	AMPHI	694-698
13539.	133ng-1	AMPHI	711-719
13540.	133ng-1	AMPHI	725-740
13541.	133ng-1	AMPHI	742-744
13542.	133ng-1	AMPHI	749-762
13543.	133ng-1	AMPHI	781-794
13544.	133ng-1	AMPHI	799-823
13545.	133ng-1	AMPHI	831-835
13546.	133ng-1	AMPHI	848-851
13547.	133ng-1	AMPHI	855-864
13548.	133ng-1	AMPHI	870-872
13549.	133ng-1	AMPHI	902-910
13550.	133ng-1	Antigenic Index	1-8
13551.	133ng-1	Antigenic Index	22-35
13552.	133ng-1	Antigenic Index	43-80
13553.	133ng-1	Antigenic Index	83-85
13554.	133ng-1	Antigenic Index	88-95
13555.	133ng-1	Antigenic Index	100-108
13556.	133ng-1	Antigenic Index	123-137
13557.	133ng-1	Antigenic Index	139-145
13558.	133ng-1	Antigenic Index	150-161
13559.	133ng-1	Antigenic Index	166-171
13560.	133ng-1	Antigenic Index	174-176
13561.	133ng-1	Antigenic Index	178-185
13562.	133ng-1	Antigenic Index	193-203
13563.	133ng-1	Antigenic Index	211-217
13564.	133ng-1	Antigenic Index	224-234
13565.	133ng-1	Antigenic Index	236-257
13566.	133ng-1	Antigenic Index	261-317
13567.	133ng-1	Antigenic Index	319-333
13568.	133ng-1	Antigenic Index	335-342
13569.	133ng-1	Antigenic Index	346-365
13570.	133ng-1	Antigenic Index	377-379
13571.	133ng-1	Antigenic Index	387-400
13572.	133ng-1	Antigenic Index	407-434
13573.	133ng-1	Antigenic Index	443-454
13574.	133ng-1	Antigenic Index	461-468
13575.	133ng-1	Antigenic Index	475-488
13576.	133ng-1	Antigenic Index	493-485
13577.	133ng-1	Antigenic Index	506-513

13578.	133ng-l	Antigenic Index	525-560
13579.	133ng-l	Antigenic Index	563-577
13580.	133ng-l	Antigenic Index	582-587
13581.	133ng-l	Antigenic Index	593-603
13582.	133ng-l	Antigenic Index	610-616
13583.	133ng-l	Antigenic Index	620-629
13584.	133ng-l	Antigenic Index	632-646
13585.	133ng-l	Antigenic Index	652-659
13586.	133ng-l	Antigenic Index	670-678
13587.	133ng-l	Antigenic Index	681-684
13588.	133ng-l	Antigenic Index	688-704
13589.	133ng-l	Antigenic Index	706-710
13590.	133ng-l	Antigenic Index	720-750
13591.	133ng-l	Antigenic Index	757-777
13592.	133ng-l	Antigenic Index	784-824
13593.	133ng-l	Antigenic Index	834-842
13594.	133ng-l	Antigenic Index	846-868
13595.	133ng-l	Antigenic Index	873-904
13596.	133ng-l	Antigenic Index	908-913
13597.	133ng-l	Antigenic Index	919-922
13598.	133ng-l	Hydrophilicity	3-7
13599.	133ng-l	Hydrophilicity	24-35
13600.	133ng-l	Hydrophilicity	43-80
13601.	133ng-l	Hydrophilicity	88-95
13602.	133ng-l	Hydrophilicity	101-107
13603.	133ng-l	Hydrophilicity	125-133
13604.	133ng-l	Hydrophilicity	150-153
13605.	133ng-l	Hydrophilicity	174-176
13606.	133ng-l	Hydrophilicity	178-181
13607.	133ng-l	Hydrophilicity	197-203
13608.	133ng-l	Hydrophilicity	211-214
13609.	133ng-l	Hydrophilicity	225-230
13610.	133ng-l	Hydrophilicity	249-257
13611.	133ng-l	Hydrophilicity	263-265
13612.	133ng-l	Hydrophilicity	272-279
13613.	133ng-l	Hydrophilicity	287-312
13614.	133ng-l	Hydrophilicity	324-330
13615.	133ng-l	Hydrophilicity	337-339
13616.	133ng-l	Hydrophilicity	348-355
13617.	133ng-l	Hydrophilicity	357-364
13618.	133ng-l	Hydrophilicity	388-399
13619.	133ng-l	Hydrophilicity	407-411
13620.	133ng-l	Hydrophilicity	416-419
13621.	133ng-l	Hydrophilicity	427-434

-350-

13622.	133ng-l	Hydrophilicity	446-454
13623.	133ng-l	Hydrophilicity	462-467
13624.	133ng-l	Hydrophilicity	476-483
13625.	133ng-l	Hydrophilicity	506-512
13626.	133ng-l	Hydrophilicity	535-556
13627.	133ng-l	Hydrophilicity	564-575
13628.	133ng-l	Hydrophilicity	596-599
13629.	133ng-l	Hydrophilicity	620-626
13630.	133ng-l	Hydrophilicity	634-636
13631.	133ng-l	Hydrophilicity	638-646
13632.	133ng-l	Hydrophilicity	652-658
13633.	133ng-l	Hydrophilicity	688-702
13634.	133ng-l	Hydrophilicity	723-726
13635.	133ng-l	Hydrophilicity	729-747
13636.	133ng-l	Hydrophilicity	757-767
13637.	133ng-l	Hydrophilicity	788-799
13638.	133ng-l	Hydrophilicity	810-824
13639.	133ng-l	Hydrophilicity	836-842
13640.	133ng-l	Hydrophilicity	846-848
13641.	133ng-l	Hydrophilicity	850-858
13642.	133ng-l	Hydrophilicity	860-868
13643.	133ng-l	Hydrophilicity	875-893
13644.	133ng-l	Hydrophilicity	897-901
13645.	133ng-l	Hydrophilicity	909-912
13646.	134ng-l	AMPHI	12-19
13647.	134ng-l	AMPHI	21-33
13648.	134ng-l	AMPHI	37-48
13649.	134ng-l	AMPHI	109-112
13650.	134ng-l	AMPHI	196-205
13651.	134ng-l	AMPHI	221-224
13652.	134ng-l	AMPHI	227-235
13653.	134ng-l	AMPHI	248-259
13654.	134ng-l	AMPHI	262-264
13655.	134ng-l	AMPHI	268-271
13656.	134ng-l	AMPHI	335-337
13657.	134ng-l	AMPHI	339-344
13658.	134ng-l	AMPHI	351-355
13659.	134ng-l	Antigenic Index	9-13
13660.	134ng-l	Antigenic Index	34-51
13661.	134ng-l	Antigenic Index	56-71
13662.	134ng-l	Antigenic Index	73-85
13663.	134ng-l	Antigenic Index	91-97
13664.	134ng-l	Antigenic Index	99-107
13665.	134ng-l	Antigenic Index	118-141

-351-

13666.	134ng-l	Antigenic Index	147-161
13667.	134ng-l	Antigenic Index	165-172
13668.	134ng-l	Antigenic Index	177-188
13669.	134ng-l	Antigenic Index	194-197
13670.	134ng-l	Antigenic Index	204-212
13671.	134ng-l	Antigenic Index	214-231
13672.	134ng-l	Antigenic Index	233-240
13673.	134ng-l	Antigenic Index	243-254
13674.	134ng-l	Antigenic Index	256-259
13675.	134ng-l	Antigenic Index	288-297
13676.	134ng-l	Antigenic Index	301-308
13677.	134ng-l	Antigenic Index	345-347
13678.	134ng-l	Antigenic Index	372-378
13679.	134ng-l	Antigenic Index	385-388
13680.	134ng-l	Hydrophilicity	9-13
13681.	134ng-l	Hydrophilicity	36-47
13682.	134ng-l	Hydrophilicity	60-70
13683.	134ng-l	Hydrophilicity	73-81
13684.	134ng-l	Hydrophilicity	102-106
13685.	134ng-l	Hydrophilicity	121-127
13686.	134ng-l	Hydrophilicity	129-141
13687.	134ng-l	Hydrophilicity	147-161
13688.	134ng-l	Hydrophilicity	165-171
13689.	134ng-l	Hydrophilicity	177-185
13690.	134ng-l	Hydrophilicity	204-209
13691.	134ng-l	Hydrophilicity	214-231
13692.	134ng-l	Hydrophilicity	233-240
13693.	134ng-l	Hydrophilicity	246-254
13694.	134ng-l	Hydrophilicity	257-259
13695.	134ng-l	Hydrophilicity	288-297
13696.	134ng-l	Hydrophilicity	301-307
13697.	134ng-l	Hydrophilicity	374-378
13698.	134ng-l	Hydrophilicity	385-388
13699.	135ng-l	AMPHI	20-25
13700.	135ng-l	AMPHI	27-31
13701.	135ng-l	AMPHI	47-49
13702.	135ng-l	AMPHI	72-76
13703.	135ng-l	AMPHI	152-165
13704.	135ng-l	AMPHI	167-169
13705.	135ng-l	AMPHI	196-214
13706.	135ng-l	AMPHI	229-236
13707.	135ng-l	AMPHI	249-254
13708.	135ng-l	AMPHI	268-271
13709.	135ng-l	AMPHI	280-286

-352-

13710.	135ng-1	Antigenic Index	1-9
13711.	135ng-1	Antigenic Index	28-33
13712.	135ng-1	Antigenic Index	38-41
13713.	135ng-1	Antigenic Index	59-79
13714.	135ng-1	Antigenic Index	118-123
13715.	135ng-1	Antigenic Index	143-152
13716.	135ng-1	Antigenic Index	169-182
13717.	135ng-1	Antigenic Index	231-240
13718.	135ng-1	Antigenic Index	288-293
13719.	135ng-1	Antigenic Index	297-300
13720.	135ng-1	Hydrophilicity	1-9
13721.	135ng-1	Hydrophilicity	28-33
13722.	135ng-1	Hydrophilicity	59-66
13723.	135ng-1	Hydrophilicity	73-75
13724.	135ng-1	Hydrophilicity	118-123
13725.	135ng-1	Hydrophilicity	145-151
13726.	135ng-1	Hydrophilicity	169-175
13727.	135ng-1	Hydrophilicity	231-240
13728.	135ng-1	Hydrophilicity	291-293
13729.	135ng-1	Hydrophilicity	297-300
13730.	136ng-1	AMPHI	17-19
13731.	136ng-1	AMPHI	21-30
13732.	136ng-1	AMPHI	35-43
13733.	136ng-1	AMPHI	51-62
13734.	136ng-1	AMPHI	70-76
13735.	136ng-1	AMPHI	95-102
13736.	136ng-1	AMPHI	106-109
13737.	136ng-1	AMPHI	111-113
13738.	136ng-1	AMPHI	135-144
13739.	136ng-1	AMPHI	157-160
13740.	136ng-1	AMPHI	168-171
13741.	136ng-1	AMPHI	173-186
13742.	136ng-1	Antigenic Index	1-6
13743.	136ng-1	Antigenic Index	56-63
13744.	136ng-1	Antigenic Index	98-103
13745.	136ng-1	Antigenic Index	111-115
13746.	136ng-1	Antigenic Index	126-129
13747.	136ng-1	Antigenic Index	147-162
13748.	136ng-1	Antigenic Index	166-171
13749.	136ng-1	Antigenic Index	197-201
13750.	136ng-1	Antigenic Index	204-210
13751.	136ng-1	Antigenic Index	216-218
13752.	136ng-1	Antigenic Index	222-235
13753.	136ng-1	Hydrophilicity	1-6

-353-

13754.	136ng-l	Hydrophilicity	56-60
13755.	136ng-l	Hydrophilicity	98-103
13756.	136ng-l	Hydrophilicity	126-129
13757.	136ng-l	Hydrophilicity	147-159
13758.	136ng-l	Hydrophilicity	166-171
13759.	136ng-l	Hydrophilicity	205-209
13760.	136ng-l	Hydrophilicity	223-235
13761.	137ng-l	AMPHI	6-15
13762.	137ng-l	AMPHI	21-25
13763.	137ng-l	AMPHI	29-38
13764.	137ng-l	AMPHI	40-45
13765.	137ng-l	AMPHI	54-69
13766.	137ng-l	AMPHI	78-80
13767.	137ng-l	AMPHI	82-85
13768.	137ng-l	AMPHI	87-91
13769.	137ng-l	AMPHI	123-132
13770.	137ng-l	AMPHI	141-143
13771.	137ng-l	AMPHI	155-160
13772.	137ng-l	AMPHI	166-183
13773.	137ng-l	AMPHI	194-196
13774.	137ng-l	AMPHI	199-201
13775.	137ng-l	AMPHI	222-238
13776.	137ng-l	AMPHI	264-269
13777.	137ng-l	AMPHI	283-286
13778.	137ng-l	Antigenic Index	27-41
13779.	137ng-l	Antigenic Index	51-58
13780.	137ng-l	Antigenic Index	66-73
13781.	137ng-l	Antigenic Index	80-82
13782.	137ng-l	Antigenic Index	91-112
13783.	137ng-l	Antigenic Index	122-141
13784.	137ng-l	Antigenic Index	152-158
13785.	137ng-l	Antigenic Index	164-172
13786.	137ng-l	Antigenic Index	187-197
13787.	137ng-l	Antigenic Index	204-212
13788.	137ng-l	Antigenic Index	218-227
13789.	137ng-l	Antigenic Index	249-252
13790.	137ng-l	Antigenic Index	255-257
13791.	137ng-l	Antigenic Index	268-285
13792.	137ng-l	Antigenic Index	287-296
13793.	137ng-l	Hydrophilicity	31-41
13794.	137ng-l	Hydrophilicity	53-55
13795.	137ng-l	Hydrophilicity	66-72
13796.	137ng-l	Hydrophilicity	94-112
13797.	137ng-l	Hydrophilicity	122-128

-354-

13798.	137ng-1	Hydrophilicity	131-139
13799.	137ng-1	Hydrophilicity	152-158
13800.	137ng-1	Hydrophilicity	169-172
13801.	137ng-1	Hydrophilicity	190-193
13802.	137ng-1	Hydrophilicity	204-209
13803.	137ng-1	Hydrophilicity	218-226
13804.	137ng-1	Hydrophilicity	249-252
13805.	137ng-1	Hydrophilicity	255-257
13806.	137ng-1	Hydrophilicity	270-285
13807.	137ng-1	Hydrophilicity	287-296
13808.	138ng-1	AMPHI	20-35
13809.	138ng-1	AMPHI	37-41
13810.	138ng-1	AMPHI	75-78
13811.	138ng-1	AMPHI	89-116
13812.	138ng-1	AMPHI	135-168
13813.	138ng-1	AMPHI	148-165
13814.	138ng-1	AMPHI	178-189
13815.	138ng-1	AMPHI	209-218
13816.	138ng-1	AMPHI	230-233
13817.	138ng-1	AMPHI	263-265
13818.	138ng-1	AMPHI	281-284
13819.	138ng-1	Antigenic Index	10-13
13820.	138ng-1	Antigenic Index	39-43
13821.	138ng-1	Antigenic Index	50-57
13822.	138ng-1	Antigenic Index	64-73
13823.	138ng-1	Antigenic Index	79-85
13824.	138ng-1	Antigenic Index	92-100
13825.	138ng-1	Antigenic Index	114-121
13826.	138ng-1	Antigenic Index	131-139
13827.	138ng-1	Antigenic Index	151-163
13828.	138ng-1	Antigenic Index	165-177
13829.	138ng-1	Antigenic Index	179-186
13830.	138ng-1	Antigenic Index	188-192
13831.	138ng-1	Antigenic Index	199-210
13832.	138ng-1	Antigenic Index	218-220
13833.	138ng-1	Antigenic Index	232-234
13834.	138ng-1	Antigenic Index	241-249
13835.	138ng-1	Antigenic Index	257-268
13836.	138ng-1	Antigenic Index	273-279
13837.	138ng-1	Antigenic Index	292-297
13838.	138ng-1	Hydrophilicity	50-57
13839.	138ng-1	Hydrophilicity	65-72
13840.	138ng-1	Hydrophilicity	79-85
13841.	138ng-1	Hydrophilicity	92-100

-355-

13842.	138ng-l	Hydrophilicity	114-119
13843.	138ng-l	Hydrophilicity	151-163
13844.	138ng-l	Hydrophilicity	165-174
13845.	138ng-l	Hydrophilicity	183-186
13846.	138ng-l	Hydrophilicity	188-192
13847.	138ng-l	Hydrophilicity	201-207
13848.	138ng-l	Hydrophilicity	232-234
13849.	138ng-l	Hydrophilicity	243-246
13850.	138ng-l	Hydrophilicity	257-268
13851.	138ng-l	Hydrophilicity	274-276
13852.	138ng-l	Hydrophilicity	294-297
13853.	139ng-l	AMPHI	12-15
13854.	139ng-l	AMPHI	17-23
13855.	139ng-l	AMPHI	102-108
13856.	139ng-l	AMPHI	143-151
13857.	139ng-l	AMPHI	157-172
13858.	139ng-l	AMPHI	262-270
13859.	139ng-l	AMPHI	295-297
13860.	139ng-l	AMPHI	300-302
13861.	139ng-l	AMPHI	314-318
13862.	139ng-l	AMPHI	331-337
13863.	139ng-l	AMPHI	384-389
13864.	139ng-l	AMPHI	396-402
13865.	139ng-l	AMPHI	405-408
13866.	139ng-l	AMPHI	410-413
13867.	139ng-l	AMPHI	447-452
13868.	139ng-l	AMPHI	464-471
13869.	139ng-l	AMPHI	475-480
13870.	139ng-l	AMPHI	488-492
13871.	139ng-l	Antigenic Index	1-6
13872.	139ng-l	Antigenic Index	82-84
13873.	139ng-l	Antigenic Index	117-124
13874.	139ng-l	Antigenic Index	157-160
13875.	139ng-l	Antigenic Index	163-166
13876.	139ng-l	Antigenic Index	170-172
13877.	139ng-l	Antigenic Index	175-177
13878.	139ng-l	Antigenic Index	181-184
13879.	139ng-l	Antigenic Index	194-196
13880.	139ng-l	Antigenic Index	204-210
13881.	139ng-l	Antigenic Index	252-259
13882.	139ng-l	Antigenic Index	263-270
13883.	139ng-l	Antigenic Index	300-314
13884.	139ng-l	Antigenic Index	341-343
13885.	139ng-l	Antigenic Index	372-374

13886.	139ng-1	Antigenic Index	404-410
13887.	139ng-1	Antigenic Index	416-419
13888.	139ng-1	Antigenic Index	433-439
13889.	139ng-1	Antigenic Index	457-463
13890.	139ng-1	Antigenic Index	473-481
13891.	139ng-1	Antigenic Index	501-513
13892.	139ng-1	Hydrophilicity	1-3
13893.	139ng-1	Hydrophilicity	120-124
13894.	139ng-1	Hydrophilicity	252-259
13895.	139ng-1	Hydrophilicity	302-310
13896.	139ng-1	Hydrophilicity	341-343
13897.	139ng-1	Hydrophilicity	407-410
13898.	139ng-1	Hydrophilicity	433-439
13899.	139ng-1	Hydrophilicity	459-461
13900.	139ng-1	Hydrophilicity	474-481
13901.	139ng-1	Hydrophilicity	502-513
13902.	140ng-1	AMPHI	11-13
13903.	140ng-1	AMPHI	38-50
13904.	140ng-1	AMPHI	62-69
13905.	140ng-1	AMPHI	73-90
13906.	140ng-1	AMPHI	92-102
13907.	140ng-1	AMPHI	155-162
13908.	140ng-1	AMPHI	186-188
13909.	140ng-1	AMPHI	192-194
13910.	140ng-1	AMPHI	205-216
13911.	140ng-1	AMPHI	221-223
13912.	140ng-1	AMPHI	231-236
13913.	140ng-1	AMPHI	275-279
13914.	140ng-1	AMPHI	286-294
13915.	140ng-1	AMPHI	306-315
13916.	140ng-1	AMPHI	330-335
13917.	140ng-1	AMPHI	342-348
13918.	140ng-1	AMPHI	428-432
13919.	140ng-1	AMPHI	434-436
13920.	140ng-1	Antigenic Index	1-8
13921.	140ng-1	Antigenic Index	31-33
13922.	140ng-1	Antigenic Index	65-68
13923.	140ng-1	Antigenic Index	86-96
13924.	140ng-1	Antigenic Index	104-110
13925.	140ng-1	Antigenic Index	140-148
13926.	140ng-1	Antigenic Index	169-172
13927.	140ng-1	Antigenic Index	179-182
13928.	140ng-1	Antigenic Index	200-203
13929.	140ng-1	Antigenic Index	208-210

-357-

13930.	140ng-l	Antigenic Index	219-237
13931.	140ng-l	Antigenic Index	264-272
13932.	140ng-l	Antigenic Index	297-315
13933.	140ng-l	Antigenic Index	328-330
13934.	140ng-l	Antigenic Index	337-341
13935.	140ng-l	Antigenic Index	344-346
13936.	140ng-l	Antigenic Index	348-350
13937.	140ng-l	Antigenic Index	370-373
13938.	140ng-l	Antigenic Index	409-412
13939.	140ng-l	Antigenic Index	415-421
13940.	140ng-l	Hydrophilicity	1-7
13941.	140ng-l	Hydrophilicity	31-33
13942.	140ng-l	Hydrophilicity	86-88
13943.	140ng-l	Hydrophilicity	104-110
13944.	140ng-l	Hydrophilicity	140-148
13945.	140ng-l	Hydrophilicity	208-210
13946.	140ng-l	Hydrophilicity	224-237
13947.	140ng-l	Hydrophilicity	264-272
13948.	140ng-l	Hydrophilicity	298-313
13949.	140ng-l	Hydrophilicity	344-346
13950.	140ng-l	Hydrophilicity	348-350
13951.	141ng-l	AMPHI	13-15
13952.	141ng-l	AMPHI	35-37
13953.	141ng-l	AMPHI	41-44
13954.	141ng-l	AMPHI	46-58
13955.	141ng-l	AMPHI	82-94
13956.	141ng-l	AMPHI	97-100
13957.	141ng-l	AMPHI	103-106
13958.	141ng-l	AMPHI	108-110
13959.	141ng-l	AMPHI	119-126
13960.	141ng-l	AMPHI	136-151
13961.	141ng-l	AMPHI	188-191
13962.	141ng-l	AMPHI	145-272
13963.	141ng-l	AMPHI	336-350
13964.	141ng-l	AMPHI	352-367
13965.	141ng-l	AMPHI	381-385
13966.	141ng-l	AMPHI	429-433
13967.	141ng-l	AMPHI	458-464
13968.	141ng-l	AMPHI	471-482
13969.	141ng-l	AMPHI	500-503
13970.	141ng-l	AMPHI	517-521
13971.	141ng-l	AMPHI	523-531
13972.	141ng-l	Antigenic Index	4-18
13973.	141ng-l	Antigenic Index	31-34

-358-

13974.	141ng-1	Antigenic Index	41-47
13975.	141ng-1	Antigenic Index	57-59
13976.	141ng-1	Antigenic Index	69-73
13977.	141ng-1	Antigenic Index	89-92
13978.	141ng-1	Antigenic Index	94-98
13979.	141ng-1	Antigenic Index	123-129
13980.	141ng-1	Antigenic Index	165-172
13981.	141ng-1	Antigenic Index	179-181
13982.	141ng-1	Antigenic Index	208-216
13983.	141ng-1	Antigenic Index	239-241
13984.	141ng-1	Antigenic Index	256-258
13985.	141ng-1	Antigenic Index	262-264
13986.	141ng-1	Antigenic Index	281-284
13987.	141ng-1	Antigenic Index	295-301
13988.	141ng-1	Antigenic Index	319-327
13989.	141ng-1	Antigenic Index	343-349
13990.	141ng-1	Antigenic Index	376-379
13991.	141ng-1	Antigenic Index	383-386
13992.	141ng-1	Antigenic Index	396-401
13993.	141ng-1	Antigenic Index	417-427
13994.	141ng-1	Antigenic Index	452-456
13995.	141ng-1	Antigenic Index	461-464
13996.	141ng-1	Antigenic Index	467-480
13997.	141ng-1	Antigenic Index	485-491
13998.	141ng-1	Antigenic Index	497-499
13999.	141ng-1	Antigenic Index	501-514
14000.	141ng-1	Antigenic Index	516-526
14001.	141ng-1	Antigenic Index	533-542
14002.	141ng-1	Antigenic Index	547-558
14003.	141ng-1	Hydrophilicity	7-17
14004.	141ng-1	Hydrophilicity	95-98
14005.	141ng-1	Hydrophilicity	125-127
14006.	141ng-1	Hydrophilicity	166-172
14007.	141ng-1	Hydrophilicity	210-212
14008.	141ng-1	Hydrophilicity	214-216
14009.	141ng-1	Hydrophilicity	262-264
14010.	141ng-1	Hydrophilicity	295-297
14011.	141ng-1	Hydrophilicity	322-325
14012.	141ng-1	Hydrophilicity	343-349
14013.	141ng-1	Hydrophilicity	383-386
14014.	141ng-1	Hydrophilicity	397-400
14015.	141ng-1	Hydrophilicity	418-427
14016.	141ng-1	Hydrophilicity	452-456
14017.	141ng-1	Hydrophilicity	461-464

-359-

14018.	141ng-l	Hydrophilicity	469-480
14019.	141ng-l	Hydrophilicity	488-490
14020.	141ng-l	Hydrophilicity	504-514
14021.	141ng-l	Hydrophilicity	519-523
14022.	141ng-l	Hydrophilicity	534-542
14023.	141ng-l	Hydrophilicity	547-558
14024.	142ng-l	AMPHI	6-8
14025.	142ng-l	AMPHI	27-31
14026.	142ng-l	AMPHI	35-40
14027.	142ng-l	AMPHI	64-66
14028.	142ng-l	AMPHI	80-93
14029.	142ng-l	AMPHI	109-112
14030.	142ng-l	AMPHI	129-131
14031.	142ng-l	AMPHI	147-153
14032.	142ng-l	AMPHI	172-188
14033.	142ng-l	AMPHI	204-206
14034.	142ng-l	AMPHI	219-224
14035.	142ng-l	AMPHI	238-241
14036.	142ng-l	AMPHI	284-286
14037.	142ng-l	AMPHI	311-314
14038.	142ng-l	AMPHI	321-327
14039.	142ng-l	Antigenic Index	1-15
14040.	142ng-l	Antigenic Index	20-26
14041.	142ng-l	Antigenic Index	34-58
14042.	142ng-l	Antigenic Index	66-68
14043.	142ng-l	Antigenic Index	76-80
14044.	142ng-l	Antigenic Index	90-105
14045.	142ng-l	Antigenic Index	108-119
14046.	142ng-l	Antigenic Index	124-145
14047.	142ng-l	Antigenic Index	151-193
14048.	142ng-l	Antigenic Index	198-204
14049.	142ng-l	Antigenic Index	221-234
14050.	142ng-l	Antigenic Index	239-270
14051.	142ng-l	Antigenic Index	282-287
14052.	142ng-l	Antigenic Index	303-305
14053.	142ng-l	Antigenic Index	307-309
14054.	142ng-l	Antigenic Index	319-334
14055.	142ng-l	Hydrophilicity	1-10
14056.	142ng-l	Hydrophilicity	38-56
14057.	142ng-l	Hydrophilicity	92-96
14058.	142ng-l	Hydrophilicity	98-100
14059.	142ng-l	Hydrophilicity	109-119
14060.	142ng-l	Hydrophilicity	124-145
14061.	142ng-l	Hydrophilicity	151-153

-360-

14062.	142ng-l	Hydrophilicity	160-170
14063.	142ng-l	Hydrophilicity	172-186
14064.	142ng-l	Hydrophilicity	188-191
14065.	142ng-l	Hydrophilicity	199-201
14066.	142ng-l	Hydrophilicity	226-234
14067.	142ng-l	Hydrophilicity	242-248
14068.	142ng-l	Hydrophilicity	250-253
14069.	142ng-l	Hydrophilicity	303-305
14070.	142ng-l	Hydrophilicity	319-328
14071.	143ng-l	AMPHI	19-21
14072.	143ng-l	AMPHI	34-38
14073.	143ng-l	AMPHI	40-44
14074.	143ng-l	AMPHI	68-70
14075.	143ng-l	AMPHI	161-163
14076.	143ng-l	AMPHI	189-197
14077.	143ng-l	Antigenic Index	25-36
14078.	143ng-l	Antigenic Index	39-55
14079.	143ng-l	Antigenic Index	57-63
14080.	143ng-l	Antigenic Index	78-95
14081.	143ng-l	Antigenic Index	101-116
14082.	143ng-l	Antigenic Index	126-132
14083.	143ng-l	Antigenic Index	139-147
14084.	143ng-l	Antigenic Index	156-160
14085.	143ng-l	Antigenic Index	163-170
14086.	143ng-l	Antigenic Index	190-195
14087.	143ng-l	Antigenic Index	205-213
14088.	143ng-l	Hydrophilicity	26-32
14089.	143ng-l	Hydrophilicity	34-36
14090.	143ng-l	Hydrophilicity	39-55
14091.	143ng-l	Hydrophilicity	57-63
14092.	143ng-l	Hydrophilicity	80-86
14093.	143ng-l	Hydrophilicity	88-95
14094.	143ng-l	Hydrophilicity	102-106
14095.	143ng-l	Hydrophilicity	109-115
14096.	143ng-l	Hydrophilicity	126-132
14097.	143ng-l	Hydrophilicity	139-147
14098.	143ng-l	Hydrophilicity	164-169
14099.	143ng-l	Hydrophilicity	192-195
14100.	143ng-l	Hydrophilicity	208-211
14101.	144ng-l	AMPHI	6-12
14102.	144ng-l	AMPHI	41-75
14103.	144ng-l	AMPHI	84-106
14104.	144ng-l	AMPHI	115-130
14105.	144ng-l	AMPHI	171-182

-361-

14106.	144ng-l	AMPHI	191-198
14107.	144ng-l	AMPHI	200-202
14108.	144ng-l	AMPHI	214-218
14109.	144ng-l	AMPHI	235-246
14110.	144ng-l	AMPHI	258-261
14111.	144ng-l	AMPHI	270-272
14112.	144ng-l	AMPHI	280-284
14113.	144ng-l	AMPHI	287-297
14114.	144ng-l	AMPHI	301-318
14115.	144ng-l	AMPHI	325-337
14116.	144ng-l	AMPHI	355-365
14117.	144ng-l	AMPHI	376-389
14118.	144ng-l	Antigenic Index	9-15
14119.	144ng-l	Antigenic Index	25-33
14120.	144ng-l	Antigenic Index	62-70
14121.	144ng-l	Antigenic Index	81-83
14122.	144ng-l	Antigenic Index	91-99
14123.	144ng-l	Antigenic Index	118-123
14124.	144ng-l	Antigenic Index	130-135
14125.	144ng-l	Antigenic Index	149-151
14126.	144ng-l	Antigenic Index	163-172
14127.	144ng-l	Antigenic Index	180-184
14128.	144ng-l	Antigenic Index	200-203
14129.	144ng-l	Antigenic Index	205-209
14130.	144ng-l	Antigenic Index	232-240
14131.	144ng-l	Antigenic Index	274-276
14132.	144ng-l	Antigenic Index	278-294
14133.	144ng-l	Antigenic Index	302-309
14134.	144ng-l	Antigenic Index	313-335
14135.	144ng-l	Antigenic Index	341-346
14136.	144ng-l	Antigenic Index	349-357
14137.	144ng-l	Antigenic Index	369-376
14138.	144ng-l	Antigenic Index	397-408
14139.	144ng-l	Hydrophilicity	11-15
14140.	144ng-l	Hydrophilicity	25-33
14141.	144ng-l	Hydrophilicity	65-67
14142.	144ng-l	Hydrophilicity	91-99
14143.	144ng-l	Hydrophilicity	118-120
14144.	144ng-l	Hydrophilicity	180-184
14145.	144ng-l	Hydrophilicity	279-294
14146.	144ng-l	Hydrophilicity	302-309
14147.	144ng-l	Hydrophilicity	313-319
14148.	144ng-l	Hydrophilicity	322-334
14149.	144ng-l	Hydrophilicity	350-357

-362-

14150.	144ng-l	Hydrophilicity	369-376
14151.	144ng-l	Hydrophilicity	397-408

It will be understood that the invention is described above by way of example only and modifications may be made whilst remaining within the scope and spirit of the invention.

TABLE II

The present invention does not include within its scope proteins comprising any of the 446 protein sequences disclosed in WO99/24578. As stated above, if the length of any particular protein sequence disclosed in WO99/24578 is x amino acids, the antigenic fragment of the present invention has at most $x-1$ amino acids of that protein. For each of the 446 protein sequences given in WO99/24578, the value of x is given in the following table:

SEQ ID NO:	x	SEQ ID NO:	x	SEQ ID NO:	x	SEQ ID NO:	x
2	168	226	288	450	351	674	122
4	198	228	318	452	263	676	307
6	90	230	318	454	619	678	307
8	126	232	189	456	627	680	307
10	118	234	592	458	127	682	60
12	286	236	592	460	227	684	338
14	413	238	455	462	298	686	338
16	413	240	592	464	628	688	338
18	413	242	216	466	556	690	502
20	135	244	284	468	119	692	506
22	299	246	284	470	472	694	506
24	300	248	291	472	472	696	506
26	287	250	394	474	193	698	82
28	304	252	706	476	472	700	245
30	187	254	706	478	139	702	245
32	331	256	400	480	417	704	245
34	331	258	706	482	417	706	172
36	236	260	155	484	269	708	384
38	298	262	228	486	337	710	384
40	166	264	228	488	103	712	271
42	614	266	228	490	1014	714	384
44	612	268	173	492	1014	716	190
46	300	270	150	494	925	718	360
48	612	272	150	496	1014	720	145
50	240	274	526	498	373	722	227
52	545	276	145	500	371	724	227
54	545	278	76	502	371	726	122
56	243	280	161	504	362	728	227
58	546	282	161	506	371	730	147
60	126	284	161	508	135	732	157
62	126	286	292	510	263	734	157
64	135	288	291	512	325	736	86
66	135	290	291	514	721	738	157
68	136	292	300	516	721	740	233
70	228	294	291	518	230	742	233
72	228	296	251	520	721	744	233
74	136	298	252	522	705	746	233
76	229	300	252	524	175	748	233
78	213	302	252	526	428	750	386
80	320	304	524	528	428	752	407
82	320	306	524	530	428	754	405
84	320	308	424	532	154	756	405
86	196	310	524	534	388	758	142
88	268	312	197	536	388	760	142
90	268	314	313	538	388	762	142
92	268	316	313	540	201	764	142
94	268	318	313	542	300	766	392
96	116	320	395	544	300	768	334
98	201	322	394	546	506	770	392
100	201	324	395	548	300	772	392
102	201	326	395	550	234	774	184
104	103	328	371	552	235	776	223
106	716	330	671	554	234	778	223

-364-

108	716	332	671	556	235	780	223
110	370	334	434	558	149	782	156
112	716	336	671	560	300	784	356
114	454	338	162	562	300	786	356
116	512	340	162	564	300	788	253
118	512	342	162	566	123	790	356
120	454	344	162	568	298	792	182
122	512	346	93	570	298	794	256
124	158	348	196	572	297	796	256
126	447	350	196	574	189	798	256
128	447	352	196	576	513	800	64
130	322	354	196	578	513	802	407
132	447	356	159	580	513	804	347
134	320	358	159	582	513	806	343
136	522	360	159	584	87	808	408
138	522	362	159	586	461	810	183
140	522	364	159	588	461	812	366
142	167	366	198	590	461	814	366
144	381	368	198	592	461	816	366
146	382	370	199	594	140	818	366
148	181	372	199	596	553	820	150
150	451	374	474	598	558	822	149
152	451	376	473	600	585	824	149
154	323	378	473	602	558	826	149
156	120	380	473	604	59	828	244
158	238	382	212	606	342	830	622
160	237	384	289	608	342	832	622
162	237	386	289	610	110	834	622
164	125	388	267	612	214	836	88
166	483	390	290	614	227	838	248
168	466	392	222	616	298	840	248
170	468	394	222	618	213	842	174
172	498	396	222	620	136	844	248
174	42	398	222	622	406	846	193
176	181	400	277	624	408	848	357
178	181	402	277	626	408	850	357
180	179	404	307	628	408	852	364
182	84	406	307	630	75	854	356
184	83	408	307	632	375	856	121
186	263	410	312	634	375	858	135
188	81	412	291	636	409	860	135
190	382	414	291	638	375	862	135
192	382	416	372	640	237	864	135
194	345	418	291	642	291	866	259
196	383	420	188	644	300	868	458
198	143	422	238	646	291	870	458
200	446	424	188	648	1450	872	261
202	449	426	181	650	1457	874	458
204	397	428	181	652	1449	876	393
206	446	430	181	654	1468	878	888
208	150	432	231	656	140	880	871
210	453	434	262	658	131	882	922
212	459	436	262	660	201	884	922
214	459	438	231	662	174	886	166
216	93	440	262	664	211	888	326
218	287	442	210	666	725	890	356
220	59	444	241	668	725	892	356
222	287	446	351	670	623		
224	288	448	351	672	725		

-365-

CLAIMS

1. A fragment of a protein disclosed in WO99/24578, wherein the fragment comprises at least one antigenic determinant.
2. The fragment of claim 1, having a length of 100 amino acids or less.
- 5 3. The fragment of claim 1 or claim 2, having a length of 3 amino acids or greater.
4. The fragment of any preceding claim, being one of the 14151 fragments of Table I.
5. A polypeptide having 50% or greater sequence identity to the fragment of any preceding claim.
6. A protein comprising one or more fragment of claim 1, claim 2 or claim 3, with the proviso
10 that the protein is not one of the 446 complete protein sequences disclosed in WO99/24578.
7. An antibody which recognises the fragment according to any one of claims 1 to 4.
8. A protein comprising a peptide sequence, wherein the peptide sequence is recognised by an antibody according to claim 7.
9. Nucleic acid encoding the fragment of claim 1, claim 2 or claim 3, the polypeptide of claim
15 5, or the protein of claim 8.
10. A composition comprising the fragment of claim 1, claim 2 or claim 3, the polypeptide of claim 5, the protein of claim 8, the antibody of claim 7, and/or the nucleic acid of claim 9, wherein the composition is a vaccine, a diagnostic reagent, or an immunogenic composition.
11. The composition of claim 10 for use as a medicament
- 20 12. The use of the fragment of claim 1, claim 2 or claim 3, the polypeptide of claim 5, the protein of claim 8, the antibody of claim 7, and/or the nucleic acid of claim 9, in the manufacture of (i) a medicament for treating or preventing infection due to Neisserial bacteria (ii) a diagnostic reagent for detecting the presence of Neisserial bacteria or of antibodies raised against Neisserial bacteria and/or (iii) a reagent which can raise antibodies against Neisserial bacteria.
- 25 13. A method of treating a patient, comprising administering to the patient a therapeutically effective amount of a composition according to claim 10.